

Bid Document

Bid Details	
Bid End Date/Time	14-09-2020 15:00:00
Bid Opening Date/Time	14-09-2020 15:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	60 (Days)
Ministry/State Name	Ministry Of Railways
Department Name	Na
Organisation Name	N/a
Office Name	Southern Region
Total Quantity	2
Item Category	Air Conditioner
Bidder Turnover (Last 3 Years)	1 Lakh (s)
Experience Criteria	1 Year (s)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Experience Criteria,OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

Air Conditioner (2 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
CONFORMITY / CERTIFICATION	BEE Star Rating	3	3
	Conformity to Indian Standard	IS 1391 latest	*
CAPACITY / GENERIC	Type of Air conditioner	High wall Split AC	High wall Split AC
	Technology of AC	Inverter (Variable Speed)	Inverter (Variable Speed)
	Nominal cooling capacity in Ton / (kcal/hr)	2.0 Ton / 6000 kcal/hr	2.0 Ton / 6000 kcal/hr
	Coil Material	Copper	Copper
	Eco-friendly refrigerant	Yes	Yes
	Minimum length of copper pipe and suitable connecting electrical cable for installation and commissioning	3 metre	3 metre
	Packing List	-	*
	Any other Features	-	*
WARRANTY	Warranty on Machine	5	5.0
	Warranty on Compressor	10	10 Or higher
INSTALLATION	Installation and commissioning	With Installation and Commissioning	With Installation and Commissioning

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Kandeepan	600008,RAILTEL CORPORATION OF INDIA LTD., 4th Floor, Chief Administrative Officer Block, CAO/CN/MS, E.V.R. Periyar Salai, Chennai - 600008 Tel: +91-44-26481271 Fax: +91-44-26481272	2	21

Special terms and conditions for category Air Conditioner

- 1.Scope of installation and Commissioning for Cassette AC
 - 1.Mounting/Fitting of indoor and outdoor units at the respective locations after cutting the false ceiling / drilling holes into the roof, if required.
 - 2.Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall, if required.
 - 3.Charging Refrigerant gas in the unit.
 - 4.Suitable electric wiring between indoor unit and switch upto 3 meters length.
 - 5.Testing for satisfactory working without any abnormal noise as well as leakage test of entire system.
- 2.Following are not included in the scope of supply for Cassette AC:
 - 1.Refrigerant pipe of required length.
 - 2.Set of 4 nos. of Rods for fixing Cassette AC to the roof.
 - 3.Chiselling / Ducting / grooving for concealing the Refrigerant piping / cabling.
 - 4.Switches/ Sockets / Plug Tops / Voltage Stabilizer.
- 3.Scope of installation and Commissioning for Floor Standing Split AC
 - 1.Mounting/Fitting of indoor and outdoor units at the respective locations.
 - 2.Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall, if required.
 - 3.Charging Refrigerant gas in the unit.
 - 4.Suitable electric wiring between indoor unit and switch upto 3 meters length.
 - 5.Testing for satisfactory working without any abnormal noise as well as leakage test of entire system.
- 4.Following are not included in the scope of supply for Floor Standing Split AC
 - 1.Refrigerant pipe of required length.
 - 2.Chiselling / Ducting / grooving for concealing the Refrigerant piping / cabling.
 - 3.Switches/ Sockets / Plug Tops / Voltage Stabilizer.
- 5.Buyers shall ensure that wherever they opt for Air Conditioner 'with installation at Extra Cost', they have to select separately priced installation at extra cost. Similarly, the buyers may also order separately priced accessories for Air Conditioners such as Metallic mount, Set of Hanging Rods for Cassette AC, Drain pipe, Extra Refrigerant Pipe, Extra Electric Cable.
- 6.In addition to general terms and conditions of the GeM following special T&C shall be applicable:
 - 1."Refrigerant Pipe / Refrigerant Piping", wherever is referred in this document, means, "Set of two copper pipes one for suction other for discharge with suitable insulation for carrying the Refrigerant along with suitable connecting electrical cable".
 - 2.The Scope of installation and Commissioning for different types of Air Conditioners when opted by the buyer shall be as under: Scope of installation and Commissioning for Window AC :-
 - 1.Mounting/Fitting of Window AC, with necessary alignment work, in already made window frame.
 - 2.Suitable electric wiring upto 3 meters length between Window AC and Power Socket / voltage stabilizer.
 - 3.Testing for satisfactory working without any abnormal noise as well as leakage test of entire system.
 - 3.Following are not included in the scope of supply for Window AC:
 - 1.Carpentry work for making the window frame and fixing of wooden frame.
 - 2.Switches/ Sockets / Plug Tops / Voltage Stabilizer.
 - 4.Scope of installation and Commissioning for High wall Split AC :-
 - 1.Mounting/Fitting of indoor and outdoor units at the respective locations.
 - 2.Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall, if required.
 - 3.Charging Refrigerant gas in the unit.
 - 4.Suitable electric wiring between indoor unit and switch upto 3 meters length.
 - 5.Testing for satisfactory working without any abnormal noise as well as leakage test of entire system.
 - 5.Following are not included in the scope of supply for High wall Split AC:
 - 1.Chiselling / Ducting / grooving for concealing the Refrigerant piping / cabling.
 - 2.Switches/ Sockets / Plug Tops / Voltage Stabilizer.

Bid Specific Additional Terms and Conditions

- 1.**Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.
- 2.Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.
- 3.Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 1 year before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary

product having highest value should meet this criterion.

4. **Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER):** Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages.

When there is requirement of submission the advance sample, the seller shall inform the buyer promptly through emails about the date of submission of sample to the buyer nominated Inspection agency.

5. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
6. Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address RailTel Corporation Of India Ltd.,,, Opposite to DRM office Near Railway Hospital Madurai-625016 Tamilnadu.
7. Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---