RAILTEL CORPORATION OF INDIA LIMITED

(A Govt. of India Undertaking)

Expression of Interest for Selection of Partner from Empanelled Business Associate for South East Central Railway, Tender No. 85-SNT-Proj-Tender-2024, Dt.04-01-2025

For

Survey, Design, supply, Installation, Testing and Commissioning of KAVACH equipment's and other associated works between NAGPUR-JHARSUGUDA section of South East Central Railway.

EOI No: RCIL/WR/MUMBAI/MKTG/24-25/007, Dated: 20th Feb-2025

Western Railway Microwave Complex, Senapati Bapat Marg, Mahalaxmi, Mumbai-400013

EOI NOTICE

RailTel Corporation of India Ltd, Western Railway Microwave Complex, Senapati Bapat Marg, Mahalaxmi, Mumbai – 400013.

EOI Notice No: RCIL/WR/MUMBAI/MKTG/24-25/007, Dated: 20th Feb-2025

RailTel Corporation of India Ltd., (here after referred to as "RailTel") invites EOIs from RailTel's Empanelled Partners for the selection of suitable partner as Exclusive pre bid teaming arrangement for the Work "Survey, Design, supply, Installation, Testing and Commissioning of KAVACH equipment's and other associated works between NAGPUR-JHARSUGUDA section of South East Central Railway."

The details are as under:

1	Last date for submission of Technical	25-02-2025 at 16:00 Hours
	Packet against EOIs by bidders	
2	Opening of Technical Bid of EOIs	25-02-2025 at 16:30 Hours
3	Number of copies to be submitted for scope of work	One
4	EOI fees inclusive tax (Non-refundable)	11800/- (Incl. of Tax)
5	Token EMD for Pre-Bid Arrangement	5,00,000.00/-

The EMD should be in the Favor of RailTel Corporation of India Limited payable at Mumbai through online bank transfer or through Bank Guarantee. Partner needs to share the online payment transfer details like UTR No, date of payment and if submitted as Bank Guarantee then original hard Copy is to be submitted to the below mentioned officers along with the proposal.

RailTel Bank Details: Union Bank of India, Account No. 317801010036605, IFSC Code - UBIN0531782, Mahalaxmi Branch.

Eligible Business Associates are required to direct all communications related to this Invitation for EoI document, through the following Nominated Point of Contact persons:

1. Level 1

Contact Name: Sh. Mangesh Dahiwile
Designation: Senior Manager/ Marketing
E-Mail Address: mangeshd@railtelindia.com

Mobile No: +91- 9730094171

2. Level 2

Contact Name: Sh. Anand Kumar,

Designation : Joint General Manager/ Marketing **E-Mail Address :** anandnkn@railtelindia.com

Mobile No: +91- 9004444107

Note:

- 1. Empanelled partners are required to submit soft copy of technical packet through an e-mail at eoi.wr@railtelindia.com duly signed by Authorized Signatories with Company seal and stamp.
- 2. The EOI response is invited from eligible Empanelled Partners of RailTel only.
- 3. All the document must be submitted with **proper indexing** and **page no**.
- 4. This is an exclusive pre-RFP partnership arrangement with empanelled business associate of RailTel for participating in the end customer RFP. Selected partner's authorized signatory has to give an undertaking they will not submit directly or indirectly their bids and techno-commercial solution/association with any other organization once selected in this EOI for pre-bid teaming arrangement (before and after submission of bid to end customer organization by RailTel). This undertaking has to be given with this EOI Response.
- 5. Partner can submit their response as an individual organization. Consortium is not permitted. The Bidder has to be an empanelled partner of RailTel.
- 6. Transfer and Sub-letting. The Business Associate has no right to give, bargain, sell, assign or sublet or otherwise dispose of the Contractor any part thereof, as well as to give or to let a third party take benefit or advantage of the present Contract or any part thereof.

1. Introduction about RailTel

RailTel Corporation of India Limited (RailTel), is a "Nav Ratna" Government of India undertaking under the Ministry of Railways. The Corporation was formed in Sept 2000 with the objectives to create nationwide Broadband Telecom and Multimedia Network in all parts of the country, to modernize Train Control Operation and Safety System of Indian Railways and to contribute to realization of goals and objective of national telecom policy 1999. RailTel is a subsidiary of Indian Railways.

RailTel has approximately 65000+ kms of OFC along the protected Railway tracks. The transport network is built on high capacity DWDM and an IP/ MPLS network over it to support mission critical communication requirements of Indian Railways and other customers. RailTel has Tier-III Data Center in Gurgaon and Secunderabad hosting / collocating critical applications. RailTel is also providing Telepresence as a Service (TPaaS), where a High-Definition Video Conference facility bundled with required BW is provided as a Service.

For ensuring efficient administration across India, country has been divided into four regions namely, Eastern, Northern, Southern & Western each headed by Executive Director and Headquartered at Kolkata, New Delhi, Secunderabad & Mumbai respectively. These regions are further divided into territories for efficient working. RailTel has territorial offices at Guwahati, & Bhubaneswar in East, Chandigarh, Jaipur, Lucknow in North, Chennai & Bangalore in South, Bhopal, and Pune & Ahmedabad in West. Various other territorial offices across the country are proposed to be created shortly.

RailTel's business service lines can be categorized into three heads namely B2G/B2B (Business to Government and Business to Business) and B2C (Business to customers):

Licenses & Service portfolio:

Presently, RailTel holds Infrastructure Provider -1, National Long Distance Operator, International Long Distance Operator and Internet Service Provider (Class-A) licenses under which the following services are being offered to various customers:



a) Carrier Services

- National Long Distance: Carriage of Inter & Intra -circle Voice Traffic across India using state of
 the art NGN based network through its Interconnection with all leading Telecom Operators
- Lease Line Services: Available for granularities from E1 to multiple of Gigabit bandwidth& above
- Dark Fiber/Lambda: Leasing to MSOs/Telco's along secured Right of Way of Railway tracks
- Co-location Services: Leasing of Space and 1000+ Towers for collocation of MSC/BSC/BTS of Telco's

b) Enterprise Services

Managed Lease Line Services: Available for granularities from E1, DS-3, STM-1 & above

- MPLS VPN: Layer-2 & Layer-3 VPN available for granularities from 2 Mbps& above
- Dedicated Internet Bandwidth: Experience the "Always ON" internet connectivity at your fingertips in granularities 2 Mbps to several Gbps

c) DATA CENTER

- Infrastructure as a service (IaaS), Hosting as Services, Security operation Centre as a Service (SOCaaS): RailTel has MeitY empaneled two Tier-III data centres in Gurgaon & Secunderabad. Presently RailTel is hosting critical applications of Indian Railways, Central & State government/PSUs applications. RailTel will facilitate Government's applications
- Hosting services including smooth transition to secured state owned RailTel's Data Centers and
 Disaster Recovery Centres. RailTel also offers SOC as a Service 'SOCaaS'. In addition, RailTel
 offers VPN client services so that employees can seamlessly access government's intranet,
 applications securely from anywhere without compromising security.

d) National Long Distance:

Carriage of Inter & Intra -circle Voice Traffic across India using state of the art NGN based network through its Interconnection with all leading Telecom Operators

- Lease Line Services: Available for granularities from E1 to multiple of Gigabit bandwidth& above
- Dark Fiber/Lambda: Leasing to MSOs/Telco's along secured Right of Way of Railway tracks
- Co-location Services: Leasing of Space and 1000+ Towers for collocation of MSC/BSC/BTS of Telco's

e) High-Definition Video Conference:

RailTel has unique service model of providing high -definition video conference bundled with Video Conference equipment, bandwidth and FMS services to provide end to end seamless services on OPEX model connecting HQ with other critical offices. RailTel also offers application-based video conference solution for employees tobe productive specially during this pandemic situation.

f) Retail Services - RailWire

RailWire: Triple Play Broadband Services for the Masses. RailTel has unique model ofdelivering broadband services, wherein local entrepreneurs are engaged in delivering & maintaining broadband services and upto 66% of the total revenues earned are shared to these local entrepreneurs in the state, generating jobs and revitalizing local economies. On date RailTel is serving approx. 4,68,000 subscribers on PAN Indian basis. RailTel can provide broadband service across— Government PSU or any organization's officers colonies and residences.

2. Project Background and Objective of EOI

RailTel intends to participate in Tender floated by end Customer organization for "Survey, Design, supply, Installation, Testing and Commissioning of KAVACH equipment's and other associated works between NAGPUR-JHARSUGUDA section of South East Central Railway."

RailTel invites EOIs from RailTel's Empanelled Partners for the selection of suitable partner for participating in above mentioned work for the agreed scope work. The empanelled partner is expected to have excellent execution capability and good understanding customer local environment.

3. Scope of Work

The scope of work will be as mentioned in the end Customer organization Tender for "Survey, Design, supply, Installation, Testing and Commissioning of KAVACH equipment's and other associated works between NAGPUR-JHARSUGUDA section of South East Central Railway."

In case of any discrepancy or ambiguity in any clause / specification pertaining to scope of work area, the RFP and corrigendum/addendum released by end customer organization shall supersede and will be considered sacrosanct. (All associated clarifications, response to queries, revisions, addendum, and corrigendum, associated prime service agreement (PSA)/MSA/SLA also included.)

Special Note: RailTel may retain some portion of the work mentioned in the end organization RFP, where RailTel has competence so that overall proposal becomes most winnable proposal.

4. Response to EOI guidelines

4.1 Language of Proposals

The proposal and all correspondence and documents shall be written in English in soft copy through an email (file should not exceed 20 Mbps).

4.2 RailTel's Right to Accept/Reject responses

RailTel reserves the right to accept or reject any response and annul the bidding process or even reject all responses at any time prior to selecting the partner, without thereby incurring any liability to the affected bidder or Business Associate or without any obligation to inform the affected bidder or bidders about the grounds for RailTel's action.

4.3 EOI response Document

The bidder is expected to examine all instructions, forms, terms and conditions and technical specifications in the bidding documents. Submission of bids, not substantially responsive to the bidding document in every aspect will be at the bidder's risk and may result in rejection of its bid without any further reference to the bidder.

All pages of the documents shall be signed by the bidder including the closing page in token of his having studies the EOI document and should be submitted along with the bid.

4.4 Period of Validity of bids and Bid Currency

Bids shall remain valid for a period of 180 days from the date Bid submission date issued by the end Customer organization for which bid is going to submit.

4.5 Bid Earnest Money (EMD) -

- 4.5.1 The Business Associate shall furnish a sum as given in EOI Notice via online transfer from any scheduled bank in India in favour of "RailTel Corporation of India Limited" along with the offer. This will be called as EOI EMD.
- 4.5.2 Offers not accompanied with valid EOI Earnest Money Deposit shall be summarily rejected.
- 4.5.3 In case if offer is selected for bidding, the partner has to furnish Earnest Money Deposit (for balance amount as mentioned in the customer's Bid and EoI notice as applicable) for the bid to RailTel. The selected Business Associate shall have to submit EMD to RailTel before submission of bid to end customer as applicable.
- 4.5.4 Return of EMD for unsuccessful Business Associates: EOI EMD of the unsuccessful Business Associate shall be returned without interest after completion of EOI process.
- 4.5.5 Return of EMD for successful Business Associate: EOI-EMD & Earnest Money Deposit (balance EMD) if applicable and Integrity Pact of the successful bidder will be discharged / returned as promptly as possible after the receipt of RailTel's EMD/BG from the Customer and or on receipt of Security Deposit Performance Bank Guarantee as applicable

(clause no. 4.6) from Business Associate whichever is later.

4.5.6 Forfeiture of EOI EMD or EOI EMD & EMD (balance proportionate EMD) and or Penal action asper EMD Declaration:

- **4.5.6.1** The EOI EMD may be forfeited and or penal action shall be initiated if a Business Associate withdraws his offer or modifies the terms and conditions of the offer during validity period.
- **4.5.6.2** In case of non-submission of SD/PBG (as per clause no. 4.6) lead to forfeiture of EOI EMD, EMD (balance proportionate EMD) if applicable and Integrity Pact and or suitableaction as prescribed in the EMD Declaration shall be initiated as applicable.
- 4.5.7 Having participated with another party/consortium apart from RailTel in RailTel's end customer Tender

4.6 Security Deposit / Performance Bank Guarantee (PBG)

- **4.6.1** In case the bid is successful, the PBG of requisite amount proportionate to the agreed scope of the work will have to be submitted to RailTel.
- 4.6.2 As per work share arrangements agreed between RailTel and Business Associate the PBG will be proportionately decided and submitted by the selected Business Associate.

4.7 Last date & time for Submission of EOI response

EOI response must be submitted to RailTel at the email address specified in the preamble not later than the specified date and time mentioned in the preamble.

4.8 Modification and/or Withdrawal of EOI response

EOI response once submitted will treated, as final and no modification will be permitted except with the consent of the RailTel.

No Business Associate shall be allowed to withdraw the response after the last date and time for submission.

The successful Business Associate will not be allowed to withdraw or back out from the response commitments. In case of withdrawal or back out by the successful business associate, the Earnest Money Deposit shall be forfeited, and all interests/claims of such Business Associate shall be deemed as foreclosed.

4.9 Details of Financial bid for the above referred tender -

Business Associate meeting eligibility criteria and clearing the technical evaluation will be selected for exclusive pre-bid arrangement for optimizing technical and commercial solution so that most winnable solution is submitted to end customer.

In case if there are Two or more Business Associate meeting eligibility criteria and clearing technical evaluation criteria, then price bid will be sought from these Sole partner/ consortiums in the second stage for the given scope of the work and Sole partner/ consortium with overall lowest (L1) offer will be selected for exclusive pre bid arrangement for optimizing technical and commercial solution.

The final bid for the tender will be prepared jointly with the selected Business Associate so that the optimal bid can be put with a good chance of winning the Tender.

4.10 Clarification of EOI Response

To assist in the examination, evaluation and comparison of bids the purchaser may, at its discretion, ask the Business Associate for clarification. The response should be in writing and no change in the price or substance of the EOI response shall be sought, offered or permitted.

4.11 Period of Association/Validity of Agreement

RailTel will enter into a pre-bid agreement with selected bidder with detailed Terms and conditions.

5. Eligibility Criteria for Bidding Business Partner of RailTel:-

S No	Particulars	Criteria for Tender Package (Mandatory Compliance & Document Submission)
A)	Financial Conditions	
i)	Sole partner/all consortium members should be registered under Companies Act, 1956 or Companies Act 2013 or as amended and should have at least 3 years of operations in India as on bid submission date.	 Certificate of Incorporation GST Registration PAN Card
ii)	Sole Participating partner should have cumulative turnover of at least INR 410 Cr. for last three years.	Turnover Certificate issued by the Chartered Accountant for sole partner / consortium partners. Certificate should contain UDIN no. issued by ICAI
iii)	Sole partner/ all consortium members should also have a positive net worth & be profitable in each of the last 3 financial years.	Positive Net Worth and Profitability Certificate issued by the CA for the last three financial years. Certificate should contain UDIN no. issued by ICAI.
B)	Technical Eligibility Criteria :	
iv)	The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i) Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or (ii) Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or (iii) One similar work costing not less than the amount equal to 60% of advertised value of the tender.	PO Copies along with client's Certificate and performance certificate.
C)	Similar work experience :-	
v)	One similar work each costing not less than the amount equal to 60% of advertised value of the tender. Similar work means: Supply, Installation, Testing & Commissioning of (i) KAVACH/TCAS OR (ii) RRI/PI/EI OR (iii) yard remodelling/IBS/ABS involving alteration to Electronic Interlocking OR (iv) Centralized Traffic Control System/ Train Management System OR (v) Automatic Train Protection System OR (vi) Automatic Block Signalling OR (vii) Intermediate Block Signalling [as standalone or as apart of composite signalling work for Sr. No. (vi) & (vii)].	PO Copies along with client's Certificate and performance certificate.
D)	Specific Technical Condition :	
vi)	(a) The Bidder should have completed minimum 80 Km of Auto Signalling work with Multi Section Digital Axle Counter (MSDAC) in a single contract in last five years upto the date of	PO Copies along with client's Certificate and performance certificate.

		Criteria for Tender Package
S No	Particulars	(Mandatory Compliance & Document Submission)
	publishing of this tender. (b) The bidder should have installed minimum 1000 Detection Points of Multi Section Digital Axle Counter (MSDAC) over Indian Railways in any consecutive 12 months in last five years.	
vii)	Certifications: 1) ISO 9001:2015	Copies of Certificates (priority will be given to higher level of certifications)

6. Bidder's Profile

The bidder including individual consortium members if any shall provide the information in the below table:

S.	ITEM	Details
No.		
1.	Full name of bidder's firm	
2.	Full address, telephone numbers, fax numbers, and email address of the primary office of the organization / main / head / corporate office	
3.	Name, designation and full address of the Chief Executive Officer of the bidder's organization as a whole, including contact numbers and emailAddress	
4.	Full address, telephone and fax numbers, and email addresses of the officeof the organization dealing with this tender	
5.	Name, designation and full address of the person dealing with the tender towhom all reference shall be made regarding the tender enquiry. His/her telephone, mobile, Fax and email address	
6.	Bank Details (Bank Branch Name, IFSC Code, Account number)	
7.	GST Registration number	
8.	PAN Number	

7. Evaluation Criteria

- 7.1 The Business Associates are first evaluated on the basis of the Eligibility Criteria as per clause 5 above.
- 7.2 The Business Associate qualifying the Eligibility criteria will be selected for exclusive pre-bid arrangement for optimizing technical and commercial solution so that most winnable solution is submitted to end customer.
- **7.3** In case if there are two or more Sole partner meeting eligibility criteria then the price bids will be sought from these Sole partners in the second stage for the given scope of the work and Sole partner with overall lowest (L1) offer will be selected for exclusive pre bid arrangement for optimizing technical and commercial solution.
- 7.4 RailTel reserves the right to accept or reject the response against this EOI, without assigning any reasons. The decision of RailTel is final and binding on the participants. The RailTel evaluation committee will determine whether the proposal/ information is complete in all respects and the decision of the

evaluation committee shall be final. RailTel may at its discretion assign lead factor to the Business associate as per RailTel policy for shortlisting partner against this EOI.

7.6 All General requirements mentioned in the Technical Specifications are required to be complied. The solution proposed should be robust and scalable.

8 Withdrawal of Bids

A Bidder wishing to withdraw its bid shall notify to RailTel by e-mail prior to the deadline prescribed for bid submission. The notice of withdrawal shall be addressed to RailTel at the address named in the Bid Data Sheet, and bear the Contract name, the <Title> and < Bid No.>, and the words "Bid Withdrawal Notice." Bid withdrawal notices received after the bid submission deadline will be ignored, and the submitted bid will be deemed to be a valid submitted bid.

No bid can be withdrawn in the interval between the bid submission deadline and the expiration of the bid validity period specified in the Bid Data Sheet. Withdrawal of a bid during this interval may result in the forfeiture of the Bidder's EMD.

9 Evaluation Process

The evaluation process of the bid proposed to be adopted by RailTel is indicated in this section. The purpose of this section is to provide the Bidder an idea of the evaluation process that RailTel may adopt.

RailTel shall appoint a Bid Management Committee (BMC) to scrutinize and evaluate the technical and commercial bids received. The BMC will examine the Bids to determine whether they are complete, responsive and whether the bid format conforms to the bid requirements. RailTel may waive any informality or non-conformity in a bid which does not constitute a material deviation according to RailTel.

The bid prices should not be mention in any part of the bid other than the Commercial Bid. Any attempt by a bidder to influence the bid evaluation process may result in the rejection of Bid and forfeiture of EMD.

10 Performance Bank Guarantee

The Bidder shall at his own expense, deposit with RailTel, an unconditional and irrevocable Performance Bank Guarantee (PBG) from nationalized banks as per the format given in this bid, payable on demand, for the due performance and fulfilment of the contract by the Bidder.

This Performance Bank Guarantee will be submitted within 30 days of the notification of award of the contract/ Letter of Acceptance (LOA) issuance whichever is earlier. If PBG is not submitted within this time frame a delayed PBG penalty will be attracted. Post 30 days and upto 60 days from date of notification of award of the contract/ Letter of Acceptance (LOA) issuance a penalty at 15% per annum interest of LOA amount will be levied as delayed PBG penalty and this penalty will be deducted from the Invoices & EMD of the Bidder. After these 60 days if PBG is not submitted then it will be assumed that the Bidder is not interested in submitting PBG and the Amount of PBG along with the delayed PBG penalty calculated will be retained from Invoices & EMD of the Bidder. Non submission of PBG can also lead to cancellation of contract and the decision with respect to whether, to retain the PBG Amount and penalty from Invoices & EMD or cancellation of contract, will be at the sole discretion of RailTel. In the event of cancellation of contract EMD will be forfeited. If PBG is retained from Invoices & EMD then the PBG Amount only and not the penalty attracted will be paid to the Bidder in such a case post the contract period plus three months(expected PBG validity date) are over after deducting any applicable deductions (eg: Poor service, etc).

This Performance Bank Guarantee will be for an amount equivalent to 3% of the total contract value. All charges whatsoever such as premium, commission, etc. with respect to the Performance Bank Guarantee shall be borne by the Bidder. The Performance Bank Guarantee format can be found in this document.

The Performance Bank Guarantee may be discharged/ returned by RailTel upon being satisfied that there has been due performance of the obligations of the Bidder under the contract. However, no interest shall be payable on the Performance Bank Guarantee.

In the event of the Bidder being unable to service the contract for whatever reason, RailTel would invoke the PBG. Notwithstanding and without prejudice to any rights whatsoever of RailTel under the Contract in the matter, the proceeds of the PBG shall be payable to RailTel as compensation for any loss resulting from the Bidder's failure to complete its obligations under the Contract. RailTel shall notify the Bidder in writing of the exercise of its right to receive such compensation within 30 days, indicating the contractual obligation(s) for which the Bidder is in default.

The 30 days' notice period shall be considered as the 'Cure Period' to facilitate the Implementation Agency to cure the breach. The PBG shall be invoked only if the breach is solely attributable to the bidder and the bidder fails to rectify the breach within the 'Cure Period'.

RailTel shall also be entitled to make recoveries from the Bidder's bills, performance bank guarantee, or from any other amount due to the Bidder, the equivalent value of any payment made to the Bidder due to inadvertence, error, collusion, misconstruction or misstatement.

11 Rights to Terminate the Process

RailTel may terminate the bid process at any time and without assigning any reason. RailTel makes no commitments, express or implied, that this process will result in a business transaction with anyone.

This bid document does not constitute an offer by RailTel. The Bidder's participation in this process may result in RailTel selecting the Bidder to engage in further discussions and negotiations towards execution of a contract. The commencement of such negotiations does not, however, signify a commitment by RailTel to execute a contract or to continue negotiations. RailTel may terminate negotiations at any time without assigning any reason.

12. Payment terms

- 8.1 RailTel shall make payment to selected Business Associate after receiving payment from Customer for the agreed scope of work. In case of any penalty or deduction made by customer for the portion of work to be done by BA, same shall be passed on to Business Associate.
- 8.2 All payments by RailTel to the Partner will be made after the receipt of payment by RailTel from end customer organization and upon submission of correct Tax Invoices as per statutory norms.
- 8.3 The Payments received from end customer will be disbursed scope wise to the selected BA.

 The BA selected for a particular scope will receive payments once end customer releases payments for the specific part

13 SLA

The selected bidder will be required to adhere to the SLA matrix as defined in the end Customer organization tender for his scope of work and the SLA breach penalty will be applicable proportionately on the selected bidder, as specified in the end Customer organization Tender. The SLA scoring and penalty deduction mechanism for in-scope of work area shall be followed as specified in the Tender. All associated clarifications, responses to queries, revisions, addendum and corrigendum, associated Prime Services Agreement (PSA)/ MSA/ SLA also included. Any deduction by Customer from RailTel payments on account of SLA breach which is attributable to Partner will be passed on to the Partner proportionately based on its scope of work.

14. Other terms & Conditions

Any other terms & conditions in relation to SLA, Payments, PBG etc., will be as per end customer RFP.

Depending on RailTel's business strategy RailTel may choose to work with Partner who is most likely to support in submitting a winning bid.

Annexure 1: Format for COVERING LETTER

COVERING LETTER (To be on company letter head)
EoI Reference No: Date:
To,
RailTel Corporation of India Ltd. Western Railway Microwave complex, Senapati Bapat Marg, Mahalaxmi, Mumbai – 400013
Dear Sir,
SUB: Participation in the EoI process
Having examined the Invitation for EoI document bearing the reference number Dt released by your esteemed organization, we, undersigned, hereby acknowledge the receipt of the same and offer to participate in conformity with the said Invitation for EoI document.
If our application is accepted, we undertake to abide by all the terms and conditions mentioned in the said Invitation for EoI document.
We hereby declare that all the information and supporting documents furnished as a part of our response to the said Invitation for EoI document, are true to the best of our knowledge. We understand that in case any discrepancy is found in the information submitted by us, our EoI is liable to be rejected.
We hereby Submit EMD amount of Rs issued vide from Bank
Authorized Signatory Name: Designation: Signature: Seal of the Organization:

Annexure 2: Format for Self-Certificate & Undertaking

Self-Certificate (To be on company letter head)

EoI Reference No:	Date:
To,	
RailTel Corporation of India Ltd. Western Railway Microwave complex, Senapati Bapat Marg, Mahalaxmi, Mur	
Dear Sir,	

Sub: Self Certificate for Tender, Technical & other compliances

- 1. Having examined the Technical specifications mentioned in this EOI & end customer tender, we hereby confirm that we meet all specification.
- 2. We agree to abide by all the technical, commercial & financial conditions of the end customer RFP for which EOI is submitted (except pricing, termination & risk purchase rights of the RailTel). We understand and agree that RailTel shall release the payment to selected sole partner/lead partner in case of consortium after the receipt of corresponding payment from end customer by RailTel. Further we understand that in case selected sole partner/lead partner in case of consortium fails to execute assigned portion of work, then the same shall be executed by RailTel through third party or departmentally at the riskand cost of selected sole partner/lead partner in case of consortium.
- 3. We agree to abide by all the technical, commercial & financial conditions of the end customer's RFP for the agreed scope of work for which this EOI is submitted.
- 4. We hereby agree to comply with all OEM technical & Financial documentation including MAF, Technical certificates/others as per end to end requirement mentioned in the end customer's RFP. We are hereby enclosing the arrangement of OEMs against each of the BOQ item quoted as mentioned end customer's RFP. We also undertake to submit MAF and other documents required in the end Customer organization tender in favour of RailTel against the proposed products.
- 5. We hereby certify that any services, equipment and materials to be supplied are produced in eligible source country complying with OM/F. No. 6/18/2019 dated 23rd July 2020 issued by DoE, MoF.
- 6. We hereby undertake to work with RailTel as per end customer's RFP terms and conditions. We confirm to submit all the supporting documents constituting/ in compliance with the Criteria as required in the end customer's RFP terms and conditions like technical certificates, OEM compliancedocuments.
- 7. We understand and agree that RailTel is intending to select a sole partner/lead partner in case of consortium who is willing to accept all terms &conditions of end customer organization's RFP for the agreed scope of work. RailTel will strategies to retain scope of work where RailTel has competence.
- 8. We hereby agree to submit that in case of being selected by RailTel as sole partner/lead partner in case of consortium for the proposed project(for which EOI is submitted), we will submit all the forms, appendix, relevant documents etc. to RailTel that is required and desired by end Customer well before the bid submission date by end customer and as and when required.
- 9. We hereby undertake to sign Pre Bid Agreement, Pre-Contract Integrity Pact and Non-Disclosure Agreement with RailTel on a non-judicial stamp paper of Rs. 100/- in the prescribed Format.
- 10. We undertake that we will not submit directly or indirectly out bids and techno-commercial solution/association with any other organization once selected in this EOI for pre-bid teaming arrangement (before and after submission of bid to end customer organization by RailTel)

Authorized Signatory Name:

Designation:
Signature:
Seal of the Organization:

EoI Reference No: _______ Date: ______ To, RailTel Corporation of India Ltd. Western Railway Microwave complex, Senapati Bapat Marg, Mahalaxmi, Mumbai – 400013 Dear Sir, Subject: Undertaking for not being Blacklisted/Debarred We, <Company Name>, having its registered office at <Address> hereby declares that that the Company has not been blacklisted/debarred by any Governmental/ Non-Governmental organization in India for past 3 Years as on bid submission date. Authorized Signatory Name: Designation: Signature: Seal of the Organization:

Annexure 3: Undertaking for not Being Blacklisted/Debarred

Annexure 4: Format of Affidavit

FORMAT FOR AFFIDAVIT TO BE UPLOADED BY SOLE PARTNER/ALL CONSORTIUM PARTNERS) ALONG WITH THE EOI DOCUMENTS

(To be executed in presen	ce of public notary on non-judicial stamp pa	aper of the value of Rs. 500/ The
paper has to be in the name	of the BA) **	
I	(Name and Designation) * appointed as the	attorney/authorized signatory of the
BA (including its constitue	nts),	
M/s	(hereinafter called the BA) for the purpose	of the EOI documents for the work
of	as per the EOI No	Dt
of (RailTel Corporation o	f India Ltd.), do hereby solemnly affirm a	and state on the behalf of the BA
including its constituents as	s under:	

- 1. I/we the BA (s), am/are signing this document after carefully reading the contents.
- 2. I/we the BA(s) also accept all the conditions of the EOI and have signed all the pages in confirmation thereof.
- 3. I/we hereby declare that I/we have downloaded the EOI documents from RailTel website www.railtelindia.com. I/we have verified the content of the document from the website and there is no addition, no deletion or no alternation to be content of the EOI document. In case of any discrepancy noticed at any stage i.e. evaluation of EOI, execution of work or final payment of the contract, the master copy available with the RailTel Administration shall be final and binding upon me/us.
- 4. I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements, and attachments in proof of the qualification requirements.
- 5. I/we also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
- 6. I/we declare that the information and documents submitted along with the EOI by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
- 7. I/we undersigned that if the certificates regarding eligibility criteria submitted by us are found to be forged/false or incorrect at any time during process for evaluation of EOI, it shall lead to forfeiture of the EOI EMD besides banning of business for five years on entire RailTel. Further, I/we (insert name of the BA) * and all my/our constituents understand that my/our constituents understand that my/our offer shall be summarily rejected.
- 8. I/we also understand that if the certificates submitted by us are found to be false/forged or incorrect at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of EMD/SD and Performance guarantee besides any other action provided in the contract including banning of business for five years on entire RailTel.

DEPONENT

SEAL AND SIGNATURE OF THE BA

VERIFICATION

I/We above	named EOI	do hereby	solemnly	affirm	and	verify	that t	the	contents	of my/ou	r above
affidavit are true an	nd correct. No	thing has b	een conce	aled and	l no t	part of	it is fa	alse.			

DEPONENT

SEAL AND SIGNAURE OF THE ADVOCATE

Place:

Dated:

**The contents in Italics are only for guidance purpose. Details as appropriate are to be filled in suitably by BA. Attestation before Magistrate/ Notary Public.

Annexure 5: Draft Non-Disclosure Agreement

(To be submitted on a Rs. 100 Stamp Paper)

This Non-Dis	sclosure Agre	ement ("Non-D	isc") is m	ade and enter	red in	ıto	day	of		
month	year	(effective date) by and	between			("I	Departme:	nt")	and
		("Company").	Whereas,	Department	and	Company	have	entered	into	an
Agreement	("Agreemer	nt")				effective				foi
	and									

Whereas, each party desires to disclose to the other party certain information in oral or written form which is proprietary and confidential to the disclosing party, ("CONFIDENTIAL INFORMATION").

NOW, THEREFORE, in consideration of the foregoing and the covenants and agreements contained herein, the parties agree as follows:

1. Definitions. As used herein:

- a. The term "Confidential Information" shall include, without limitation, all information and to materials. furnished bv either Partv the other in connection citizen/users/persons/customers data, products and/or services, including information transmitted in writing, orally, visually, (e.g. video terminal display) or on magnetic or optical media, and including all proprietary information, customer and prospect lists, trade secrets, trade names or proposed trade names, methods and procedures of operation, commercial or marketing plans, licensed document know-how, ideas, concepts, designs, drawings, flow charts, diagrams, quality manuals, checklists, guidelines, processes, formulae, source code materials, specifications, programs, software packages, codes and other intellectual property relating to the disclosing party's data, computer database, products and/or services. Results of any tests, sample surveys, analytics, data mining exercises or usages etc. carried out by the receiving party in connection with the Department's information including citizen/users/persons/customers personal or sensitive personal information as defined under any law for the time being in force shall also be considered Confidential Information.
- b. The term, "Department" shall include the officers, employees, agents, consultants, contractors and representatives of Department.
- c. The term, "Company" shall include the directors, officers, employees, agents, consultants, contractors and representatives of Company, including its applicable affiliates and subsidiary companies.

$\textbf{2. Protection of Confidential Information:} \ \ With \ respect \ to \ any \ Confidential \ Information$

disclosed to it or to which it has access, Company affirms that it shall:

- a. Use the Confidential Information as necessary only in connection with Project and in accordance with the terms and conditions contained herein;
- b. Maintain the Confidential Information in strict confidence and take all reasonable steps to enforce the confidentiality obligations imposed hereunder, but in no event take less care with the Confidential Information that the parties take to protect the confidentiality of its own proprietary and confidential information and that of its clients;
- c. Not to make or retain copy of any commercial or marketing plans, citizen/users/persons/customers database, Bids developed by or originating from Department or any of the prospective clients of Department except as necessary, under prior written intimation from Department, in connection with the Project, and ensure that any such copy is immediately returned to Department even without express demand from Department to do so;
- d. Not disclose or in any way assist or permit the disclosure of any Confidential Information to any

- other person or entity without the express written consent of the other party; and
- e. Return to the other party, or destroy, at Department's discretion, any and all Confidential Information disclosed in a printed form or other permanent record, or in any other tangible form (including without limitation, all copies, notes, extracts, analyses, studies, summaries, records and reproductions thereof) immediately upon the earlier to occur of (i) expiration or termination of either party's engagement in the Project, or
 - (ii) the request of the other party therefore.
- f. Not to discuss with any member of public, media, press, any or any other person about the nature of arrangement entered between Department and Company or the nature of services to be provided by the Company to the Department.
- **3.** Onus. Company shall have the burden of proving that any disclosure or use inconsistent with the terms and conditions hereof falls within any of the foregoing exceptions.
- **4. Exceptions.** These restrictions as enumerated in section 1 of this Agreement shall not apply to any Confidential Information:
 - a. Which is independently developed by Company or lawfully received from another source free of restriction and without breach of this Agreement; or
 - b. After it has become generally available to the public without breach of this Agreement by Company; or
 - c. Which at the time of disclosure to Company was known to such party free of restriction and evidenced by documentation in such party's possession; or
 - d. Which Department agrees in writing is free of such restrictions.
 - e. Which is received from a third party not subject to the obligation of confidentiality with respect to such Information;
- 5. Remedies. Company acknowledges that
 - (a) any actual or threatened disclosure or use of the Confidential Information by Company would be a breach of this agreement and may cause immediate and irreparable harm to Department;
 - (b) Company affirms that damages from such disclosure or use by it may be impossible to measure accurately; and
 - (c) injury sustained by Department may be impossible to calculate and remedy fully. Therefore, Company acknowledges that in the event of such a breach, Department shall be entitled to specific performance by Company of Company's obligations contained in this Agreement. In addition, Company shall indemnify Department of the actual and liquidated damages which may be demanded by Department. Moreover, Department shall be entitled to recover all costs (including reasonable attorneys' fees) which it or they may incur in connection with defending its interests and enforcement of legal rights arising due to a breach of this agreement by Company.
- 6. Need to Know. Company shall restrict disclosure of such Confidential Information to its employees and/or consultants with a need to know (and advise such employees of the obligations assumed herein), shall use the Confidential Information only for the purposes set forth in the Agreement, and shall not disclose such Confidential Information to any affiliates, subsidiaries, associates and/or third party without prior written approval of the disclosing party.
- 7. Intellectual Property Rights Protection. No license to a party, under any trademark, patent, copyright, design right, mask work protection right, or any other intellectual property right is either granted or implied by the conveying of Confidential Information to such party.
- **8. No Conflict.** The parties represent and warrant that the performance of its obligations hereunder do not and shall not conflict with any other agreement or obligation of the respective parties to which they are a party or by which the respective parties are bound.

- **9. Authority.** The parties represent and warrant that they have all necessary authority and power to enter into this Agreement and perform their obligations hereunder.
- 10. Dispute Resolution. If any difference or dispute arises between the Department and the Company in connection with the validity, interpretation, implementation or alleged breach of any provision of this Agreement, any such dispute shall be referred appropriately to RailTel/ stakeholders/ partners/ patrons
 - a. The arbitration proceedings shall be conducted in accordance with the (Indian) Arbitration and Conciliation Act, 1996 and amendments thereof.
 - b. The place of arbitration shall be Mumbai.
 - c. The arbitrator's award shall be substantiated in writing and binding on the parties.
 - d. The proceedings of arbitration shall be conducted in English language.
 - e. The arbitration proceedings shall be completed within a period of 180 days from the date of reference of the dispute to arbitration.
- 11. Governing Law. This Agreement shall be interpreted in accordance with and governed by the substantive and procedural laws of India and the parties hereby consent to the exclusive jurisdiction of Courts and/or Forums situated at Mumbai, India only.
- **12. Entire Agreement.** This Agreement constitutes the entire understanding and agreement of the parties, and supersedes all previous or contemporaneous agreement or communications, both oral and written, representations and under standings among the parties with respect to the subject matter hereof.
- 13. Amendments. No amendment, modification and/or discharge of this Agreement shall be valid or binding on the parties unless made in writing and signed on behalf of each of the parties by their respective duly authorized officers or representatives.
- **14. Binding Agreement.** This Agreement shall be binding upon and inure to the benefit of the parties hereto and their respective successors and permitted assigns.
- 15. Severability. It is the intent of the parties that in case any one or more of the provisions contained in this Agreement shall be held to be invalid or unenforceable in any respect, such provision shall be modified to the extent necessary to render it, as modified, valid and enforceable under applicable laws, and such invalidity or unenforceability shall not affect the other provisions of this Agreement.
- **16.** Waiver. If either party should waive any breach of any provision of this Agreement, it shall not thereby be deemed to have waived any preceding or succeeding breach of the same or any other provision hereof.
- 17. Survival. Both parties agree that all of their obligations undertaken herein with respect to Confidential Information received pursuant to this Agreement shall survive till perpetuity even after any expiration or termination of this Agreement.
- 18. Non-solicitation. During the term of this Agreement and thereafter for a further period of two (2) years Company shall not solicit or attempt to solicit Department's employees and/or consultants, for the purpose of hiring/contract or to proceed to conduct operations/business similar to Department with any employee and/or consultant of the Department who has knowledge of the Confidential Information, without the prior written consent of Department. This section will survive irrespective of the fact whether there exists a commercial relationship between Company and Department.
- **19. Term.** Subject to aforesaid section 17, this Agreement shall remain valid up to _____ years from the "effective date".

IN WITNESS	HEREOF,	and	intendin	ig to l	be l	legally	bound,	the	parties	have	executed	this	Agreement	to
make it effective	ve from the	date	and yea	r first	wri	itten ab	ove.							

For Department

Name:

Annexure 6: Integrity Pact

Eal Manaham

(To be executed on Rs. 500/- Stamp Paper)

Datad:

Loi itamooi.	Dated	
This Integrity Pact is made at on this	Day of	2022
BETWEEN		

RailTel Corporation of India Ltd (a Govt of India Enterprise under Ministry of Railways) having its registered office at Plate-A, 6th Floor, Office Block Tower-2, East Kidwai Nagar, New Delhi-110023and Regional Office at Western Railway Microwave Complex, Senapati Bapat Marg, Mahalaxmi, Mumbai – 400013, hereinafter referred to as "The Principal", which expression shall unless repugnant to the meaning or contract thereof include its successors and permitted assigns

AND

<Bidder Name> having its registered office at <Bidders Registered and Branch Address (if any)> hereinafter referred to as "The Bidder/ Contractor/ Concessionaire/ Consultant" and which expression shall unless repugnant to be meaning or context thereof include its successors and permitted assigns.

Preamble

Whereas, the Principal intends to award, under laid down organizational procedures contract/s Design, Planning, Supply, installation, fixing, configuration, integration and commissioning of

IP-MPLS (Internet Protocol- Multi Protocol label Switching) routers and associated equipment's at Bilaspur, Raipur and Nagpur division of South East Central Railway. The Principal values full compliance with all relevant laws of the land, rules of land, regulations, economic use of resources and of fairness/ transparency in its relations with its Bidder(s) and for Contractor(s)/Concessionaire(s)/Consultant(s).

And whereas in order to achieve these goals, the principal will appoint an independent external Monitor (IEM), who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

And whereas to meet the purpose aforesaid, both the parties have agreed to enter into this Integrity Pact (hereafter referred to as Integrity Pact) the terms and conditions of which shall also be read as integral part and parcel of the Tender documents and contract between the parties. Now, therefore, in consideration of mutual covenants stipulated in this pact, the parties hereby agree as follows and this pact witnesseth as under: -

Article – 1: Commitments of the Principal

- 1. The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principle:
 - a. No employee of the principal, personally or through family members, will in connection with the Tender for, or the execution of a contract, demand take a promise for or accept for self or third person any material or immaterial benefit which the person is not legally entitled to.
 - b. The principal will, during the tender process treat all Bidder(s) with equity and reason. The principal will in particular, before and during the tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/additional information

- through which the Bidder(s) could obtain an advantage in relation to the tender process or the contract execution.
- c. The principal will exclude all known prejudiced persons from the process.
- 2. If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the IPC/PC Act or any other Statutory Acts or if there be a substantive suspicion in this regard, the Principal will inform the Chief Vigilance Officer and in addition can initiate disciplinary actions as per its internal laid down Rules/Regulations.

Article - 2: Commitments of the Bidder(s)/ Contractor(s)/ Concessionaire(s)/ Consultant(s)

The Bidder(s)/ Contractor(s)/ Concessionaire(s)/ Consultant(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the tender process and during the contract execution.

- a. The Bidder(s)/ Contractor(s)/ Concessionaire(s)/ Consultant(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principals employees involved in the tender process or the execution of the contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.
- b. The Bidder(s)/ Contractor(s)/ Concessionaire(s)/ Consultant(s) will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission or bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.
- c. The Bidder(s)/ Contractor(s)/ Concessionaire(s)/ Consultant(s) will not commit any offence under the relevant IPC / PC. Act and other Statutory Acts; further the Bidder(s)/ Contractor(s)/ Concessionaire(s)/ Consultant(s) will not use improperly for purposes of completion or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- d. The Bidder(s)/ Contractor(s)/ Concessionaire(s)/ Consultant(s) of foreign origin shall disclose the name and address of the Agents/ representatives in India. If any similarly the Bidder(s)/ Contractor(s)/ Concessionaire(s)/ Consultant(s) of Indian Nationality shall furnish the name and address of the foreign principle, if any. Further details as mentioned in the 'Guidelines on Indian Agents of Foreign Suppliers' shall be disclosed by the Bidder(s)/ Contractor(s)/ Concessionaire(s)/ Consultant(s). Further, all the payments made to the Indian Agent /Representative have to be Indian Rupees only.
- e. The Bidder(s)/ Contractor(s)/ Concessionaire(s)/ Consultant(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract. He shall also disclose the details of services agreed upon for such payments.
- f. The Bidder(s)/ Contractor(s)/ Concessionaire(s)/ Consultant(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- g. The Bidder(s)/ Contractor(s)/ Concessionaire(s)/ Consultant(s) will not bring any outside influence through any Govt. bodies/quarters directly or indirectly on the bidding process in furtherance of his bid.

h. The Bidder(s)/ Contractor(s)/ Concessionaire(s)/ Consultant(s) who have signed a Integrity pact shall not approach the court while representing the matter to IEMs and shall wait for their decision in the matter.

Article - 3: Disqualification from tender process and exclusion from future contracts

- 1. If the Bidder(s)/ Contractor(s)/ Concessionaire(s)/ Consultant(s) before award or during execution has committed a transgression through a violation of any provision of Article- 2, above or in any other form such as to put his reliability or credibility in question, the Principal is entitled to disqualify the Bidder(s)/ Contractor(s)/ Concessionaire(s)/ Consultant(s) from the tender process.
- 2. If the Bidder/Contractor/Concessionaire/Consultant has committed a transgression through a violation of Article-2 such as to put his reliability or credibility into question, the Principal shall be entitled to exclude including blacklist and put on holiday the Bidder/Contractor/Concessionaire/Consultant for any future tenders/contract award process. The imposition and duration of the exclusion will be determined by the severity of the transgression. The severity will be determined by the Principal taking into consideration the full facts and circumstances of each case particularly taking into account the number of transgressions, the position of the transgressors within the company hierarchy of the Bidder/Contractor/Concessionaire/Consultant and the amount of the damage. The exclusion will be imposed for a maximum of 1 year.
- 3. A transgression is considered to have occurred if the Principal after due consideration of the available evidence concludes that "On the basis of facts available there are no material doubts".
- 4. The Bidder/ Contractor/Concessionaire/Consultant will its free consent and without any influence agrees and undertakes to respect and uphold the Principal's absolute rights to resort to and impose such exclusion and further accepts and undertakes not to challenge or question such exclusion on any ground, including the lack of any hearing before the decision to resort to such exclusion is taken. This undertaking is given freely and after obtaining independent legal advice.
- 5. The decision of the Principal to the effect that a breach of the provisions of this Integrity Pact has been committed by the Bidder/ Contractor/Concessionaire/Consultant shall be final and binding on the Bidder/ Contractor/Concessionaire/Consultant, however, the Bidder/ Contractor/ Concessionaire/Consultant can approach IEM(s) appointed for the purpose of this Pact.
- 6. On occurrence of any sanctions/ disqualification etc. arising out from violation of integrity pact, Bidder/ Contractor/Concessionaire/Consultant shall not be entitled for any compensation on this account.
- 7. Subject to full satisfaction of the Principal, the exclusion of the Bidder/Contractor/Concessionaire/Consultant could be revoked by the Principal if the Bidder/Contractor/Concessionaire/Consultant can prove that he has restored/recouped the damage caused by him and has installed a suitable corruption prevention system in his organization.

Article – 4: Compensation for Damages

- If the Principal has disqualified the Bidder(s) from the tender process prior to the award according to Arcticle-3, the Principal shall be entitled to forfeit the Earnest Money Deposit/ Bid Security or demand and recover the damages equivalent to Earnest Money Deposit/ Bid Security apart from any other legal right that may have accrued to the Principal.
- 2. In addition to above, the Principal shall be entitled to take recourse to the relevant provisions of the contract related to Termination of Contract due to Contractor/Concessionaire/Consultant's Default. In such case, the Principal shall be entitled to forfeit the Performance Bank Guarantee of the Contractor/ Concessionaire/ Consultant and/or demand and recover liquidated and all damages as per the provisions of the contact/Concession agreement against Termination.

Article - 5: Previous Transgression

- The Bidder declares that no previous transgression occurred in the last 3 years immediately before signing of this integrity pact with any other Company in any country conforming to the anticorruption/Transparency International (TI) approach or with any other Public Sector Enterprise/Undertaking in India or any Government Department in India that could justify his exclusion from the Tender process.
- 2. If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or action for his exclusion can be taken as mentioned under Article-3 above for transgression of Article-2 and shall be liable for compensation for damages as per Article-4 above.

Article – 6: Equal treatment of all Bidders/ Contractors/ Concessionaires/ Consultants/ Subcontractors

- The Bidder(s)/Contractor(s)/Concessionaire(s)/Consultant(s) undertake(s) to demand from all subcontractors a commitment in conformity with this integrity Pact, and to submit it to the Principal before contract signing.
- 2. The Principal will enter into agreements with identical conditions as this one with all Bidders/Contractors/Concessionaire/Consultant and Subcontractors.
- 3. The Principal will disqualify from the Tender process all Bidders who do not sign this Pact violate its provisions.

Article – 7: Criminal charges against violating Bidder(s)/ Contractor(s)/ Concessionaire(s)/ Consultant(s)/ Sub-contractor(s)

If the Principal obtains knowledge of conduct of a Bidder/ Contractor/ Concessionaire/ Consultant or Subcontractor, or of an employee or a representative or an associate of a Bidder/ Contractor/ Concessionaire/ Consultant or Subcontractor, which constitutes corruption, or if the Principal has substantive suspicion in this regard, the Principal will inform the same to the Chief Vigilance Officer.

Article – 8: Independent External Monitor (IEM)

- The Principal appoints competent and credible Independent External Monitor for this Pact after approval from Central Vigilance Commission. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.
- 2. The Monitor is not subject to instructions by the representatives of the parties and performs his functions neutrally and independently. He reports to the CMD, RailTel.
- 3. The Bidder/Contractor/Concessionaire/Consultant accepts that the Monitor has the right to access without restriction to all Project documentation of the Principal including that provided by the Bidder/ Contractor/ Concessionaire/ Consultant. The Bidder/ Contractor/ Concessionaire/ Consultant will also grant the Monitor, upon his request and demonstration of a valid interest, unrestricted and unconditional access to his Project documentation. The same is applicable to Subcontractors.
- 4. The Monitor is under contractual obligation to treat the information and documents of the Bidder(s)/Contractor(s)/Subcontractors(s) with confidentiality. The Monitor has also signed on 'Non-disclosure of Confidential Information' and of 'Absence of Conflict of Interest'. In case of any conflict of interest arising at a later date, the IEM shall inform CMD, RailTel and recuse himself/herself from that case.
- 5. The Principal will provide to the Monitor sufficient information about all meetings among the parties related to the Project provided such meetings could have an impact on the contractual relations

- between the Principal and the Bidder/Contractor/ Concessionaire/Consultant. The parties offer to the Monitor the option to participate in such meetings.
- 6. As soon as the Monitor notices, or believes to notice any transgression as given in Article- 2, he may request the Management of the Principal to take corrective action, or to take relevant action. The monitor can in this regard submit non-*binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action.
- 7. The Monitor will submit a written report to the CMD, RailTel within 8-10 weeks from the date of reference or intimation to him by the Principal and, should the occasion arise, submit proposals for correcting problematic situations.
- 8. If the Monitor has reported to the CMD, RailTel, a substantiated suspicion of an offence under relevant IPC/PC Act or any other Statutory Acts, and the CMD, RailTel has not, within the reasonable time taken visible action to proceed against such offence or reported it the Chief Vigilance Officer, the Monitor may also transmit this information directly to the Central Vigilance Commissioner.
- 9. The word 'Monitor' would include both singular and plural.

Article – 9: Pact Duration

This Pact begins when both parties have legally signed it. It expires for the Contractor/Consultant 12 months after his Defect Liability Period is over or 12 months after his last payment under the contract whichever is later and for all other unsuccessful Bidders, 6 months after this Contract has been awarded (In case of BOT projects). It expires for the concessionaire 24 months after his concession period is over and for all other unsuccessful Bidders 6 months after this Contract has been awarded. Any violation of the same would entail disqualification of the bidder and exclusion from future dealings.

If any claim is made/lodged during this time, the same shall be biding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged determined by CMD of RailTel.

Article – 10: Other Provisions

- 1. This pact is subject to Indian Law, Place of performance and jurisdiction is the Registered Office of the Principal, i.e. New Delhi.
- 2. Changes and supplements as well as termination notices need to be made in writing.
- 3. If the Bidder/Contractor/Concessionaire/Consultant is a partnership or a Joint Venture partner, this pact must be signed by all partners or members.
- 4. Should one or several provisions of this agreement turn out to be invalid, the reminder of this agreement remains valid, in this case, the parties will strive to come to an agreement to their original intentions.
- 5. Issue like warranty / Guarantee etc. shall be outside the purview of IEMs.
- 6. In the event of any contradiction between the Integrity Pact and its Annexure, the clause in Integrity Pact shall prevail.
- 7. Any dispute/differences arising between the parties with regard to term of this Pact, any action taken by the Principal in accordance with this Pact or interpretation thereof shall not be subject to any Arbitration.
- 8. The actions stipulated in the integrity Pact are without prejudice to any other legal action that may follow in accordance with the provisions of the extant law in force relating to any civil or criminal proceedings.

In witness whereof he parties have signed and executed this pact at the place and date first done mentioned in the presence of following witnesses:-

(For & On behalf of the (Principal)	(For & On behalf of Bidder/Contractor/ Concessionaire/Consultant)
Place: Date:	
Witness 1:	
Witness 2:	

Annexure 7: Complete EoI Examination & Nil Deviation Certificate

(To be submitted by Bidder and all members of consortium)

	
Deputy General Manager/ Marketing	
RailTel Corporation of India Ltd	
Western Railway Microwave Complex	
Senapati Bapat Marg, Near Railway Sports Ground	
Mahalaxmi, Mumbai – 400013	
Sub: Complete EoI Examination & Nil Deviation Certif	ficate
Ref: EoI Number:	Dated:

We <Bidder Name> having completely examined the referred EoI, its corrigendum and any other documents/its addendums/corrigendum referred in this EoI, conclude that we have understood the Terms & Conditions of the EoI and its subsequent addendums & corrigendum (if any) and any other documents/its addendums/corrigendum referred in this EoI. We declare that we have sought all clarifications for the same from RailTel or its end customer for anything contained in this EoI & any other documents/its addendums/ corrigendum referred in this EoI and have been satisfied with the clarifications to the fullest extent and there are no terms, clauses, conditions, etc which are ambiguous.

We also declare that there is no deviation from adhering to anything that is contained in this EoI and any other documents/its addendums/corrigendum referred in this EoI and that any deviation later raised by us shall lead to forfeiture of the Bid/Contract at complete discretion of RailTel.

Signature of Authorized Signatory (with official seal)

Name : Designation :

Tο

Dear Sir,

Address :

Telephone and Fax : E-mail address :

https://ireps.gov.in/epsn/works/rfg/viewCorrigendum.do

Annexure 8: Back to Back Compliance Certificate

(To be submitted by Bidder and all members of consortium)

To
Deputy General Manager/ Marketing
RailTel Corporation of India Ltd
Western Railway Microwave Complex
Senapati Bapat Marg, Near Railway Sports Ground
Mahalaxmi, Mumbai – 400013

Sub: Complete back to back Compliance Certificate

Ref: 1) EoI Number: Dated:

2) Tender No.85-SNT-Proj-Tender-2024, dated 18/02/2025 and all of its addendums/ corrigendum's & published documents.

Dear Sir,

Considering reference 1 & 2 we would like to declare that we have read and understood the EoI, its corrigendum and any other documents/its addendums/corrigendum referred in this EoI thoroughly. We would like to give you our back to back compliance for all the tender terms and conditions, clauses, timelines, deliverables and anything explicitly mentioned in the EoI, its corrigendum and any other documents/its addendums/corrigendum referred in this EoI.

Signature of Authorized Signatory (with official seal)

Name :

Designation : Address :

Telephone and Fax :

E-mail address :

Annexure 9: Performance Bank Guarantee Format

(For a sum of x% of the value of the contract as per RailTel's end customer RFP/tender) (Stamp Duty to be confirmed by RailTel in co-ordination with RailTel's Legal Department)

Ref. No. :

Bank Guarantee No. :

To

Date

<Insert complete postal address>

THIS INDENTURE made this <current date> day of <current Month> 2024, BETWEEN THE <Bank Name>, a Company incorporated and registered under the Indian companies act, 1913 and deemed to exist within the companies Act 1956, and governed by the Banking Regulation Act, 1949 and having its registered office at <Address>, and its corporate office at <Address>, India and having one of its Branch Office at <Mumbai Branch Office> (hereinafter referred to as "the Bank" which expression shall be deemed to includes its successors and assigns) of the first part and

<Bidders Company Name> a company incorporated under the Indian Companies Act 1956 having its Registered Office at <Address>, Corporate Office at <Address> and its Regional Office at <Mumbai Office Address> (hereinafter referred to as 'the Contractor/s') of the second part and

RailTel Corporation of India Ltd (hereinafter referred to as 'RailTel') of the third part WHEREAS the Contractor/s have submitted to RailTel EoI/Ouotation for the execution of Procurement, Installation, Commissioning and Management of SDWAN for MSEDCL Field Offices up to Subdivision level vide <EoI No> Dated <Date of EoI> and the terms of such EoI/Tender/Quotation/contract require that the Contractor/s shall deposit with RailTel as the security a sum of Rs. <Amount>/- (in figures and words<in words> only Including all Taxes and contingencies and any other costs mentioned as per LOI and RailTel Terms)AND WHEREAS if and when any such EoI/Tender/Quotation is accepted by RailTel the contract to be entered into in furtherance thereof by the Contractor/s will provide that such deposit shall remain with and be appropriated by RailTel towards the security deposit to be taken under the contract and be redeemable by the Contractors/ if they shall duly and faithfully carry out the terms and provision of such contract and shall duly satisfy all claims properly chargeable against them there under AND WHEREAS the Contractor/s are constituents of the Bank and in order to facilitate the keeping of the accounts of the Contractor/s, the Bank with the consent and concurrence of the Contractor/s has requested RailTel to accept the Guarantee of the Bank hereinafter contained, in place of the Contractor/s depositing with RailTel the said sum as security as aforesaid AND WHERE AS accordingly <Bank Name>has agreed to accept claim from RailTel upon demand in writing, whenever required by him, from time to time upto <Date (contract period + 3 months)> so to do, a sum not exceeding in the whole Rs. <Amount>/- (in figures and words <in words> only incl of Tax) under the terms of the said EoI/Tender/Quotation and/ or the Contract. The Bank Guarantee is valid up to<Date (contract period + 3 months)>.

Notwithstanding anything what has been stated above, <Bank Name> liability under the above guarantee is restricted to Rs. <Amount>/- (in figures and words <in words>only incl of Tax) and guarantee shall remain in force up to <Date (contract period + 3 months)> unless the demand or claim under this guarantee is made on us and we receive in writing on or before <Date (contract period + 3 months)> all your rights under the above guarantee shall be forfeited and we shall be released from all liabilities under the guarantee thereafter whether or not the original bank guarantee is returned to us.

In witness whereof the Bank, through its authorize of 2022 at	d Officer, has set its hand and stamp on this day
For <bank name=""></bank>	For <company name=""></company>
Authorized Signatories	Authorized Signatories
EMP No	EMP No

Annexure 10 Price bid as per the format of the SECR Tender

Annexure 11 - Tender floated by SECR . (Items Selected for EoI)

19/02/2025, 15:26

Published Corrigendum Details

Corrigendum De	tails		
Corrigendum No	2	Corrigendum Publish Date	05/02/2025 18:19
Tender Details—			
Tender No	85-SNT-Proj-Tender-2024 (Open Tender)	Closing Date/Time	04/03/2025 12:00
Name Of Work	Survey, Design, supply, Insta equipments and other associ South East Central Railway.	allation, Testing and Cor ated works between NA	nmissioning of KAVACH GPUR-JHARSUGUDA section of

Items Modified

NIT Header

Field Name	Existing Value	Modified Value
Tender Closing Date Time	20/02/2025 12:00	04/03/2025 12:00
Bidding Start Date	06/02/2025	18/02/2025

Close

PROJ-BSP-S AND T/SOUTH EAST CENTRAL RLY TENDER DOCUMENT

Tender No: 85-SNT-Proj-Tender-2024 **Closing Date/Time:** 04/03/2025 12:00

Dy.CSTE/Project-II/Bilaspur acting for and on behalf of The President of India invites E-Tenders against Tender No **85-SNT-Proj-Tender-2024** Closing Date/Time 10/02/2025 12:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Name of Work		allation, Testing and Commissioni ciated works between NAGPUR-Jay.	
Bidding type	Normal Tender		
Tender Type	Open	Bidding System	Two Packet System
Tender Closing Date Time	10/02/2025 12:00	Date Time Of Uploading Tender	04/01/2025 21:30
Pre-Bid Conference Required	Yes	Pre-Bid Conference Date Time	15/01/2025 12:00
Advertised Value	1659115644.80	Tendering Section	PROJECT II
Bidding Style	Single Rate for Each Schedule	Bidding Unit	
Earnest Money (Rs.)	8445600.00	Validity of Offer (Days)	90
Tender Doc. Cost (Rs.)	0.00	Period of Completion	18 Months
Contract Type	Works	Contract Category	Expenditure
Bidding Start Date	27/01/2025	Are Joint Venture (JV) firms allowed to bid	Yes
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Capital (Works)

2. SCHEDULE

S.No.	Cod e	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl (%)	Amount	Bidding Unit
Sched	ule 1-S	upply, insta	llation, Testing & d	commissioning	of KAVACH equ	ipment's	526958562	Above/ Below/Par
	0	80.00	Station	2739381.00	219150480.00	AT Par	219150480.00	
2	includir advised	ng protocal d by site en	eration i n Electron converter and as gineer, Wiring, tes Signalling for integr	ssociated hardy ting and commi ation of Kavach	ware if any, FA1 issioning for KAV n in One Block S	r/SAT/Co /ACH wo ection wi	rrespondence Te rks.(Note: Alteration II be treated as St	sting as on in El
	0	36.00	Set	2578300.00	92818800.00	AT Par	92818800.00	
3	L C To modem RDSO/ ohm) a supply arrange RDSO. availab	CAS Equip ns, UHF ar SPN/196/2 is per RDS of tool kir ement. Sup (Note: Whe	sign & Documenta oment consisting ntenna, GPS and 020 Version 4.0 60 No- RDSO/SP t and interlocking oply of earthing nearever maintenance schedule for main	of Vital compu GSM antenna or latest . This N/197 Ver 1.0, of relays ind naterial and su efree earth is a tenace free wil	uter peripherals, and interfaces also includes of wiring of Electrology DC-DC outply of relays available, it can be operated.)	2 full d for varion earthing (rical/Quan converter is covered be used for	uplex Radio modus required ante (Earth resistance d/Optical cable, rand suitable poed separately. Instance arthing. Where	dems, OFC nna as per less than 1 elay wiring, wer supply spection by
	0	85.00	Set	1025892.00	87200820.00	AT Par	87200820.00	
5	Commi Station	& its one	pply (Including RFID tags with re adjoining block et. This should co	section (absol	enclosures and ute/Automatic Bk	fixtures ock section	on for UP & DN	ock section. line) will be
	0	3118.00	Numbers	16000.00	49888000.00	AT Par	49888000.00	
6	enclosi	ures and fix	pply, Installation, dures at block sed RDSO/SPN/196/20	tions (absolute	Automatic Bloc	k section) for the 3rd & 4t	
13	0	3.00	Lumpsum	600000.00	1800000.00	AT Par	1800000.00	
	Descri	ption:- Ke	y Management sy	stem (KMS) ch	narges.			
19	0	1000.00	Numbers	4700.00	4700000.00	AT Par	4700000.00	
	Descri	ption:- Re-	programming, Re-	fixing and verif	ication of existing	g RFID T	ags.	
20	0	1000.00	Numbers	2000.00	2000000.00	AT Par	2000000.00	
	Descri	ption:- Re-	programming of e	xisting RFID Ta	ags without shifti	ng.		
23	0	15000.0 0	Numbers	1300.00	19500000.00	AT Par	19500000.00	

Page 34 of 20 Run Date/Time: 04/01/2025 21:30:47

PROJ-BSP-S AND T/SOUTH EAST CENTRAL RLY TENDER DOCUMENT

Tender No: 85-SNT-Proj-Tender-2024 Closing Date/Time: 04/03/2025 12:00

		iption:- S			INDICATION ection by cons		(300	X	300mm)	as p	er drav	wing
	0	3.00		mbers			00.00	ATP	ar 495	0.00000	00	
27	version	4.0 or lat	est. (Inspec	tion by	nd commission Consignee) (Note: Alon	ng with	FAT	Set UP,	scope a	lso inclu	ides:
	minimu	ım power b	ackup of 1	Hrs. for	FAT SET UP As per Annexu	, required (
S.No.	minimu make t	ım power b	ackup of 1 l TUP ready t	Hrs. for o use A	FAT SET UP	, required (Chair () & Modu			le to

Page 35 of 20 Run Date/Time: 04/01/2025 21:30:47

PROJ-BSP-S AND T/SOUTH EAST CENTRAL RLY TENDER DOCUMENT

Tender No: 85-SNT-Proj-Tender-2024 **Closing Date/Time:** 04/03/2025 12:00

1	0 442.00 Per Station per 24151.00 10674742.00 AT Par 10674742.00 Month
	Description:- Provision of Security Guards round the clock beat from Up Home Signal to Down Home Signal to avoid theft of signalling amenities in 12 hour shift Hrs Per Station per Month.
	0 8840.00 Metre 267.00 2360280.00 AT Par 2360280.00
2	Description:- Fabrication, supply and fixing aluminium ladder of size 25 X 25 X 5mm, 200mm width, arrangements for drawing various wires in the battery, equipment and relay rooms. (this includes all fittings, jamming, cementing. rivets, comers, bolts and nuts as per the site requirement including supply of cement and other necessary materials). as per instruction of site Engineer. Inspection by consignee.
	0 65.00 Set 27670.00 1798550.00 AT Par 1798550.00
3	Description:- Supply, installation and commissioning of SMPS based 110V/24-32V DC-DC converters containing 4 no. of 24-32V, 5 Amps DC/DC converter (internal (1+1), external (1+1)). Inspection by RDSO.
	0 5000.00 Metre 616.00 3080000.00 AT Par 3080000.00
4	Description:- Horizontal direction drilling (HDD)/Trenchless digging/machine drilling without damage to surface road track for laying/insertion of HDPE/GI/DWC pipe. The bore shall be done of min. diameter 120mm & at the depth of minimum 1400 mm from the ground level. The ground level shall be considered ignoring the bank height of the bank of the road. Note:- DWC/HDPE/GI Pipe Supply is not covered under this item. Contactor shall provide all material required for work and adequate nos, of labours for proper laying of cables into the bore. Cable shall be laid cautiously so that it should not get damage due to rough handling & pressure on cable. Payment of boring shall be madeonly after DWC/HDPE/GI pipe is laid in the bore.
	0 5000.00 Metre 540.00 2700000.00 AT Par 2700000.00
5	Description:- Cutting the chase upto a depth of minimum 500 mm and smoothening of inside surface in concrete and beds of rocks, cable laying/ placing HDPE pipe & concreting upto the ground level.
	0 5000.00 Per Relay 211.00 1055000.00 AT Par 1055000.00
6	Description:- Fixing of relay bases and wiring, bunching, fixing of relays, wiring in Old relay racks/location box and also carrying out any alteration in existing relay rack duly wiring and connecting New to old and Old to old relays by standard wires (RDSO Approved Sources) as per Circuit diagram. Fuses of bases, condensers, ND fuses, LED indicator & its wiring for relay rack. All materials required for this work will be supplied by the contractor from RDSO Approved Sources. Relays with accessories will be supplied by the Railway.
7	0 12000.0 Per Conductor 9.00 108000.00 AT Par 108000.00
,	Description: - Cable termination including fixing terminals, fuses, ED etc Meggering the cables and recording the readings
	0 2000.00 Metre 2210.00 4420000.00 AT Par 4420000.00
8	Description:- Track crossing, Road Crossing by pushing method (HDD method) at culverts/ track / puccaroad crossing at a depth not less than 1 meter with reference to bottom of rail/road surface including supply of GI/HDPE pipe. (b) GI pipe with 76 mm dia, Spec. No1239 medium grade (for the length of pushing more than 05 meters).
	0 800.00 Metre 335.00 268000.00 AT Par 268000.00
9	Description:- Excavation of trenches in all kinds of soils including soft rocky area and clearing of track etc. to a depth of 1.0 M and width of 0.3 M for track crossing / pucca road/level crossing gate/platform/station circulating area or any other place as advised by site Engineer including transportation and laying of DWC/RCC/Split RCC/G.I. pipes with or without coupler. This includes repairing of track/pucca road/level crossing gate/ platform/station circulating area surface to original position by ramming and concreting wherever required soon after the work is over. DWC/RCC/GI pipes shall be supplied by the Railway. DWC pipes wherever required shall be supplied in 6 Mtr. length and shall be cut to size as per requirement. All other materials including cement are to be supplied by the contractor.
10	0 1000.00 Metre 7.00 7000.00 AT Par 7000.00
	Description: - Jungle cutting along with the cable route and near towers.
	0 100.00 Set 113031.00 11303100.00 AT Par 11303100.00
11	Description:- Design of cable route plan, as per technical specification and supply of 6 sets of documents in proper binding from approved drawings shall be taken and submitted to Railways. This includes (but not limited to) circuit diagram, RFID Tag-TIN layouts, Table of Control for entire section, Stationary and Loco TCAS interface diagrams, power supply diagram and other manuals as specified by Railways.
	0 614.00 Route Kilo Meter 11564.00 7100296.00 AT Par 7100296.00
12	Description:- Site survey for tower erection RSS Signals strength measurement, study of braking characteristic of electric /diesel loco, submission of drawings for installations of train bome and track equipments, design and installation of proto track equipments, design and installation of proto type for approval and obtaining approval of the same for radio survey.

Page 36 of 20 Run Date/Time: 04/01/2025 21:30:47

Tender No: 85-SNT-Proj-Tender-2024 Closing Date/Time: 04/03/2025 12:00

	0 614.00 Kilometre 16642.55 10218525.70 AT Par 10218525.70
13	Description: - Survey of existing signaling infrastructure with LIDAR to obtain entire track profile for placement of RFID tags and mapping of absolute location for signals etc. (Insp Agency-Consignee)
	0 349.00 Station/IBH/Gate 2556.00 892044.00 AT Par 892044.00
14	Description:- Survey of Station/LC gate buildings for availability of space inside the Relay Room/Power Room for installing stationary TCAS equipment as per the enclosed format.
	0 240.00 Numbers 43453.00 10428720.00 AT Par 10428720.00
15	Description: - Alteration of database, faults, simulations in Data loggers and all connected places (like
	HQ, FEP, STATION, etc) 0 50.00 Numbers 6760.00 338000.00 AT Par 338000.00
	Description: - Supply Installation of of OFC joint enclosure and splicing of Optic fiber cable (24 fibres) a
16	testing as per technical specification No. GR OJC- 2/02 Sept 2003. Supply of Splice Enclosure (24 fibs shall be of TVS make or similar Part No.1500-L18X-XX as per Board specification of TEC (latest speand Schedule of supply enclosed. All materials including Fusion splicing machine used for splicing a OTDR for testing and other testing materials if any shall be arranged by the contractor
	0 50.00 Numbers 8662.00 433100.00 AT Par 433100.00
17	Description:- Excavation of jointing pit without damaging the fiber and provision of joint chamber of 1.2 mtr dia, 60 cm height and 50 mm thickness with two piece top cover and bottom cover with holes drainage and cable entry (the reinforcement drawing enclosed). This includes back filling and ramming the trench after placing the joint closure and cable loop in the chamber without causing any damage to the same and consolidation of soil as well as disposal of soil as per plan and as advised by Railw Representative.
	0 370.00 Numbers 14750.00 5457500.00 AT Par 5457500.00
18	Description:- Supply and installation of fully loaded rack mounted 24F FMS fiber of Bestnet Make similar to suit connectivity for switches and FMS with 24 nos. 0dB adaptors connected with suitable pigtails.
19	0 150.00 Numbers 244.00 36600.00 AT Par 36600.00
	Description: - Excavation of cable coil pit 1.5m length X 1.5m breadth in rear of relay room/AFTC huts.
	0 1000.00 Metre 1246.00 1246000.00 AT Par 1246000.00
20	Description:- Supply and Fixing of Perforated GI pipes of 100 mm dia for entry of cable on gird bridges, RCC bridges, drains, culverts, rocky places, tunnels/ deep cuttings or at places as advised by the engineer in charge of the work. This includes trenching up to the required depth as decided by the required depth as decided
20	Description:- Supply and Fixing of Perforated GI pipes of 100 mm dia for entry of cable on gird bridges, RCC bridges, drains, culverts, rocky places, tunnels/ deep cuttings or at places as advised by t
20	Description:- Supply and Fixing of Perforated GI pipes of 100 mm dia for entry of cable on gird bridges, RCC bridges, drains, culverts, rocky places, tunnels/ deep cuttings or at places as advised by the engineer in charge of the work. This includes trenching up to the required depth as decided by the Engineer at site and making holes of 5 mm dia(approx.) at 20 cm intervals on the GI pipe. The pipes at to be fixed on the girder bridge by suitable bridge fixtures at an interval of 1.0 mts. (min) or directives Railway Engineer. On RCC/masonry bridges or in rocky places, if required the entire length of the pipe to be concreted up to a height of 100mm above the pipe. GI pipe shall be TATA or Jindal make. O 442.00 Numbers 8767.00 3875014.00 AT Par 3875014.00
	Description:- Supply and Fixing of Perforated GI pipes of 100 mm dia for entry of cable on gird bridges, RCC bridges, drains, culverts, rocky places, tunnels/ deep cuttings or at places as advised by the engineer in charge of the work. This includes trenching up to the required depth as decided by the Engineer at site and making holes of 5 mm dia(approx.) at 20 cm intervals on the GI pipe. The pipes are to be fixed on the girder bridge by suitable bridge fixtures at an interval of 1.0 mts. (min) or directives Railway Engineer. On RCC/masonry bridges or in rocky places, if required the entire length of the pipe to be concreted up to a height of 100mm above the pipe. GI pipe shall be TATA or Jindal make.
21	Description:- Supply and Fixing of Perforated GI pipes of 100 mm dia for entry of cable on gird bridges, RCC bridges, drains, culverts, rocky places, tunnels/ deep cuttings or at places as advised by the engineer in charge of the work. This includes trenching up to the required depth as decided by the Engineer at site and making holes of 5 mm dia(approx.) at 20 cm intervals on the GI pipe. The pipes are to be fixed on the girder bridge by suitable bridge fixtures at an interval of 1.0 mts. (min) or directives Railway Engineer. On RCC/masonry bridges or in rocky places, if required the entire length of the pipe to be concreted up to a height of 100mm above the pipe. GI pipe shall be TATA or Jindal make. O 442.00
21	Description:- Supply and Fixing of Perforated GI pipes of 100 mm dia for entry of cable on gird bridges, RCC bridges, drains, culverts, rocky places, tunnels/ deep cuttings or at places as advised by the engineer in charge of the work. This includes trenching up to the required depth as decided by the Engineer at site and making holes of 5 mm dia(approx.) at 20 cm intervals on the GI pipe. The pipes at to be fixed on the girder bridge by suitable bridge fixtures at an interval of 1.0 mts. (min) or directives Railway Engineer. On RCC/masonry bridges or in rocky places, if required the entire length of the pipe to be concreted up to a height of 100mm above the pipe. GI pipe shall be TATA or Jindal make. Description:- Fixing of Class B&C arrestors supplied along with 63 Amp HRC input fuse and furbase in wall mountable cabinet box of size 250mm (w)x 450mmmm(h)x 150mm(d) and commissioning the box shall be made using MS sheet of 20 gauge or better with IP31 protection and power coating. door knob shall be provided to open the front door to access the fuse. Provision shall be made to view the working condition of class C arrestors from front side of the cabinet. All the internal power wiring shall made using 10Sq.mm PVC cable on suitable termination. The PF contacts of class C arrestor shall wired using 2.5Sq.mm cable. The earthing point on the arrestor shall be connected to the maintenan free earth bus bar using insulated cadmium bronze cable of size 3/16". The connecting cable used extend main power to surge arrestors shall be PVC insulated cable of multi-strand copper cable 10Sq.mm size. All the materials required for the above work except surge arrestors and cadmit cable (Covered in supply portion) are to be arranged by contractor.
21	Description:- Supply and Fixing of Perforated GI pipes of 100 mm dia for entry of cable on gird bridges, RCC bridges, drains, culverts, rocky places, tunnels/ deep cuttings or at places as advised by the engineer in charge of the work. This includes trenching up to the required depth as decided by the Engineer at site and making holes of 5 mm dia(approx.) at 20 cm intervals on the GI pipe. The pipes at to be fixed on the girder bridge by suitable bridge fixtures at an interval of 1.0 mts. (min) or directives at all way Engineer. On RCC/masonry bridges or in rocky places, if required the entire length of the pipe to be concreted up to a height of 100mm above the pipe. GI pipe shall be TATA or Jindal make. O
222	Description:- Supply and Fixing of Perforated GI pipes of 100 mm dia for entry of cable on gird bridges, RCC bridges, drains, culverts, rocky places, tunnels/ deep cuttings or at places as advised by the engineer in charge of the work. This includes trenching up to the required depth as decided by the Engineer at site and making holes of 5 mm dia(approx.) at 20 cm intervals on the GI pipe. The pipes at to be fixed on the girder bridge by suitable bridge fixtures at an interval of 1.0 mts. (min) or directives Railway Engineer. On RCC/masonry bridges or in rocky places, if required the entire length of the pipe to be concreted up to a height of 100mm above the pipe. GI pipe shall be TATA or Jindal make. O
221	Description:- Supply and Fixing of Perforated GI pipes of 100 mm dia for entry of cable on gird bridges, RCC bridges, drains, culverts, rocky places, tunnels/ deep cuttings or at places as advised by the engineer in charge of the work. This includes trenching up to the required depth as decided by the engineer at site and making holes of 5 mm dia(approx.) at 20 cm intervals on the GI pipe. The pipes at to be fixed on the girder bridge by suitable bridge fixtures at an interval of 1.0 mts. (min) or directives Rallway Engineer. On RCC/masonry bridges or in rocky places, if required the entire length of the pipe to be concreted up to a height of 100mm above the pipe. GI pipe shall be TATA or Jindal make. O
221	Description:- Supply and Fixing of Perforated GI pipes of 100 mm dia for entry of cable on gird bridges, RCC bridges, drains, culverts, rocky places, tunnels/ deep cuttings or at places as advised by the engineer in charge of the work. This includes trenching up to the required depth as decided by the Engineer at site and making holes of 5 mm dia(approx.) at 20 cm intervals on the GI pipe. The pipes at to be fixed on the girder bridge by suitable bridge fixtures at an interval of 1.0 mts. (min) or directives Railway Engineer. On RCC/masonry bridges or in rocky places, if required the entire length of the pipe to be concreted up to a height of 100mm above the pipe. GI pipe shall be TATA or Jindal make. O
222	Description:- Supply and Fixing of Perforated GI pipes of 100 mm dia for entry of cable on gird bridges, RCC bridges, drains, culverts, rocky places, tunnels/ deep cuttings or at places as advised by the engineer in charge of the work. This includes trenching up to the required depth as decided by the Engineer at site and making holes of 5 mm dia(approx.) at 20 cm intervals on the GI pipe. The pipes at to be fixed on the girder bridge by suitable bridge fixtures at an interval of 1.0 mts. (min) or directives Railway Engineer. On RCC/masonry bridges or in rocky places, if required the entire length of the pipe to be concreted up to a height of 100mm above the pipe. GI pipe shall be TATA or Jindal make. Description:- Fixing of Class B&C arrestors supplied along with 63 Amp HRC input fuse and furbase in wall mountable cabinet box of size 250mm (w)x 450mmmm(h)x 150mm(d) and commissioning the box shall be made using MS sheet of 20 gauge or better with IP31 protection and power coating, door knob shall be made using MS sheet of 20 gauge or better with IP31 protection and power wiring shall made using 10Sq.mm PVC cable on suitable termination. The PF contacts of class C arrestor shall wired using 2.5Sq.mm cable. The earthing point on the arrestor shall be connected to the maintenan free earth bus bar using insulated cadmium bronze cable of size 3/16". The connecting cable used extend main power to surge arrestors shall be PVC insulated cable of multi-strand copper cable 10Sq.mm size. All the materials required for the above work except surge arrestors and cadmic cable (Covered in supply portion) are to be arranged by contractor. Description:- Cutting and fixing of Hylam sheet of 6 mm thickness to suit to 1 way relay rack a fixing the following with contractors screws, bolts and nuts and fixing strips, condensers and resistanc of various values - 50 No. Description:- Providing the services of Computer oriented technical manpower to carryout works ii Drawing, computation, write up etc., using computer, using software

Page 37 of 20 Run Date/Time: 04/01/2025 21:30:47

Tender No: 85-SNT-Proj-Tender-2024 **Closing Date/Time:** 04/03/2025 12:00

25								
		ption: - Tra nd back (Pe	nsportation of light r month).	materials/men	with tools, docur	ments fro	m central location	to the work
20	0	15.00	Numbers	9534.00	143010.00	AT Par	143010.00	
26			ply and installation			n backu	p, Numeric / AP	C, as per
S.No.	Cod	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl	Amount	Bidding Unit
Sched	ule 3-S	upply of Sig	gnalling & Telecom	n materials		(%)	40575001.10	Above/ Below/Par
	0	60.00	Kilometre	76811.00	4608660.00	AT Par	4608660.00	
1	per RD 1000mt cable s with dr materia	OSO SPEC. rs/roll for e ealing plugs rum- 2 nos ils are to be	ply of 40 mm dia No. RDSO/SPN/7 each km. Of HDPI -2 nos (c) plastic Colors advised supplied with ever ing tool - 1no. Insp	CC/15/2013 Rev E duct following couplers slip fit for pipe is 50° ry lot of 10 km (v. 2.0 with lates g item are to b /pushfit type - 2 % bright Orange (i) Rotary duct cu	st amend e supplie nos. (d) e e & 50%	ments or Latest in the decirity of the decirit	n length o 2 nos (b vided along
	0	5000.00	Metre	394.00	1970000.00	AT Par	1970000.00	
2	per the	colour cod f Railway	ole PVC insulated ing scheme of Rail Engineer.(i) Multi	lways. Spec. no	: IRS-S-76/89 w	ith latest	t ammendment. In	spection by
	0	17680.0 0	Set					
3	which of the control	consists as 6 No. b) En	oply of clip on termoner following: a) 2 d plate type 280-3 all block type 249-4 y RDSO)	Conductor disc 74 suitable for c	connect type tem disconnect termi	ninal bloo nal of Mo	ck as per Model N odel No.280-870	o. 280 - 870 Qty: 1 No
	0	117.00	Numbers	3096.00	362232.00	AT Par	362232.00	
4			oply of Tag bloc (STATION+LC AU			c. No.	IRS.S.77/2006 (F	Rev.1) of
5	TT net	twork as p	Numbers oply of lightening a oer amendment 5 RDSO letter No. S	of RDSO sp	stors of class B& ec. No. RDSO/	L &C suitab /SPN/165	ble for single phas 5/2004 or or Late	e supply ir est and as
6	0	220.00	Numbers	78.00	17160.00	AT Par	17160.00	-
	Descri 0	1000.00	pply of Universal lo Metre		•			
7	Descri	ption: - Sup	ply & laying of DW by Rep. of Railwa	C pipe of 77 m				
_	0	15.00	Numbers	80102.00	1201530.00	AT Par	1201530.00	
8		•	ndheld similar to N Inspection by cons		ic earth tester r	nake ME	CO model no 46	80B/higher
9		15.00 ption: - Suption by cons	Numbers ply of Clip On Met signee.	6098.00 er similar to ME				
10	0 Descri	15.00 ption:- Sup	Numbers oply of digital insul /, Low ohms and		pecification rang	je 50V-10	000V DC, Voltage	25V-600V
			e or similar. Inspe					
11			Numbers ply of Digital mu		-289 or latest	higher \		
	comple 0	te with cas	e and spare set of Numbers	batteries. Inspe			1777398.00	
12	Descrip RE Ra pair ca etc. Ins detection	otion:- Suppillorition:- Suppillorition:	oly of portable Cabl ory with all access s underground tele be supplied with p nd, Model 3300 DEM or OEM auth	e fault locator (l sories for locati ecom quad cable rotective nylon or make/model	Metallic Time Doing faults such es, signalling ca carrying bag and ;RC-RT (TDR)	main Refi as loop bles , tel d operato MRPC/R	lectometer) suitable and break in var ephone jelly filled rs manual. make/r ail 2018 or latest	e in RE/Nor ious twisted cables, LAN nodel:Radio

Page 38 of 20 Run Date/Time: 04/01/2025 21:30:47

Tender No: 85-SNT-Proj-Tender-2024 **Closing Date/Time:** 04/03/2025 12:00

mo	Description Descri	ption:- Super specific specifi	of Railway Nu pply of Opti ent for interc umbers 123 Permissible Nu ital copier/S TCAS circu other TCAS Opply of Han ication conte of the ne using servic reakup for con- deteriorati e with cylin- if any. Inspect Nu pply of EUR Nu pply of EUR Nu pply of EXter Nu pply of 128 i Nu pply of Pro By Consigne Nu pply of Ana opply of Rare Nu pply of Rare Nu pply of Rare Nu pply of Rare	racking rackin	er. 1133.00 Patch cords on between Figure 295680.0 2dB. Inspection 192750.00 and networkin by TCAS NMS rection by consigning tender docume gital Cross con It shall be poinal. (Specification of the control of the con	MS to FMS or co Specification in by Rep.of Ra 1156500.00 g system for preports to Divisionee. 348045.00 g/m system for Multiples sible to read ion as per Ann 773500.00 g/m sible to read ion as per Ann 773500.00	suitable other device No. G/OF ilway Eng D AT Par eparation of cons, HQRS D AT Par expression (apable to poer, Programy fault exure-II) D AT Par for Railway 51 mm. AT Par or Datalog D AT Par (insp. by 10) AT Par bbons ar bbons ar for 99/06. AT Par alogger (Ir 11) AT Par alogger (Ir 12) AT Par alogger (Ir 13) AT Par alogger (Ir 14) AT Par alogger (Ir 15) AT Par al	1156500.00 of RFID Tag DAT S, RDSO and Rai 348045.00 nal compatible value in remote senteming any network status of any A 773500.00 ay signalling, rai Spec. no: IRS-S 238004.10 540000.00 of by RDSO) 210000.00 consignee) 42600.00 of other access 354375.00 of patalogger 172600.00 of sp. By Consigne 300000.00	oth ends a trs. Each a (With lates) A, Tower lway Board with EMS a vice termina fork element ADM, Cross (Page 1978) By-RDSO) Ories for (Insp. By
17	Description Descri	ption:- Super specific interface for interfa	of Railway Nu pply of Opti ent for interce umbers 123 Permissible TCAS circu other TCAS TCAS circu other TCAS of the ne using service enterciorati e with cylin- if any. Inspection pply of EUR Nu pply of EUR Nu pply of Anale pply of 128 i Nu pply of 128 i Nu pply of Pro By Consign Nu pply of Anale	racking rackin	er. 1133.00 Patch cords on between Fit Par 295680.0 .2dB. Inspectio 192750.00 and networkin y TCAS NMS rection by consig 69609.00 Service terminatender docume gital Cross con It shall be poinal. (Specifica e low voltage ap without ind y RDSO. 15866.94 for Data logge 36000.00 ner Board (EFF 60000.00 other board fo 5250.00 igital tag block 1420.00 strip for 99/ 23625.00 in Controller C	with SC-SC or MS to FMS or common by Rep. of Ra 1156500.00 graystem for preservation of the protection of the protection of the protect or Multiples sible to reading as per Anni 773500.00 electric fuse cation size: 14 238004.10 gr (insp. by Constant December 140000.00 for Datalogger 42600.00 f	suitable other device No. G/OF ilway Eng Deparation of the cons, HQRS Deparation of the construction of the co	connectors on bee of length 10 MeJ-01/03 JUN 99 ineer. 1156500.00 of RFID Tag DATES, RDSO and Rai 348045.00 onal compatible value in remote send mining any network status of any A 773500.00 oray signalling, rai Spec. no: IRS-S 238004.10 oray signalling, rai Spec. no: JRS-S 238004.00 oray signalling, rai S	oth ends a trs. Each a (With lates) A, Tower lway Board with EMS a vice termina fork element ADM, Cross (Page 1978) By-RDSO) Ories for (Insp. By
17	Description a connect Please Pescri Description a connect Please Pescription a connect Please Pescripti	ption:- Super specific in interface proper sp	of Railway Nu pply of Opti ent for interce umbers 123 Permissible Nu ital copier/S TCAS circu other TCAS Only oply of Han ication conta provided at A of the ne using service reakup for con-deteriorati e with cylin if any. Inspi Nu pply of EUR Nu pply of Anako oply of Anako oply of 128 i Nu pply of 128 i Nu oply of Pro By Consigne Nu oply of Anako opl	racking rackin	er. 1133.00 Patch cords on between Fi Par 295680.0 2dB. Inspectic 192750.00 and networkin y TCAS NMS r ction by consig 69609.00 service terminatender docume gital Cross con It shall be poinal. (Specifica e low voltage ap without ind y RDSO. 15866.94 for Data logge 36000.00 ner Board (EFF 60000.00 other board fo 5250.00 igital tag block 1420.00 strip for 99/ 23625.00 n Controller C	with SC-SC or MS to FMS or CO Specification in by Rep. of Ra 1156500.00 g system for preports to Divisionee. 348045.00 g/more. 348045.00 g/more for preports to Divisionee. 348045.00 g/more for James for Multiple sents or Multiple sents for reading as per Ann 773500.00 g/more for James for Jam	suitable other device No. G/OF ilway Eng Deparation cons, HQRS Deparation of the cons any fault nexure-II) Deparation of the constant o	connectors on bee of length 10 M FJ-01/03 JUN 99 ineer. 1156500.00 of RFID Tag DAT. S, RDSO and Rai 348045.00 onal compatible value in remote seruming any network status of any / 773500.00 onal signalling, rai Spec. no: IRS-S 238004.10 onal compatible value in remote seruming any network status of any / 773500.00 one in the status of any / 7	oth ends a trs. Each a (With lates) A, Tower lway Board with EMS a vice termina fork elemer ADM, Cross (S-78/92 with lates) y-RDSO) ories for (Insp. By
0 17	Description and Description an	ption:- Super specific to the	of Railway Nu pply of Opti ent for interce umbers 123 Permissible Nu ital copier/S TCAS circu other TCAS Only pply of Han ication conta provided at A of the ne using service ireakup for con- deteriorati e with cylin if any. Insp Nu pply of EUR Nu pply of EUR Nu pply of EUR Nu pply of Anak pply of T28 i Nu pply of Pro By Consigne Nu pply of Anak pply of Anak pply of Anak pply of Pro By Consigne Nu pply of Anak	racking rackin	er. 1133.00 Patch cords on between Fit Par 295680.0 2dB. Inspectio 192750.00 and networkin y TCAS NMS retion by consig 69609.00 service terminatender docume gital Cross con It shall be posinal. (Specifical e low voltage ap without ind by RDSO. 15866.94 for Data logge 36000.00 ner Board (EFF 60000.00 other board fo 5250.00 igital tag block 1420.00 strip for 99/	with SC-SC or MS to FMS or CO Specification in by Rep. of Ra 1156500.00 g system for preports to Divisionee. 348045.00 g/mee. 773500.00 g/meet or Multiples sible to read ion as per Ann 773500.00 g/meet full full full full full full full ful	suitable other device No. G/OF ilway Eng Deparation cons, HQRS Deparation cons, HQRS Deparation (any fault nexure-II) Deparation (any fault nexure-II) Deparation (any fault nexure-II) Deparation Dep	connectors on bee of length 10 Med-J-01/03 JUN 99 ineer. 1156500.00 of RFID Tag DAT. S., RDSO and Rai 348045.00 onal compatible value in remote seruming any network status of any American Spec. no: IRS-S. 238004.10 oranger (Insp Agence 90000.00 oranger (Insp Agence 90000.00 oranger) 42600.00 oranger (Insp Agence 90000.00 oranger 900000.00 oranger 90000.00 oranger 900000.00 oranger 9000000.00 oranger 9000000.00 oranger 9000000.00 oranger 9000000.00 oranger 9000000000 oranger 9000000000 oranger 900000000000 oranger 9000000000000000000000000000000000000	oth ends a trs. Each a (With lates) A, Tower lway Board with EMS a vice termina fork element ADM, Cross Led voltages-78/92 with corresponding to the corresponding or the corresponding to the corres
0 17	Descriptos	ption:- Super specific in interface proper specific interface proper s	of Railway Nu pply of Opti ent for interce umbers 123 Permissible Nu ital copier/S TCAS circu other TCAS Oply of Han ication conta provided at A of the ne using service ireakup for con- deteriorati e with cylin if any. Insper Nu pply of EUR Nu pply of EUR Nu pply of EXE Nu pply of EXE Nu pply of 128 i Nu pply of Pro By Consigner Nu	racking type drical crection bumbers racking r	er. 1133.00 Patch cords on between Fit Par 295680.0 2dB. Inspectic 192750.00 and networkin y TCAS NMS retion by consig 69609.00 Service terminatender docume gital Cross con It shall be potional. (Specificate Part Note of the control of the contr	with SC-SC or MS to FMS or CO Specification in by Rep. of Ra 1156500.00 g system for preports to Divisionee. 348045.00 g/mee. 428004.10 g/mee. 428004.10 g/mee. 42800.00 g/mee. 42600.00 g/mee. 42600.00 g/mee. 354375.00 g/mee.	suitable to ther device No. G/OF ilway Eng D AT Par eparation of cons, HQRS D AT Par vice termi apable to per any fault hexure-II) AT Par for Railway x 51 mm. D AT Par or Datalog AT Par gger. (insp. D AT Par (insp. by b AT Par bbons ar	connectors on both the control of length 10 M FJ-01/03 JUN 99 ineer. 1156500.00 of RFID Tag DAT. St., RDSO and Rai 348045.00 onal compatible will of lug-in remote seruming any network status of any A 773500.00 onal signalling, rai Spec. no: IRS-Signalling, rai Spec. no: IRS-	oth ends a trs. Each a (With lates) A, Tower lway Board with EMS a vice termina or k element ADM, Cros letted voltages-78/92 with lates or kelement and the lates of the lates
0 17	Description and Description an	ption:- Super specific interface properties and seed and	of Railway Nu pply of Opti ent for interce umbers 123 E Permissible Nu ital copier/S TCAS circu other TCAS Or Han ication conta provided at A of the ne using service ireakup for con- deteriorati e with cylin if any. Insperior pply of EUR Nu pply of Anak Oply of Anak Oply of Anak Oply of I28 i Nu pply of Pro By Consign	racking rackin	er. 1133.00 Patch cords on between Figure 295680.0 2dB. Inspection 192750.00 and networking y TCAS NMS rection by consigned for the properties of the prope	with SC-SC or MS to FMS or CO Specification in by Rep. of Ra 1156500.00 g system for preports to Divisionee. 348045.00 g/m portable service. 1// portable	suitable other devic No. G/OF ilway Eng D AT Par eparation cons, HQRs D AT Par vice termi apable to peer, Progra any fault hexure-II) D AT Par for Railw x 51 mm. D AT Par or Datalog D AT Par gger. (insp. D AT Par (insp. by colors) D AT Par bbons ar	connectors on both the control of length 10 M FJ-01/03 JUN 99 ineer. 1156500.00 of RFID Tag DAT. St., RDSO and Rain 348045.00 onal compatible volug-in remote seruming any network status of any A FT 773500.00 onal compatible volug-in remote seruming any network status of any A FT 773500.00 onal compatible volug-in remote seruming any network status of any A FT 773500.00 on IRS-ST 238004.10 on IRS-ST 238004.10 on IRS-ST 238000.00 on December 200000.00 on by RDSO) on the control of t	oth ends a trs. Each a (With lates) A, Tower lway Board with EMS a vice termina ork element ADM, Cros ted voltage 5-78/92 with ted voltage 5-78/92
0 17	Description and connection of the second of	ption:- Super specific interface programment to the prion:- No ption:- No ption:- Super specific interface programment to the prion:- No ption:- Super specific interface programment to the prion:- No prion:- Super specific interface programment to the prion:- No prion:- Super specific interface programment to the prion:- No prion:- Super specific interface programment to the prior interface programme	of Railway Nu pply of Opti ent for interc umbers 123 Permissible Nu ital copier/S TCAS circu other TCAS poly of Han ication conta rovided at A of the ne using servic reakup for con- deteriorati e with cylin if any. Insper Nu pply of EUR Nu pply of Anaka pply of Exter Nu pply of 128 i Nu pply of Pro	racking rackin	er. 1133.00 Patch cords on between Figure 295680.0 2dB. Inspection 192750.00 and networkin by TCAS NMS rection by consigned for the properties of the prope	with SC-SC or MS to FMS or co Specification in by Rep. of Ra 1156500.00 g system for preports to Divisionee. 348045.00 g/m portable service. 1// portable	suitable ther devic No. G/OF ilway Eng AT Par paration cons, HQRs AT Par vice termi apable to p cer, Progra any fault nexure-II) AT Par for Railw x 51 mm. AT Par or Datalog AT Par gger. (insp. AT Par (insp. by AT Par	connectors on both the connectors on both the connectors on both the connectors on both the connectors of least 1156500.00 of RFID Tag DAT. St., RDSO and Rain 348045.00 on all compatible with the connectors of large in remote serum in the connectors of large in th	oth ends a trs. Each a (With lates A, Tower alway Board with EMS a vice termina ork element ADM, Cros at the decoration of the voltages -78/92 with a control of the voltages -78/92 wit
0 17	Description and connection of the second of	ption:- Super specific interface programment specific spe	of Railway Nu pply of Opti ent for interc umbers 123 Permissible Nu ital copier/S TCAS circu other TCAS of the ne using servic reakup for con-deteriorati e with cylin- if any. Inspective of Anako pply of EUR Nu pply of EUR Nu pply of Exter Nu pply of 128 i	racking rackin	er. 1133.00 Patch cords on between Figure 295680.0 2dB. Inspection 192750.00 and networkin by TCAS NMS rection by consigure terminatender docume gital Cross con It shall be poinal. (Specifical e low voltage ap without induly RDSO. 15866.94 for Data logger 36000.00 ner Board (EFF 60000.00 other board fo	with SC-SC or MS to FMS or CO Specification in by Rep. of Ra 1156500.00 g system for preports to Divisionee. 348045.00 g/m portable service. 773500.00 g/m portable to read gion as per Ann 773500.00 g/m	suitable other device No. G/OF ilway Eng D AT Par eparation of the paration of	connectors on both the connectors on both the connectors on both the connectors on both the connectors of RFID Tag DATES, RDSO and Raid 348045.00 and compatible volugin remote serimming any network status of any A 773500.00 ay signalling, raid Spec. no: IRS-S 238004.10 540000.00 agger (Insp Agencia) 900000.00 agger (Insp Agencia)	oth ends a trs. Each a (With lates) A, Tower lway Board with EMS a vice terminal work elemer ADM, Cros 1 ted voltage 5-78/92 with 1 y-RDSO)
0 17	Description aconnect Please Description Descri	ption:- Super specific to by Rep 1500.00 ption:- Super requirement C 0 240 Niment). Max 6.00 ption:- Dig ggs, Station entation of 5.00 ption:- Super specific interface provided in the face provi	of Railway Nu pply of Opti ent for interc umbers 123 Permissible Nu ital copier/S TCAS circu other TCAS Nu pply of Han ication conta orovided at A of the ne using service e with cylin- if any. Inspection pply of EUR Nu pply of Anak pply of EXter	racking rackin	er. 1133.00 Patch cords on between Figure 295680.0 2dB. Inspection 192750.00 and networking y TCAS NMS rection by consigure terminatender docume gital Cross con It shall be posinal. (Specifical e low voltage ap without index y RDSO. 15866.94 for Data logge 36000.00 ner Board (EFF 60000.00 other board fo	with SC-SC or MS to FMS or CO Specification in by Rep. of Ra 1156500.00 g system for preports to Divisionee. 348045.00 g/m all portable service. 773500.00 g/m all portable to read ion as per Annotation a	suitable other device No. G/OF ilway Eng D AT Par eparation of the paration of	connectors on both the connectors on both the connectors on both the connectors of length 10 M spineer. 1156500.00 of RFID Tag DATES, RDSO and Rain 348045.00 onal compatible volugin remote send the compatible volugin remote send the connectors of any A 773500.00 onal signalling, rain Spec. no: IRS-S 238004.10 540000.00 onal connectors on both the connectors on the connectors of the connectors on the connectors of the connectors on the connectors on the connectors on the connectors of the connectors on the connectors on the connectors of the con	oth ends a trs. Each a (With lates) A, Tower lway Board with EMS a vice termina fork element ADM, Cross ted voltages-78/92 with a control of the control of
no n	Description a connect Please Description (240 V attest a connect please description)	ption:- Super see Item B ption:- Nor AC/DC fusumentment 15.00 ption:- Super see Item B ption:- S	of Railway Nu oply of Opti ent for interc umbers 123 Permissible Nu ital copier/S TCAS circu other TCAS Oply of Han ication conta orovided at A of the ne using service ireakup for con- deteriorati e with cylin if any. Inspi Nu oply of EUR Nu oply of Anak	racking rackin	er. 1133.00 Patch cords on between Fit Par 295680.0 2dB. Inspectio 192750.00 and networkin y TCAS NMS r ction by consig 69609.00 service terminateder docume gital Cross con It shall be pot inal. (Specificate Par Without ind by RDSO. 15866.94 for Data logge 36000.00 ner Board (EFF 60000.00 other board fo	with SC-SC or MS to FMS or CO Specification in by Rep. of Ra 1156500.00 g system for preports to Divisionee. 348045.00 g/m portable service. 773500.00 g/m size :14 g/m	suitable tother device No. G/OF ilway Eng D AT Par eparation of cons, HQRS D AT Par vice termi apable to per, Progra any fault nexure-II) AT Par for Railw x 51 mm. D AT Par signee) AT Par or Datalog AT Par gger. (ins	connectors on both the connectors on both the connectors on both the connectors of least 10 MeV and the connectors of RFID Tag DAT and the connectors of RFI	oth ends attrs. Each attrs. Ea
17 Dei Con O Dei dat Ins O Dei Con O	Description a connect Please Description a co	ption:- Super specific interface programment, Mux by see Item Britanian distribution of the ption:- Non AC/DC fustion:- Super specific interface programment and the ption:- Non AC/DC fustion:- Super specific interface programment and the ption:- Non AC/DC fustion interface programment and the ption:- Super specific interface programment and the ption interface	of Railway Nu pply of Opti ent for interc umbers 123 Rermissible Nu ital copier/S TCAS circu other TCAS Nu pply of Han ication conta orovided at A of the ne using servic reakup for con- deteriorati e with cylin- if any. Insper pply of EUR Nu pply of Anako	racking regime imbers connection in the connection is a connection in the connection	er. 1133.00 Patch cords on between Fit Par 295680.0 2dB. Inspection 192750.00 and networkin y TCAS NMS rection by consige 69609.00 service terminatender docume gital Cross con It shall be poinal. (Specifical e low voltage ap without indep y RDSO. 15866.94 for Data logge 36000.00 ner Board (EFF	with SC-SC or MS to FMS or common specification on by Rep. of Ra 1156500.00 g system for preports to Divisionee. 348045.00 g/m portable service. 1// portable servic	suitable to suitable to ther devic No. G/OF ilway Eng AT Par paration cons, HQRs AT Par vice termi apable to p cer, Progra any fault nexure-II) AT Par for Railw x 51 mm. AT Par signee) AT Par or Datalog	connectors on both the properties of length 10 M FJ-01/03 JUN 99 ineer. 1156500.00 of RFID Tag DAT. St., RDSO and Rail 348045.00 and compatible volug-in remote seruming any network status of any A FT 773500.00 ay signalling, ra Spec. no: IRS-S 238004.10 of S40000.00 agger (Insp Agence)	oth ends a trs. Each a (With lates) A, Tower lway Board with EMS & vice termina ork elemer ADM, Cros led voltages-78/92 with tends of the voltages-78/92 with lates
no n	Description of the control of the co	ption:- Super specific interface programment, MUX by see Item B AC/DC fus mendment 15.00 ption:- Super specific interface programment 15.00 ption:- Super speci	of Railway Nu pply of Opti ent for interc umbers 123 Permissible Nu ital copier/S TCAS circu other TCAS pply of Han ication conta crovided at A of the ne using servic reakup for con- deteriorati e with cylin if any. Inspe	racking Familia Famili	er. 1133.00 Patch cords on between Fit Par 295680.0 2dB. Inspection 192750.00 and networking y TCAS NMS rection by consigned for the properties of the prop	with SC-SC or MS to FMS or CO Specification in by Rep. of Ra 1156500.00 g system for preports to Divisionee. 348045.00 g/m/m/m/m/m/m/m/m/m/m/m/m/m/m/m/m/m/m/m	suitable other device No. G/OF ilway Eng D AT Par eparation of the paration of the paraticle of the	connectors on both the properties of length 10 M FJ-01/03 JUN 99 ineer. 1156500.00 of RFID Tag DAT. St., RDSO and Rail 348045.00 and compatible volug-in remote seruming any network status of any A FT 773500.00 ay signalling, ra Spec. no: IRS-S 238004.10 of S40000.00 agger (Insp Agence)	oth ends a trs. Each a (With late: A, Tower lway Board with EMS avice termina fork element ADM, Cross ted voltag 5-78/92 with
no n	Description of the control of the co	ption:- Super specific programment of the programme	of Railway Nu pply of Opti ent for interc umbers 123 Permissible Nu ital copier/S TCAS circu other TCAS other TCAS of the ne using servic ereakup for con-deteriorati e with cylin- if any. Insper	racking Familia Famili	er. 1133.00 Patch cords on between Fit Par 295680.0 2dB. Inspection 192750.00 and networkin by TCAS NMS rection by consiguent to the consiguent of the constant of the consta	with SC-SC or MS to FMS or CO Specification in by Rep. of Ra 1156500.00 g system for preports to Divisionee. 348045.00 g/m portable service.	suitable other device No. G/OF ilway Eng D AT Par eparation of the paration of the pable to post, Programy fault exure-II) AT Par for Railway 51 mm. AT Par signee)	connectors on book of length 10 M FJ-01/03 JUN 99 ineer. 1156500.00 of RFID Tag DATES, RDSO and Rain 348045.00 and compatible volugin remote seruming any network status of any A 773500.00 ay signalling, ra Spec. no: IRS-S	oth ends at trs. Each at (With late: A, Tower lway Board with EMS wice terminary and Cork element ADM, Cross 15-78/92 with ted voltages-78/92 with te
no n	Description a connect Please Pescri (40 V attest a connect pescription and con	ption:- Super control by Rep 1500.00 ption:- Super control by Repuirement Control by Repu	nof Railway Nu pply of Opti ent for interc umbers 123 Permissible Nu ital copier/S TCAS circu other TCAS Nu pply of Han ication conta provided at A of the ne using servic ireakup for c n-deteriorati e with cylin if any. Insp	racking rackin	er. 1133.00 Patch cords on between Fit Par 295680.0 2dB. Inspectio 192750.00 and networkin y TCAS NMS r ction by consig 69609.00 service terminatender docume gital Cross con It shall be pot inal. (Specificate e low voltage ap without ind by RDSO.	with SC-SC or MS to FMS or CO Specification in by Rep. of Ra 1156500.00 g system for preports to Divisionee. 348045.00 g/m portable service.	r suitable other devic No. G/OF ilway Eng D AT Par eparation of cons, HQRS OF AT Par vice termi apable to per, Progra any fault nexure-II) AT Par for Railw x 51 mm.	connectors on both the connectors on both the connectors on both the connectors of large states of the connectors of RFID Tag DAT. 348045.00 and compatible will be connected to the connector of the connector	oth ends attrs. Each attrs. Each at (With late) A, Tower lawy Board with EMS vice terminators element ADM, Cross atted voltages-78/92 with the control of t
no n	Description a connect Please Pescri (40 V attest a connect pescription and con	ption:- Super control by Rep 1500.00 ption:- Super control by Repuirement Control by Repu	nof Railway Nu pply of Opti ent for interc umbers 123 Permissible Nu ital copier/S TCAS circu other TCAS Nu pply of Han ication conta provided at A of the ne using servic ireakup for c n-deteriorati e with cylin if any. Insp	racking rackin	er. 1133.00 Patch cords on between Fit Par 295680.0 2dB. Inspectio 192750.00 and networkin y TCAS NMS r ction by consig 69609.00 service terminatender docume gital Cross con It shall be pot inal. (Specificate e low voltage ap without ind by RDSO.	with SC-SC or MS to FMS or CO Specification in by Rep. of Ra 1156500.00 g system for preports to Divisionee. 348045.00 g/m portable service.	r suitable other devic No. G/OF ilway Eng D AT Par eparation of cons, HQRS OF AT Par vice termi apable to per, Progra any fault nexure-II) AT Par for Railw x 51 mm.	connectors on both the connectors on both the connectors on both the connectors of large states of the connectors of RFID Tag DAT. 348045.00 and compatible will be connected to the connector of the connector	oth ends attrs. Each attrs. Ea
no n	Descriper Site of TE Immend	ption:- Super specific programment). Max 6.00 ption:- Dig gs, Station entation of 5.00 ption:- Super specific interface programment, MUX by see Item Bettion:- Nor AC/DC fus	nof Railway Nu pply of Option Performers 123 Remissible Nu ital copier/S TCAS circu other TCAS Nu pply of Han ication contact orovided at A of the ne using service reakup for con- deterioration e with cylin	racking regime imbers can fibre connection in the connection in th	er. 1133.00 Patch cords on between Fl Par 295680.0 2dB. Inspection 192750.00 and networkin y TCAS NMS r ction by consig 69609.00 service terminatender docume gital Cross con It shall be poinal. (Specifica	with SC-SC or MS to FMS or co O Specification in by Rep. of Ra 1156500.00 g system for preports to Divisionee. 348045.00 g/m/m/m/m/m/m/m/m/m/m/m/m/m/m/m/m/m/m/m	r suitable other devic No. G/OF ilway Eng D AT Par eparation of ons, HQRS D AT Par vice termi apable to p cer, Progra any fault nexure-II) D AT Par for Railw	connectors on both the connectors on both the connectors on both the connectors of large states of large state	oth ends attrs. Each at (With late) A, Tower alway Board with EMS wice terminators element aDM, Cross
no 0 17 Dec Cor 0 Dec dat Ins 0 Dec dat Ins 0 Dec per per am 0 Dec Dra doc 121 NM eith fror cor	Descriporation aconnection aconnection accommend	ption: Super requirement of 240 Niment). Max 6.00 ption: Diggs, Station entation of 5.00 ption: Super specific interface proposition of t, MUX by	of Railway Nu pply of Opti ent for interc umbers 123 r Permissible Nu ital copier/S TCAS circu other TCAS Nu pply of Han ication conta	racking regime imbers can fibre connection and the loss-out of	er. 1133.00 e Patch cords on between Fi c Par 295680.0 .2dB. Inspection 192750.00 and networkin y TCAS NMS r ction by consig 69609.00 service termina tender docume gital Cross con It shall be po	with SC-SC or MS to FMS or co Specification in by Rep.of Ra 1156500.00 g system for preports to Divisionee. 348045.00 g/m/m/m/m/m/m/m/m/m/m/m/m/m/m/m/m/m/m/m	r suitable other devic No. G/OF ilway Eng D AT Par eparation cons, HQRS D AT Par vice termi apable to p cer, Progra any fault lexure-II)	connectors on both the connectors on both the connectors on both the connectors of large states on both the connectors of large states of larg	oth ends a trs. Each a (With later A) A, Tower alway Board with EMS ovice terminator delement ADM, Cros
no n	Description and a seither in a	ption: Super requirement of the super specific interface properties.	nof Railway Nu pply of Option of Portion of	racking rackin	er. 1133.00 e Patch cords on between Fi c Par 295680.0 .2dB. Inspection 192750.00 and networkin y TCAS NMS r ction by consig 69609.00 service termina tender docume gital Cross con It shall be po	with SC-SC or MS to FMS or co Specification on by Rep.of Ra 1156500.00 g system for preports to Divisionee. 348045.00 g/m portable sent. It shall be canect or Multiplessible to read	r suitable other devic No. G/OF ilway Eng AT Par eparation cons, HQRS AT Par vice termi apable to p ker, Progra any fault	connectors on both the connectors on the conn	oth ends a trs. Each a (With lates) A, Tower Iway Board with EMS ovice terminal ork elemen
no n	Descri Descri Descri Descri Descri Drawin	ption by Rep 1500.00 ption:- Super requirement C 0 240 Max ment). Max 6.00 ption:- Dig gs, Station entation of	of Railway Nu oply of Option on for intercumbers 123 of Permissible Nu ital copier/S TCAS circu other TCAS	racking r Engine imbers cal fibre connecti 32.00 At e loss-0. imbers canner its, daily	er. 1133.00 Patch cords on between Fi Par 295680.0 2dB. Inspection 192750.00 and networkin y TCAS NMS r ction by consig	with SC-SC or MS to FMS or consistency of Specification on by Rep.of Ra 1156500.00 g system for preports to Divisionee.	suitable other device No. G/OF ilway Eng D AT Pareparation cons, HQRS	connectors on b ce of length 10 M FJ-01/03 JUN 99 ineer. 1156500.00 of RFID Tag DAT S, RDSO and Rai	oth ends a trs. Each a (With lates A, Tower Iway Board
no 0 17 Dec Cor 0 Dec dat Ins 0 Dec dat Ins 0 Dec dat Ins 0 Dec per per am 0 Dec Dra	Descri Descriper Sites Descriper TE Descriper TE	ption:- Super requirement of 240 Normant). Max 6.00 ption:- Diggs, Station	of Railway Nu oply of Opti ent for interc umbers 123 Permissible Nu ital copier/S TCAS circu	racking r Engine imbers ical fibre connection 32.00 At e loss-0. imbers canner lits, daily	er. 1133.00 Patch cords on between Fit Par 295680.0 .2dB. Inspection 192750.00 and networking TCAS NMS r	with SC-SC or MS to FMS or of 0 Specification in by Rep.of Ra 1156500.00 g system for pre eports to Divisio	suitable other device No. G/OF ilway Eng	connectors on b ce of length 10 M FJ-01/03 JUN 99 ineer. 1156500.00 of RFID Tag DAT	oth ends a trs. Each a (With lates A, Tower
no 0 17 Dec Cor 0 Dec dat Ins 0 Dec dat Ins 0 Dec per per per am 0	latalog nspect Descri eer site eer TE imend	tion by Rep 1500.00 ption:- Super requirement C 0 240 Normal Max 6.00	of Railway Nu oply of Opti ent for interc umbers 123 Permissible Nu	racking r Engine imbers ical fibre connecti 32.00 At e loss-0	er. 1133.00 e Patch cords on between Fit Par 295680.0 .2dB. Inspection	with SC-SC or MS to FMS or o 0 Specification in by Rep.of Ra 1156500.00	suitable other devid No. G/OF ilway Eng	connectors on b ce of length 10 M FJ-01/03 JUN 99 ineer. 1156500.00	oth ends a trs. Each a (With lates
no n	latalog nspect Descri per site per TE	tion by Rep 1500.00 ption:- Super requirement C 0 240 No	of Railway Nu Oply of Optient for intercumbers 123	racking Engine Imbers cal fibre connection	1133.00 e Patch cords on between Fit Par 295680.0	with SC-SC or MS to FMS or o 0 Specification	suitable other devid No. G/OF	connectors on be be of length 10 M FJ-01/03 JUN 99	oth ends a trs. Each a
mo 0 17 Dec Cor 0 Dec dat Ins	latalog nspect	tion by Rep	. of Railway	acking Engine	er.	1699500.00	AT Par	1699500.00	'I
0 17 De : Cor 0 De : dat	latalog			acking					N .
0 De:		ption:- Su	pply of ma		ice console (PC & printer)	with one	set of table ar per "Annexure-l	ı ıd chair fo
mo 0	Consig	•		ımbers	98850.00	1482750.00		1482750.00	
1		250.00		ımbers	1897.44	474360.00		474360.00 ystem. Inspection	
			oply of A3 Pospection by		nee.	fault and excep	tion repor	ts similar to Epso	
boa 0		. Inspection 15.00	n by consign Nu	nee. Imbers	34466.00	516990.00	AT Par	516990.00)
lau	augua	ption:- Sup ges in requ	ired size as	Kodak p s per the	photo paper wi	th lamination of	various s	izes with different onate payment to	l letterin an
1					Inspection by			835912.00	
0)	324.00		ımbers	4071.00	1319004.00		1319004.00	
	onsiai	ption:- Sup nee.	ply of Cab	ie (iout	e) locator - R	DGID make m	odel SR-2	20 or similar. Ins	pection by

Page 39 of 20 Run Date/Time: 04/01/2025 21:30:47

Tender No: 85-SNT-Proj-Tender-2024 Closing Date/Time: 04/03/2025 12:00

Sched	iule 4-S	Supply of C	ables				20955340.00	Above/ Below/Par
	0	60.00	Kilometre	88068.00	5284080.00	AT Par	5284080.00	
1			pply of 2.4 Fibre a	armoured OFC	asper RDSO	spec No.	RDSO/SPN/TC/1	10/2020
	0	60.00	Kilometre	217114.00	13026840.00	AT Par	13026840.00	
2	signalli		pply of Cable 12 of copper conductor) by RDSO.					
	0	10.00	Kilometre	264442.00	2644420.00	AT Par	2644420.00	
3			pply of Undergrour 5 or latest of size o					-2005 Ver
S.No.		Item		Unit Rate	Basic Value	Escl	Amount	Bidding
	Cod	Qty				(%)		Unit
Sched		Supply & Ex	ecution of Drawing			(70)	3312684.00	Above/ Below/Par
	О	7632.00	Per Page	87.00	663984.00	AT Par	663984.00	
1	Descri		afting, Correction,		nal Printing and	d binding	of SWR/ GWR	Temporary
	workin	g Rules of	station to suite the SWR/GWR in 06	e SWRD, SIP				
	0	3240.00	Sheet	817.50	2648700.00	AT Par	2648700.00	
2	Contro	i Chart (R0 (A3) as per	sign & Preparatio CC) in size B(A3) a SEM sheet includi g in location box) (c	as per SEM.(b) ng contact ana	Design and dev lysis.(c) Other S	velopmer ignalling	nt of Circuit Diagra	am/Logic ir
S.No.	Item	Item	Qty Unit	Unit Rate	Basic Value	Escl	Amount	Bidding
	Cod	Qty			24010 741140		7111104111	Unit
Sched	e lule 6-E	xecution of	 Civil Works(USS	DR-2010)		(%)	37033000.00	Above/ Below/Par
	0	1.00	Lumpsum	37033000.0 0	37033000.00	AT Par	37033000.00	
1	materia This is	als) connections the tentati	ecution of all work cted with the work ive value of works irectory -SECR HQ	covered unde to be execute	r S.E.C. Railway d against differe	USSOF	R (Works & Mate	rials) 2010 guidance of
S.No.	Item	Item	Qty Unit	Unit Rate	Basic Value	Escl	Amount	Bidding
	Cod e	Qty				(%)		Unit
Sched	iule 7-S	supply of Ele	ectrical General ma		`	SOR)	1162755.00	Above/ Below/Par
	0	400.00						
1			ipply of 20W LED p. of Railway Engi		fitting with tube	and all	its standard acc	essories.
_	0	100.00						
2	fan reg	gulator & a	pply of energy effic Il accessories to v by Rep. of Railwa	vork on 230 Vo				
	0	20.00	Numbers	1694.00	33880.00	AT Par	33880.00	
3	AC su		pply of exhaust fan npton, Usha, Baja					
	0	100.00	Numbers	720.00	72000.00	AT Par	72000.00	
4			oply of DP MCB 3 o. of Railway Engin		nplete with shee	et steel o	enclosure , powd	er painted.
	0	100.00	Numbers	2880.00	288000.00	AT Par	288000.00	
5	Descri							
	access	ories,comp	pply of 25W LED rises of pressure Inspection by Rep.	die cast alum	inium housing p			
	access	ories,comp	rises of pressure Inspection by Rep.	die cast alum of Railway Eng	inium housing p gineer.	oowder	coated in graphite	grey and

Page 40 of 20 Run Date/Time: 04/01/2025 21:30:47

Tender No: 85-SNT-Proj-Tender-2024 **Closing Date/Time:** 04/03/2025 12:00

6

Description:- Supply of 5 pin modular socket outlet with switch of 6 Amps capacity & 250V grade complete with accessories. (ABB, Havells, Wipro, Anchor, HPL or any other make that confirms to respective IS). 230V. Inspection by Rep. of Railway Engineer.

Page 41 of 20 Run Date/Time: 04/01/2025 21:30:47

Tender No: 85-SNT-Proj-Tender-2024 Closing Date/Time: 04/03/2025 12:00

	lo.	100.00	N I I	254.00	25100.00	ATD-	25400.00	
7	0 Descri	100.00	Numbers oply of 5 pin mod					250\/ arada
•			cessories. (ABB,					
			pection by Rep. of			or arry v	other make that	JOHIII 1113 1
	0	100.00	Numbers	1485.00	148500.00	AT Par	148500.00	
8	Descri	ption:- Sup	oply of MS distrib	ution box of si	ize 200 x 200 >	(120 mi	m with 2 Nos sui	table size
			arrangement of 10					
	0	25.00	Numbers	867.00	21675.00	AT Par	21675.00	
9	Descri	ption: - Sup	ply of JB of 200	x 150 x 80 m	m with Hylam s	heet.Ins	pection by Rep. o	f Railway
	Engine							
10	0	100.00						
10			ply of wall mounte					6A SP
			tral and earthing a					
11	0	100.00		756.00				
	standa	ption: - Sup	oply of Bulk head ries. Inspection by	Representative	iss dome, wire of Railway Engi	guard &	5W LED lamp a	nd all its
	Jotanda	14 4000330	nes. mapeodon by	representative	or ranway Engi			
S.No.	Item	Item	Qty Unit	Unit Rate	Basic Value	Escl	Amount	Bidding
	Cod	Qty						Unit
Sched	e lule 8-F	lectrical(Ge	neral) Execution w	ork for S&T Go	omties (Non SO	(%)	513965.00	Above/
001104	uic 0-L	rectifical(Se	morary Excoation vi	on our our	onition (Non Co	, ,	010000.00	Below/Par
1	О	100.00	Numbers	285.00	28500.00	AT Par	28500.00	
	Descri	ption:- Fixi	ng, wiring & testing	of out door LE	D fitting with sho	rt arm fix	ture.	
2	0	400.00						
	Descri	ption:- Fixi	ng of of LED tube	light, bulkhead,	fitting			
3	0	100.00	Numbers	15.00	1500.00	AT Par	1500.00	
	Descri	ption:- Fix	ing & connecting o	f ceiling fan				
4	0	20.00	Numbers	27.00	540.00	AT Par	540.00	
	Descri	ption:- Fix	ing & connecting of	of exhaust fan				
	0	600.00	Numbers	443.00	265800.00	AT Par	265800.00	
5			ncealed wiring for switches 1.5 sq					
		y Enginéer.		· ·				
6	0	100.00	Numbers	13.00	1300.00	AT Par	1300.00	
	Descri	ption:- Fixi	ng & connecting of	f socket outlet v	vith switch of 5 pi	in, 16/6 A	Amp capacity & 25) volts
_	0	100.00	Numbers	52.00	5200.00	AT Par	5200.00	
7		ption:- Ere enclosure.	ction, testing and o	commissioning	of MCB-DP of 32	2 Amp ca	pacity and 250V v	ith sheet
8	0	100.00	Numbers	187.00	18700.00	AT Par	18700.00	
	Descri	ption:- Fix	ing & Installation o	f MS distribution	n box			
9	0	25.00	Numbers	85.00	2125.00	AT Par	2125.00	
	Descri	ption:- Fixi	ng of Junction Box					
	0	100.00	Numbers	1790.00	179000.00	AT Par	179000.00	
10			ply of earthing m		ction of earth	electrode	s/station as per	details
11	0	100.00			6100.00	AT Par	6100.00	
	Descri		ction of Metallic dis					
0.11-	14	14	Other I I with	Limit Data	Dania Val	Es-1	A	District
S.No.	Cod	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl	Amount	Bidding Unit
Sched	∣e lule 9-⊢	liring of Vel	nicle			(%)	4644000.00	Above
Scried								Below/Par
1	0	108.00						
'			ng of Vehicle for Similar; 2500 KM pe			(Month	ly basis cab & Ta	xi Hiring
0.11	I.	14	Of the Libert	Limit D. d.	Deels Volum	Faci	A	District
S.No.	Item Cod	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl	Amount	Bidding Unit
	e	Cety				(%)		Jill
Sched		Supply & E	xecution of Man P	ower		- '	2119050.00	Above/
								Below/Par

Page 42 of 20 Run Date/Time: 04/01/2025 21:30:47

Tender No: 85-SNT-Proj-Tender-2024 Closing Date/Time: 04/03/2025 12:00

	0	1500.00	Day	804.70	1207050.00	AT Par	1207050.00	
1	fixing of measurable the cou	of RFID tag rements, no irse of exect	ng of Skilled Lab is, TCAS units, id thing of daily wor ution of work as pe 016-LS-II dt:31.3.16	entifying ECR/ k status, carry r the instruction	ECPR contacts, ing the tools &	static ar equipme	nd dynamic testing nts etc watch & v	g, taking of ward during
	0	1500.00	Day	608.00	912000.00	AT Par	912000.00	
2	Descri cable equipm	ption:- Hirin route, cable nent etc., wa	ng of Unskilled La e laying, taking o tch & ward during labour commission	abour assistand f measuremen the course of	De SE/JE in day Its, noting of day execution of wor	to day aily work kaspe	works i.e. giving status, carrying terthe instructions	marking of he tools &
S.No.	Item Cod	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl	Amount	Bidding Unit
0 - 11	e	00D (0-h-	dula A) Francistian	of Out Door O	lana a III a ar consada	(%)	40054407.00	A I /
Sched		` `	dule-A)-Execution		-		19251137.00	Above/ Below/Par
1	includii width (case o	ng bailing o 0.3 Mtr. Not	Kilometre avation of trench a ut water and disponse: This includes g or otherwise at cor]	osal of extra so uarding of cab	roots of trees, b oil. All soils inclu les, relaying of c	ushes, b ding soft ables an	allast and recondi rocky area-Depth d redoing of cable	1.2 Mtr. & e jointing in
	0	50.00	Kilometre	76590.00	3829500.00	AT Par	3829500.00	
2	includii width (case o	ng bailing o 0.3 Mtr. Not	avation of trench a ut water and dispo e: This includes g or otherwise at cor]	osal of extra so uarding of cab	oil. All soils inclu les, relaying of c	ding soft ables an	rocky area-Depth od redoing of cable	1.0 Mtr. & jointing in
	0	3000.00	Metre	115.00	345000.00	AT Par	345000.00	
4	including and smarea. Notherstone 1 (iii) Description of the clamp after caling case	ng bailing on oothening whote: This in or otherwise (a)] 100.00 ption:- Lay::CON/SK/T to Drg.No:Cable laying.	avation of trench a ut water and dispo of inside surface o icludes guarding o e at contractor's o Kilometre ving of Signalling //5.Transportation, CSTE/C/Cable/81 Note: This include fts or otherwise at a)]	osal of extra sof sizes 0.08 m f cables, relaying who cost till conditions 16740.00 Cable/Power/Caupply of 'U' concluding backes guarding of the fixed size of the cost of the	oil. Hard rocky ar deep and 0.17 mg of cables and nmissioned. [SO 1674000.00 Quad cable / PI lamps and anche filling with exca cables, relaying of the deep and t	ea include width a redoing of R-2021 f AT Par JF cable oring of covated ea of cables	ding concreting-Chet platform and centrof cable jointing in for S&T works-S 1674000.00 In the excavater able at every 10 North and ramming and redoing of care.	nase cutting nented floor case of the sch 'A' item d trench to Mrs with 'U' of trenches able jointing
	0	3000.00	Metre	775.00	2325000.00	AT Par	2325000.00	
5	pipe) cable/f trench crossir cable j	150 mm no PIJF cable/ alongwith s ng/ level cro ointing in ca	ring of RCC pipe ominal dia to Spe Quad cables/HDF signalling/Quad cassing gate etc. No ase of the thefts or ' item no. 2(d)]	ec.No:IS-458 in PE pipe throug bles but in a s te: This include	n excavated treath RCC pipe. Poseparate pipe RCs guarding of ca	nch and ower cab CC pipe a bles, rela	laying of Signall le shall be laid in at track/pucca roa aying of cables and	ing/ Power of the same od/ Platform of redoing of
	0	60.00	Per Unit					
6	consig insulat	nee depot ion register	Ifting of cables ir and meggering b along with represe ' item no. 3]	efore loading	and after laying	and re	cording the value	es in cable
	0	220.00	Numbers	17067.00	3754740.00	AT Par	3754740.00	

Page 43 of 20 Run Date/Time: 04/01/2025 21:30:47

Tender No: 85-SNT-Proj-Tender-2024 **Closing Date/Time:** 04/03/2025 12:00

7	the found signal resistated fraw subsect apparated paint a Hylum (Large or late Found	undation, er transforme nces, chok 110V AC t quent altera atus case in nd subsequ sheet for lo) to Drg. No st.NOTE: - ation- 30%	e excavation of pit, ection, installation r, current transforr e coils, Fuses, Reherefore in the nations (if required), side and outside a uent two coatings of cation box shelf a b. CON/SK/T/8 with Payment can be (ii) Erection - 15%, (iv) Commissionir	and wiring of mer, filament s lays, E type loew apparatus bunching of c fter clearing the f Aluminum pand 12 mm for c 14 Nos. of four released in a 6, (iii) Wiring,	steel apparatus witching unit, trocks, terminatio case as requirables, earthing e surface thorougint outside and leable termination dation bolts 20 part for the ab, testing, paintir	case, fix ack battern of cab ed, testion cable, ghly and Red Oxide in location x 46 ove said eg, sand	ing of terminals, for chargers, adjules, cable insertiong, commissionin armours etc. Pair first coating of any let inside and letter on box. Steel appomm to Drg. No. Swork after complifilling, plastering,	use blocks, stable/fixed n, wiring to g including nting of the ti -corrosive ring. 18 mm aratus case SA-112 A/M etion of- (i) earthing &
	0	442.00	Numbers	1941.00	857922.00	AT Par	857922.00	
8	constru	uction of co	cavation of earth ement enclosure the trip (35 x 6 mm) for the toth end of the w	to Drg. No. C rom earth elec	ON/SK/T/9 and trode to all signa	CON/Sk alling equ	C/T/9A and drawl ipments, including	of GI wire
_	0	200.00	Hour	603.00	120600.00	AT Par	120600.00	
9	relocat 2021 f	ion the Loc or S&T wor	ployment of Prok ation Box/ Signal F ks- Sch 'A' item no	ost with founda . 28]	ation as per the	advice of	Railway site engir	neer. [SOR-
10	0	1500.00						
10	supply	& transpor	ing of concrete cata tation of cable rout awing no. SDO/Ca	te marker at sit	e. Detail size &	fixing of	cable route marke	r should be
11	0	1000.00		241.00				
11	for dive	ersion of ca	ysical tracing and bles in connection advice of Railway	with cable clea	rance for engine	ering ear	th work without int	erfering the
	0	60.00	Kilometre	32603.00	1956180.00	AT Par	1956180.00	
12	cable l	laid in the fand redoi	ring of second clas trench (Approx 9 t ng of cable jointin DR-2021 for S&T w	oricks per mtr). ng in case of	NOTE: This in the thefts or o	cludes gi	uarding of cables,	relaying of
	0	25000.0	MT-Km	38.00	950000.00	AT Par	950000.00	
13	Transp store of	ortation of I of SSE(SIG lway Admin	lecting, stacking w Materials (Fresh/Re)/CON,(iii) any sto istration by suitable	eleased/Unuse re depot to ar	d) from (i) work s ny other store d	site to GS epot ove	D/Raipur, (ii) work r Indian railways	site to the as decided
	0	442.00	Sqm	2525.00	1116050.00	AT Par	1116050.00	
14			pply, Transportation SOR-2021 for S&			m sheet	of 12 mm thicknes	ss as per
S.No.		Item	Qty Unit	Unit Rate	Basic Value	Escl	Amount	Bidding
	Cod	Qty				(%)		Unit
Sched			edule-A1)-Executio	n of Indoor Sig	nalling work	(70)	20206325.00	Above/ Below/Par
	0	250.00						
1	can be paintin Sched	released in g, earthing ule rate.[So	series/Composite n a part for the abo & writings etc - 75 DR-2021 for S&T	ve said work at 5% ,(iii)Commi works-Sch 'A1	fter completion of ssioning of Rela ' item no. 1(a)]	of- (i) Erec ay rack/C	ction- 15%,(ii) Wiri composite rack/C	ng, testing, FR- 10% of
2	0 Descr	405.00 iption:- Alt	eration of existing	Q-series/Con	nposite Relay F			
	ISOR-		&T works-Sch 'A1'			AT Do	F2700 00	
3	Descr electro location repres	llyte for lead on as per entative fro	Each narging and instal d acid cells. If pow convenience of m executive agen AH/200AH/300AH.	lation of seco er is not availathe Railway. cy as well as	ndary cell 2 V able at site of w Initial Charging maintenance or	lead ac ork, char to be g, with u	id type), and pre ging may be done done in presend ninterrupted supp	paration of e at nearby ce of Rlys
	0	50.00						

Page 44 of 20 Run Date/Time: 04/01/2025 21:30:47

Tender No: 85-SNT-Proj-Tender-2024 **Closing Date/Time:** 04/03/2025 12:00

S.No.	Item	Item	Qty Unit	Unit Rate	Basic Value	Escl	Amount	Bidding
	Cod e	Qty				(%)		Unit
Schedule	13-SOR	R-(Schedule	-B)-SUPPLY OF I	FERROUS MA	TERIALS		6385666.00	Above Below/Pa
4	0	230.00	Numbers					
1	racks r	nust be pow					./SER/192 SH 2/2 Railway Engineer.	
_	0	20.00	Numbers	10935.00	218700.00	AT Par	218700.00	
2	be pov	vder coated Sch 'B' item	of stone grey co	olour. Inspection	n by Rep. of R	Railway E	SH1/2.The relay Engineer.[SOR-202	21 for S&
2	0	442.00	Numbers					
3	works-	Sch 'B' item	no. 25]				RITES. [SOR-202	
4	0	220.00	Numbers					
			el Apparatus Case Inspection by RII				vith E type lock on em no. 14]	both side
S.No.	Item	Item	Qty Unit	Unit Rate	Basic Value	Escl	Amount	Bidding
	Cod	Qty						Unit
Schedule	14 - SOR	-(Schedule-	B1)-Supply of Sig	l gnalling Battery	(Secondary cell	(%)	947580.00	Above Below/Pa
	lo	170.00	Numbers	5574.00	947580.00	AT Par	947580.00	
	_						r S&T installation	
S.No.	no. 1(a	1)(111)]						
S.NO.	Item	ltem	Qty Unit	Unit Rate	Basic Value	Escl	Amount	Bidding
J.14U.	Item Cod e	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl (%)	Amount	Bidding Unit
	Cod e	Qty	Qty Unit B2)-Supply of Sig	gnalling materia	ıls		Amount 16453602.00	Unit
	Cod e 15-SOR	Qty -(Schedule-	B2)-Supply of Siç Kilometre	gnalling materia	als 3667350.00	(%)	16453602.00 3667350.00	Above Below/Pa
	Cod e 15-SOR 0 Descri per the Rep. o 10%).[3	Qty 30.00 ption:- Cab colour cod f Railway E SOR-2021 fr	B2)-Supply of Sig Kilometre le PVC insulated ing scheme of Ra ingineer. Multi str or S&T works- Scl	122245.00 single core unilways. Spec. rand ISI coppern 182' item no.1	3667350.00 nsheathed with no: IRS-S-76/89 r cable (16 Sq.n (ii)(e)]	AT Par plain an with late nm) (Rec	16453602.00 3667350.00 nealed copper co st amendment. In 1-45%, Black-45%	Above Below/Pa
Schedule	Cod e 15-SOR 0 Descri per the Rep. o 10%).[3	30.00 ption:- Cab colour cod f Railway E SOR-2021 fo 50.00	Kilometre le PVC insulated ing scheme of Ra ingineer. Multi str or S&T works- Scl	gnalling materia 122245.00 single core u silways. Spec. r and ISI copper h 'B2' item no.1 116166.00	3667350.00 nsheathed with no: IRS-S-76/89 r cable (16 Sq.n (ii)(e)] 5808300.00	AT Par plain an with late nm) (Rec	16453602.00 3667350.00 nealed copper co st amendment. In d-45%, Black-45% 5808300.00	Above Below/Pa
Schedule	Cod e 15-SOR Descriper the Rep. o 10%).[s] Descriper the Rep. o	Qty 30.00 ption:- Cab colour cod f Railway E SOR-2021 fc 50.00 ption:- Cab colour cod f Railway E	Kilometre le PVC insulated ing scheme of Ra ingineer. Multi str or S&T works- Scl Kilometre ble PVC insulated	gnalling materia 122245.00 single core u silways. Spec. r and ISI copper h 'B2' item no.1 116166.00 d single core u silways. Spec. r rand ISI copper	3667350.00 Insheathed with Inc: IRS-S-76/89 Inc cable (16 Sq.n. Inc (ii)(e)] Insheathed with Inc: IRS-S-76/89	AT Par plain an with late nm) (Rec AT Par plain an with late	16453602.00 3667350.00 nealed copper co st amendment. In 1-45%, Black-45%	Above Below/Pa
Schedule 1	Cod e 15-SOR Descri Rep. o 10%).[3 Descri per the Rep. o 2021 fr	30.00 ption:- Cab colour cod f Railway E SOR-2021 fr 50.00 ption:- Cab colour cod f Railway E colour cod f Railway E colour cod f Railway E cor S&T worl	Kilometre le PVC insulated ing scheme of Ra ingineer. Multi str or S&T works- Scl Kilometre ole PVC insulated ing scheme of Ra Engineer. Multi st ks-Sch 'B2' item r	gnalling materia 122245.00 single core u sillways. Spec. r rand ISI copper h 'B2' item no.1 116166.00 d single core u sillways. Spec. r rand ISI copper no. 1(ii)(d)]	3667350.00 Insheathed with the IRS-S-76/89 In cable (16 Sq. In (ii)(e)] In S808300.00 In Sheathed with the IRS-S-76/89 In cable (10 Sq. In Cab	AT Par plain an with late nm) (Reconstruction and with late mm) (Reconstruction AT Par plain an with late mm) (Reconstruction AT Par plain and	16453602.00 3667350.00 nealed copper cost amendment. In 1-45%, Black-45% 5808300.00 nealed copper cost amendment. In 1-450%, Black-50%, Black-5	Above Below/Pa
Schedule 1	Cod e 15-SOR 0 Descriper the Rep. o 10%).[3 0 Descriper the Rep. o 2021 fr 0 Descriper the Rep. o 2021 fr	Qty 30.00 ption:- Cab colour cod f Railway E SOR-2021 for 50.00 ption:- Cab colour cod f Railway E colour cod 1400.00 ption:- Cab colour cod 16/0.2 mr cod 1(i)(c)]	Kilometre le PVC insulated ing scheme of Ra ingineer. Multi str or S&T works- Scl Kilometre ole PVC insulated ing scheme of Ra Engineer. Multi st ks-Sch 'B2' item r Kilometre ole PVC insulated ing scheme of Ra	gnalling materia 122245.00 single core u iilways. Spec. r and ISI copper h 'B2' item no.1 116166.00 d single core u iilways. Spec. r rand ISI copper no. 1(ii)(d)] 10784.00 d single core u iilways. Spec. r	3667350.00 nsheathed with no: IRS-S-76/89 r cable (16 Sq.n (ii)(e)] 5808300.00 nsheathed with no: IRS-S-76/89 er cable (10 Sq. 4313600.00 nsheathed with no: IRS-S-76/89	AT Par plain an with late mm) (Recomm)	16453602.00 3667350.00 nealed copper cost amendment. In 1-45%, Black-45% 5808300.00 nealed copper cost amendment. In ted-50%, Black-5	Above Below/Pa
Schedule 1	Cod e 15-SOR Descriper the Rep. o 10%).[s] Descriper the Rep. o 2021 fc Descriper the RDSO item no	Qty 30.00 ption:- Cab colour cod f Railway E SOR-2021 fr 50.00 ption:- Cab colour cod f Railway E colour cod f Railway E colour cod f Railway E colour cod 16/0.2 mr 16/0.2 mr 11(i)(c)]	Kilometre le PVC insulated ing scheme of Ra ingineer. Multi str or S&T works- Scl Kilometre ble PVC insulated ing scheme of Ra Engineer. Multi st ks-Sch 'B2' item r Kilometre ble PVC insulated ing scheme of Ra m dia. (50% grey	gnalling materia 122245.00 single core u illways. Spec. r and ISI copper h 'B2' item no.1 116166.00 d single core u illways. Spec. r rand ISI copper no. 1(ii)(d)] 10784.00 d single core u illways. Spec. r r, 30% black &	3667350.00 nsheathed with no: IRS-S-76/89 r cable (16 Sq.n (ii)(e)] 5808300.00 nsheathed with no: IRS-S-76/89 er cable (10 Sq. 4313600.00 nsheathed with no: IRS-S-76/89 & 20% yellow). 1769628.00	AT Par plain an with late mm) (Recomm)	16453602.00 3667350.00 nealed copper cost amendment. In 1-45%, Black-45% 5808300.00 nealed copper cost amendment. In 1-450%, Black-5 4313600.00 nealed copper cost amendment. In 1-21 for S&T work	Above Below/Pa productor a spection b onductor a spection b onductor a spection b onductor a spection b os-Sch 'B:
Schedule 1	Cod e 15-SOR 0 Descriper the Rep. o 2021 fc 0 Descriper the RDSO item no 0 Descriper the RDSO	Qty 30.00 ption:- Cabe colour cod f Railway E	Kilometre le PVC insulated ing scheme of Ra ingineer. Multi str or S&T works- Scl Kilometre ble PVC insulated ing scheme of Ra Engineer. Multi st ks-Sch 'B2' item r Kilometre ble PVC insulated ing scheme of Ra m dia. (50% grey Kilometre ble PVC insulated ing scheme of Ra	gnalling materia 122245.00 single core u silways. Spec. r and ISI copper h 'B2' item no.1 116166.00 d single core u silways. Spec. r rand ISI copper no. 1(ii)(d)] 10784.00 d single core u silways. Spec. r r, 30% black & 147469.00 d single core u silways. Spec. r	3667350.00 Insheathed with the IRS-S-76/89 In cable (16 Sq.n (ii)(e)] 5808300.00 IRS-S-76/89 In cable (10 Sq.n 4313600.00 IRS-S-76/89 IRS-S-76/89 IRS-S-76/89	AT Par plain an with late mm) (Recomm)	16453602.00 3667350.00 nealed copper cost amendment. In 1-45%, Black-45% 5808300.00 nealed copper cost amendment. In 12ed-50%, Black-5 4313600.00 nealed copper cost amendment. In 12ed-50% and 12ed-50% are also copper cost amendment. In 12ed-50% are also copper cost amendment.	Above Below/Pa
Schedule 1 2	Cod e 15-SOR 0 Descriper the Rep. o 2021 fo 0 Descriper the RDSO item no 0 Descriper the RDSO	Qty 30.00 ption:- Cabe colour cod f Railway E	Kilometre le PVC insulated ing scheme of Ra ingineer. Multi str or S&T works- Scl Kilometre ble PVC insulated ing scheme of Ra Engineer. Multi st ks-Sch 'B2' item r Kilometre ble PVC insulated ing scheme of Ra m dia. (50% grey Kilometre ble PVC insulated ing scheme of Ra ole PVC insulated ing scheme of Ra ole PVC insulated ing scheme of Ra ole as per IRS-S-	gnalling materia 122245.00 single core u illways. Spec. r and ISI copper h 'B2' item no.1 116166.00 d single core u illways. Spec. r rand ISI copper no. 1(ii)(d)] 10784.00 d single core u illways. Spec. r r, 30% black 8 147469.00 d single core u illways. Spec. r 76/89 with late	3667350.00 Insheathed with the IRS-S-76/89 Insheathed with the	AT Par plain an with late mm) (Recomm)	16453602.00 3667350.00 nealed copper cost amendment. In 145%, Black-45% 5808300.00 nealed copper cost amendment. In 16ed-50%, Black-5 4313600.00 nealed copper cost amendment. In 1769628.00	Above Below/Pa Donductor a spection bonductor a spe
Schedule 1	Cod e 15-SOR 0 Descriper the Rep. o 10%).[s] 0 Descriper the Rep. o 2021 fc 0 Descriper the RDSO item no 0 Descriper the RDSO works-0 Descriper the RDSO works-0	Qty 30.00 ption:- Cabe colour cod f Railway E SOR-2021 fc 50.00 ption:- Cabe colour cod f Railway E colour cod f Railway E colour cod 16.0.2 mr co. 1(i)(c)] 12.00 ption:- Cabe colour cod 16.0.2 mr colour cod 16.0.2 mr co. 1(i)(c)] 12.00 ption:- Cabe colour cod 18.00 mr cod 19.00 mr cod 19.0	Kilometre le PVC insulated ing scheme of Ra ingineer. Multi str or S&T works- Sch Kilometre ble PVC insulated ing scheme of Ra ingineer. Multi str ks-Sch 'B2' item r Kilometre ble PVC insulated ing scheme of Ra m dia. (50% grey Kilometre ble PVC insulated ing scheme of Ra m dia. (50% grey Kilometre ble PVC insulated ing scheme of Ra ole as per IRS-S- em no.1(i)(e)] Numbers A terminal for Sig	gnalling materia 122245.00 single core u illways. Spec. r and ISI copper in 'B2' item no.1 116166.00 d single core u illways. Spec. r rand ISI copper no. 1(ii)(d)] 10784.00 d single core u illways. Spec. r r, 30% black 8 147469.00 d single core u illways. Spec. r 76/89 with late 361.00 nalling Installa	3667350.00 Insheathed with the IRS-S-76/89 Insheathed with the	AT Par plain an with late mm) (Recomm)	16453602.00 3667350.00 nealed copper cost amendment. In 1-45%, Black-45% 5808300.00 nealed copper cost amendment. In 1-450%, Black-5 4313600.00 nealed copper cost amendment. In 1021 for S&T world 1769628.00 nealed copper cost amendment. In 1769628.00	Above Below/Pales Spection to 3 Specific to

Page 45 of 20 Run Date/Time: 04/01/2025 21:30:47

Tender No: 85-SNT-Proj-Tender-2024 **Closing Date/Time:** 04/03/2025 12:00

Description:- Supply of the following furniture for SM / relay room. Inspection by Rep. of Railway Engineer. Table of Godrej make. Model No. WT 718 + ERU or latest. [SOR-2021 for S&T works- Sch 'B2' item no. 12(b)]

Page 46 of 20 Run Date/Time: 04/01/2025 21:30:47

Tender No: 85-SNT-Proj-Tender-2024 **Closing Date/Time:** 04/03/2025 12:00

7	Engine		pply of the follow Model PCH-5001	ring furniture f	or SM / relay ro	oom. Ins	pection by Rep.	of Railway
S.No.	Cod	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl	Amount	Bidding Unit
Sched	e ule 16-	SOR-(Sche	dule-B3)-Supply o	f Electrical & E	 ectronics materia	(%) als	69564215.00	Above Below/Pai
1	16 ana	alog inputs	Numbers allation, Wiring, T with modem as p m no. 13(i)(b)]	esting and con	nmissioning of F	Remote t	erminal unit with (
2			Set ansportation, insta angeover system	llation, testing	& commissionir	ng of fus	e indication cum	monitorin
3	Installa installa	ition charge ition, backf	Numbers tallation, testing a es : Earth pit (1 So illing and chambe ks- Sch 'B3' item n	et) It includes, r making. Mat	ı ning of Permane Civil works relat	nt and N ed to ea	l Maintenance Free rth pit digging, PM	1F earth p
4	front a BRS:9	nd back co 30, IRS:S	Numbers lay, Non-AC Immu ontacts metal to d 34 & IRS:S 23. 1 21 for S&T works-	ine, plug-in type carbon with plu he interlockin	e, Style "QN1", N ug board, retain g code for this	l Neutral lii ing clip	ne, 24V DC 12F/4 & connectors cor	B contacts oforming t
5	front a BRS:9	nd back o	Numbers ay, AC Immune, ontacts metal to 0 6 60, IRS:S 34 & GO.[SOR-2021 for	arbon with plu IRS:S 23. Th	l Style "QNAI', Ne ug board, retain ne interlocking d	utral line ing clip	e, 24V DC 12F.4 & connectors cor	B contact:
6	IRS:S-	99/2006 (ai	Numbers pply of datalogger mendment - 3) or T works-Sch 'B3' i	system for Ra	ı ıilway S&T insta ıital Input 512, A	l llation as	per RDSO speci	fication no
8	Drg. N Earthir signall Railwa earth p 25 lb - betwee (15 mt (50 mt	o. SDO/RI ng and bon ing equipm y Enginee bit consistir 3 Bags, 2 en Earth pi r Lump Su tr Lump Su	Numbers rthing and bondir DSO/E&B/001 dt. Iding system for facents in Station but. Supply of "Pering of:17 mm diame 5*6*150 mm Cu Ets and MEBB It ir Im). Supply for In Im). I includes 16 1 for S&T works-	ng system as p 19.09.08 and Relay Room, I uilding, Block of manent and M eter and minim Bus Bar- 2 No ncludes 35 sq ternal connect sq mm and 1	Deer RDSO Spector RDSO Drg. No PS Room, SPD Sircuit, SSDAC, Italiantenance Freum 3 m long Co, Cu lugs and norm multi-strancion from MEBB 0 sq mm multi	E. No. RI E. SDO/R Box, Opetc. Inspection Earth pper Bor ut bolt 2 d pvc ins To SEB	DSO/SPN/197/200 DSO/E&B/002 dt perator panel in Section by Repres pits materials". Inded Steel Rod - nos, Supply for Gulated single con B and to other e	08 , RDS0 . 19.09.08 SM's roon sentative of 1 Set PM 1No, GEM Connection e Cu cabl quipments
9	RDSO standb also b	specification by fuses place supplied	Set upply of fuse indi- on no. RDSO/SPN/ aced in the systen along with the sy &T works-Sch 'B3	cation cum mo 209/2012 Rev. n. In addition to stem. Inspect	onitoring and a on latest. The o it, spare quan ion by RDSO.	utomatic system s tity of 10	changeover systemall be supplied a 100% fuses of each	tem as po long with a n type sha
10	RDSO		Numbers pply of Remote to IRS-S- 99/2006	erminal unit wi	th 64 digital & 1	l6 analo	g inputs with mod	lem as pe
11	Descri datalog networ contract datalog	8.00 ption:- Inserting and cector is also	Numbers stallation, wiring, in as per RDSO sentral monitoring allored to list or approval of the ks-Sch 'B3' item no	esting and co specification no ong with installa out the no. of RIy. for those	ommissioning of the incomments of the incomments of the incomments of the incomments of the incomments of the incomments of the incomments of the incomments of the incomments of the incomments of the incomments of the incomments of the incomments	Digital Digital (amme nonitoring inputs f	Input 512, Analogedent - 3) or lates g software and har for wiring & opera	g Input 6 st includin dware. Thation of th

Page 47 of 20 Run Date/Time: 04/01/2025 21:30:47

Tender No: 85-SNT-Proj-Tender-2024 **Closing Date/Time:** 04/03/2025 12:00

S.No.	Itam	ltom	Oty Unit	Unit Boto	Pasia Valua	Fool	Amount	Didding		
5.NO.	Item Cod	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl	Amount	Bidding Unit		
	е					(%)				
Sched	ule 17-	SOR-(Sche	edule-C)-Execution	of Telecom wo	ork		5941930.00	Above/ Below/Par		
	0	10.00	Kilometre	336450.00	3364500.00	AT Par	3364500.00			
1			cavation of trench							
			depth of minimum as per drawing or							
	- out th	ė length u	oto a layer of 75m	m. Then back t						
			ch 'C' item no.2(b)]							
	0	60.00					1120320.00			
			nsportation, loadir	5			,			
2			echanised means.							
			d manually. This							
			I submissions of rowith unused cab							
			3SP.[SOR-2021 fo				actor to the store	s depot of		
	0	60.00	Route Kilo Meter	950.00	57000.00	AT Par	57000.00			
			(RKM							
3	Descri	ption: - Loc	ation survey of cal	ble route and p	reparation of tent	tative and	d final cable route	plan as per		
	approv	ed format	in the section in	cluding supply	of final route	plan aft	er the cables ar	e laid and		
			dicating clearly th							
			mast & other fixen A-3 size (well do							
		item no.1]			oouna man praoa	0 00.0.0	,[00.11202.10.10			
	0	60.00	Kilometre	7762.00	465720.00	AT Par	465720.00			
4			nsportation includi							
			of the same in excapes. [SOR-2021 fo				/tubes, jointing, le	velling and		
	0	50.00	•				69250.00			
_	Descri	ption: - Exe	cution of straight	through joint (on Quad cable/	10-20-50	pairs PIJF cable	using		
5	thermo	shrink joint	ing kit. This include	es jointing kit, t	ansformers, exc	avation o	of cable joint pit of	size		
			m for jointing of ca m no.12(b)]	bles, back filling	g and ramming a	ifter jointi	ng.[SOR-2021 for	S&T		
	0	60.00	. / .	14419.00	865140.00	AT Par	865140.00			
6			oply and placing o							
	"CAUT	ION OFC	CABLE" at every 1	l mtr. interval (minimum) and to	be laid	in the trench in s	tation area		
	and as	directed by	the representative	e of Railway. [S	OR-2021 for S&	T works-	Sch 'C' item no. 9	(a)]		
S.No.	Item	Item	Qty Unit	Unit Rate	Basic Value	Escl	Amount	Bidding		
	Cod	Qty		01111111111	24010 741140		7	Unit		
	e	000 (0.1	tele Di Committee d	T.1	-1-1-	(%)	404000.00	A. (
Sched	ule 18-	SOR-(Sche	edule-D)-Supply of	Telecom mate	nals		104080.00	Above/ Below/Par		
	lo	10.00	Numbers	3483.00	34830.00	AT Par	34830.00	Dolowii ai		
			oply of Optical fibr					for 24 fibre		
2			ecification. No. R							
	accessories (sealing with mechanical clamp facility) make Raychem or similar. Inspection by Rep. of Railway Engineer.[SOR-2021 for S&T works- Sch 'D' item no. 1]									
			-			ATD	00250.00			
	0 Danari	50.00	Numbers				69250.00			
2			ansportation & E ing kit. This also ir							
	thermoshrink jointing kit. This also includes excavation of cable joint pit of size 1.2m x 1.2m x 1.0m in all types of soil for jointing of copper cables, back filling and ramming after jointing- straight through joint on									
					g and ramming	after join	ting- straight throu			
			inting of copper ca -50 pairs PIJF Cab		g and ramming	after join	ting- straight throu			

3. ITEM BREAKUP

Schedule	Sched	Schedule 3-Supply of Signalling & Telecom materials								
Item- 22	with cyl	teriorating type low voltage electric fuse for Railway signalling, indrical cap without indication size: 14x 51 mm. Spec. no: IRS-S-pection by RDSO.								
S No.	Item No	Description of Item Unit	Qty	Rate	Amount					

1	1	Fuse links 2 Amps.	Numbers	4420.00	78.00	344760.00
2	2	Fuse links 6 Amps	Numbers	4420.00	71.00	313820.00
3	3	Fuse holder 20 A capacity	Numbers	4420.00	26.00	114920.00
					Total	773500.00

END OF REPORT