

## RAILTEL CORPORATION OF INDIA LTD.

(A Govt. of India Enterprise)
275e, EVR Periyar High Road
CAO/CN Office, Southern Railway
Egmore, Chennai - 600008

**Expression of Interest for** 

Provision of Telecommunication portion of works in connection with Renovation of PCEE's office, Renovation to ORH Rooms at MMC and Provision of CCTV camera system for The Lifts & Escalators

#### **NOTICE**

#### RailTel Corporation of India Ltd.

275e, EVR Periyar High Road CAO/CN Office, Southern Railway Egmore, Chennai - 600008

EOI No: RCIL/SR/MAS/Sr DSTE/Co Ordn/MAS/2025-26/EOI/07, dated 13.11.2025

RailTel Corporation of India Ltd., hereafter referred to as RailTel calls your attention for Selection of (BA/SI/BP), Provision of Telecommunication portion of works in connection with Renovation of PCEE's office, Renovation to ORH Rooms at MMC and Provision of CCTV camera system for The Lifts & Escalators

1 Sending of EoI to SI's/BA's	13.11.2025
2 Submission of EOI documents	19.11.2025 by 15:00 Hrs
3 Opening of EOI documents	19.11.2025 by 15:30 Hrs
4 Number of copies to be submitted	01
	Online mode through https://railtel.eNivida.com
	Rs.1,01,366 (Rs.One Lakhs One Thousand Three hundred and Sixty Six only)
7. Address for communication	RailTel Corporation of India Ltd. 275e, EVR Periyar High Road CAO/CN Office, Southern Railway Egmore, Chennai- 600008

In case of any query, in connection with this EoI the same can be sent to following officials' mail IDs mentioned below:

Contact : Anish Rehman

Position : Assistant General Manager

Email : arehman@railtelindia.com

Mobile : 97046-59404 (Working days)

Tab	ble of Contents	
1.	RailTel – Introduction	4
2.	Scope of Work	5
2.1	Preamble	9
2.2	Roles and Responsibility of the BA/SI Partner	21
2.3	Qualifying and mandatory condition.	22
3	Evaluation Method	24
4	Acceptance of LOA and Performance Bank Guarantee	24
5	Payment Terms:	26
6	Timeframe for Completion of Project:	26
7	Service Level Agreement for services	26
8	Liquidated Damages	26
9	Comprehensive Onsite Warranty	26
10	Bid Currency and bid validity	27
11	Modification and/or Withdrawal of Bids:	27
12	Variation in Quantity:	27
13	Negotiation:	27
14.	Information to Bidder.	28
	14.1 Guideline for preparation of response to this EoI	28
	14.2 Amendment to the EOI Document	28
	14.3 Arbitration	28
	14.4 Force Majeure Clause	28
15.	Terms and Conditions	29
16.	Technical and Commercial Proposal	30
17.1	1 Annexure 1: Cover Letter Format	32
17.2	2 Annexure 3: Performance Bank Guarantee Format	33
17.	3 Annexure 5 Integrity Pact	37
17.4	4 Annexure 6 – RFP by Sr.DSTE/CO Ordn/MAS	39

#### CHECKLIST OF ESSENTIAL DOCUMENTATION/ACTIVITY

The tenderer is required to submit offer as per following check list by giving page no. of submitted documents:

SN	Item/Clause of Tender Document	Details / Remarks
1	Letter from RailTel selecting bidder as an empaneled Business Partner/SI/Business Associate.	
2	Copy of PBG submitted for SI/BA/BP empaneled Agreement with RailTel. PBG should be valid on the date of submission of the quote. In case BA/SI/BP Registered as per New BA Policy (RailTel/EOI/EB/2023-24/Business Associates /481),PBG is not applicable to BAs, while the BA Empanelment fees are being collected.	
3	Audited balance sheet for the financial year 2022 -23 and 2023 -24 (for FY 24-25) or Copy of original CA Certificate (with UDIN number) indicating the turnover of last 3 financial years. The date of certificate should be of the current financial year. The bidder should have turnover of minimum 150% of the tender value.	
4	Earnest Money Deposit	
5	Undertaking from the Company Secretary or the Managing Director/Authorized representative of the partner.	
6	Valid documentary evidence of address or a self-undertaking.	
7	Declaration of OEM against each item of the BoQ to be submitted on the bidder letterhead with authorized signatory sign/seal	
8	Notarized Power of attorney to be submitted in favour of authorized person format	
9	Integrity Pact- Annexure 5 Undertaking	

#### 1. RailTel - Introduction

RailTel Corporation of India Limited is an ISO 9001:2008 certified Public-Sector Undertaking under the Ministry of Railways, Govt. of India, and is a national telecom service provider having NLD, IP2 and ISP licenses and IP1 registration. The Corporation was formed in year 2000 with the objectives to create nation-wide Broadband Telecom and Multimedia Network in all parts of the country, to modernize Train Control Operation and Safety System of Indian Railways and to significantly contribute to realization of goals and objective of national telecom policy 1999.

#### 2. Scope of Work

The work involves

- Supply and Provision of Earthing Arrangements, Supply of GI earth electrode.
- Supply and Provision of GI Pipe, HDPE pipe
- Blowing /Drawing of OFC/Power cable inside Permanently Solid lubricated HDPE pipe and Laying of STP/UTP/OFC/Power Cable/ switch board (10 pair/ 20 pair/50 pair) Cables in PVC Conduit.
- Supply OTDR, OFC Power Meter.
- Supply of STP CAT6 (23 AWG) cable
- Supply and Erection of Standard Rack 19" size, 6U size
- Supply of 3 Core x 2.5 Sqmm multistrand copper conductor
- Supply Full HD Bullet Type IP Colour Camera
- Installation, Testing and Commissioning of Full HD Bullet Type IP Colour Camera
- Supply of Full HD P/T/Z/ (Pan/Tilt/Zoom) IP Colour Camera
- Installation, Testing and Commissioning of Full HD P/T/Z/ (Pan/Tilt/Zoom) IP Colour Camera with ceiling mount kit
- Supply and Installation of 32 channel Network Video Recorder (NVR)
- Supply of RJ 45 Jack or connectors (per unit = 100 Nos/Packet)
- Supply of Large Format LED Display Unit, 55" (inches)
- Installation, testing and commissioning of large format display monitor unit 55" with all accessories
- Supply, Installation, Testing and commissioning of PC Workstation for Viewing, Monitoring and System management of above IP cameras
- Supply and Fixing of computer table (1200x600x750)mm and revolving chair steel cushioned 2 nos
- Supply, Installation, Testing and commissioning of Manageable Layer-2 Switches
- Supply and Fixing of 32 mm PVC conduit pipe
- Supply of 10G SFP+ supports a minimum of 10Km.
- Supply and Erection of covered 19" racks (42U) size
- Supply and Installation of 150mm width x 60mm depth x 1.6mm thick size perforated Hot dipped Galvanized cable tray with suitable cover of 1.6 mm thickness
- Supply and Installation of Media converter single mode ethernet to Fiber media converter.
- Cutting of platform surface (Tile/Slab) for a depth of 25cm and a width of 10cms and refilling.

- Supply and Installation of 15 meter HDMI cable (Inspection by Consignee).
- Supply and Provision of multipin power socket with switch 5A/15A.
- Supply and Installation of wall mountable power distribution panel with 8Nosx 16 Amp MCB's mounted
- Supply of 5meter length, Single mode, Simplex SC-LC/SC-SC/LC-LC Optical patch chords
- Supply & Installation of 5KVA min 8000 VAH on line UPS
- Supply and Termination of FMS Rack mounting type 19"size for 12F with SC-PC connector loaded
- Track crossing/Road crossing through Horizontal boring method as advised by the engineer at site.
- Supply of Crimping Tool for RJ45 & RJ11.
- Supply of LAN Tester for RJ45+RJ11 Type.
- Preparation and submission of As made drawings mentioning the location of cameras, wiring diagrams of UTP, Power, OFC cable etc.,
- Supply and Installation of Table top Chairperson conference Microphone unit with flexible stern of longer length, ringing light, black base, two headphone sockets etc.
- Supply and Installation of Table top Delegates person conference Microphone unit with flexible stem of longer length, ringing light, black base, two head phone sockets, BOSCH proprietor interconnectivity cables for connecting other delegate unit etc.
- Supply and Installation of P.A conference system Extension cable of length minimum 5 meters and 10 Meters.
- Supply and Installation of Rack mountable type class D Audio Power Amplifier (2x300W)
- Supply and Installation of 16-channel Audio mixing console having dimensions (444 X130X 500)mm, Max.
- Installation of Surface Mount Speaker of 150W with superior Supply and sound quality and sleek functional design having 5.25 woofer and 0.75" soft done tweeter with IP 35 rated protection along with suitable mounting brackets hardware accessories
- Supply and Installation of Audio Encoder interface device
- Supply and Installation of 1.5 Mtrs XLR Female to Mono male cable.
- Supply and Installation of factory crimped 2RCA Male to Single Mono male cable 1.5 Meters.
- Supply and Installation of 1.5 Mtrs Mono male to Mono male cable and Supply and Installation of 1.5 mtr XLR female to XLR male Cable.
- Supply and Fixing of SC TYPE Rack mountable 24F Fibre management system (FMS).
- Supply and Installation of Audio conferencing system central control discussion unit.
- Supply, Installation & Configuration of WiFi 6 router with minimum 4 number of Gigabit LAN Port.

- Supply and Fixing of PVC slotted trough of 50mmx50mmx1.2mm thickness
- Supply and Fixing of PVC trunk
- Supply and Installation of USB 3.0 extension cable 5 Mtrs, 10mtr and 15 Mtrs
- Supply & Installation of 4x4 USB Hub Switcher
- Supply, installation, commissioning 98 inch Smart TV suitable for VC
- Supply of STP (Shielded Twisted Pair) CAT6 cable 23 AWG (4 pair) compliant with EIA/TIA568-B.2-1 standard.
- Cutting of Trench/wall across/on the platform for a depth of 10 cm & 10 cm breath with marble cutting machine and filling the trench after cable laying and restoring surface with plaster etc.
- Laying/blowing/pulling/drawal of STP cable/UTP cable/OFC cable/Power cable/Co-axial cable/switch board cable through the conduit pipe or Cable trough or tray or Casing and Caping.
- Supply and Fixing of Standard Rack 19" size width, 27U size
- Supply of RJ 45 Jack or connectors
- Supply, Installation ,Testing and Commissioning of 24 port (10/100/1000 Base-T port)Gb layer -2 network switch
- Supply, Fixing and Termination of Dual I/O box with RJ -45 socket dual information outlet with Surface Mount Box (SMB).
- Supply, Installation, Testing and commissioning of manageable Field Switches consisting of 8 nos. of 10/100 BASE-T PoE
- Supply and Termination of 24 port loaded patch panel /jack panel with cable manager and terminating UTP cable
- Supply, Installation, Testing and Commissioning of Video VoIP phone. Detailed technical specification attached.
- Supply, Installation, Testing and Commissioning of Executive open standard SIP phone with external power adapter as per Specification attached.
- Supply, Installation, Testing and Commissioning of non-Executive open standard SIP phone.
- Supply of Krone Termination box 20 pair with Krone Module
- Installation testing and commissioning of 100/50/20 pair Kronection box.
- Supply of Wireless Cardioid Microphone
- Supply and Wiring of 2 core copper x 1.5 sq.mm Screened/Shielded multistrand PVC insulated wire for speaker load line.
- Supply, Installation and Commissioning of 4K and HD PTZ Camera
- Supply, Installation and Commissioning of 8x8 Matrix Switcher

- Supply, Installation and Commissioning of Pop Up Box with 2xPower.
- Supply of Maintenance portable terminal.
- Supply and installation of 1 Mtr and 3Mtrs length
- Supply & Installation of 100X50 mm raceways-Laying
- Supply, installation, commissioning 55 inch Smart TV suitable for VC
- Supply and Installation of 20 meter HDMI cable
- Testing,integration,commissioning,of Audio,VC system in PCEE conference meeting hall, on site training-10 mandays (user departments and S&T DEP),system & cabling complete documentation in hard&soft copies as per instruction of railway representative at site etc
- Supply of UTP CAT 6 cable (23 AWG)
- Supply of 12 core Unarmoured Optical fibre cable for indoor.
- Supply of Power cable 3 core, 2.5 sq mm.
- Supply and Fixing of 25mm PVC conduit pipe (ISI mark)
- Supply and fixing of 25mmx25mmx1.2mm thickness PVC casing and capping with cover
- Supply and fixing of 12mmx12mmx1.2mm thickness PVC casing and capping with cover
- Supply, Installation, Testing and Commissioning of 8 port POE manageable switch.
- Supply, Installation, Testing and commissioning of 24 port giga bit layer 2 switch.
- Supply, Installation and Integration of single Fibre bidirectional Module.
- Supply and Fixing of Standard Rack 19 "size width, 12U size.
- Supply, Installation & Configuration of WiFi 6 Range Extender
- Supply, Fixing and Termination of Single I/O with SMB and connector with shutter facility and terminating the UTP cable.
- Supply of 10 mtr length, Single mode, Simplex SC/LC to SC/LC OFC Patch cards so as to suit the site requirement as directed by the Railway Representative.
- Supply and Installation of 1 Mtr and 3 Mtrs length UTP CAT6 23 AWG factory crimped patch chord (RJ45).
- Supply and Installation of rack mountable 2 KVA online UPS
- Supply and Installation of 43" LED 4K UHD smart Television with all accessories as per Specification enclosed.
- Supply and Installation of i5 10th generation or latest CPU with 8GB RAM, 1000GB HDD, Windows 11 OS, Keyboard, Mouse along with all accessories as per Specification enclosed. CPU make: HP/DELL/Better.

- Supply and Installation of wall mountable TV stabilizer along with suitable stand for LED TV upto 55"
- Supply and Installation, Testing and Commissioning Corporate Satellite HD DTH cable TV connectivity for 26 nos of TV
- Supply of RG 6F coaxial cable, 2-way splitter
- Supply and Fixing of wall concealed type cable TV
- Supply and Installation of distribution box loaded with fitted with suitable 26 nos of RG6 Coaxial female jack/male jack
- Supply, Installation, Testing and Commissioning of Manageable Layer-2 Switches
- Supply of 1G Single fibre SFP-BX -D and SFP-BX-U (pair) Supply of Fixing of DLP U PVC Trunking of size 150mmx50mm base

For details refer the Tender documents floated by Sr DSTE/Co Ordn/MAS – Tender No M-SG-2025-473\_3TeleWork dated 31.10.2025 floated in IREPS portal for the work of Telecommunication portion of works in connection with Renovation of PCEE's office, Renovation to ORH Rooms at MMC and Provision of CCTV camera system for The Lifts & Escalators

#### 2.1 Preamble

RailTel have planned to participate in a tender floated by Sr DSTE/Co Ordn/MAS – Tender No M-SG-2025-473\_3TeleWork dated 31.10.2025 floated in IREPS portal for the work of Telecommunication portion of works in connection with Renovation of PCEE's office, Renovation to ORH Rooms at MMC and Provision of CCTV camera system for The Lifts & Escalators

(Now RailTel is planning to select one Business Associate/System Integrator for the above-mentioned work for Sr.DSTE/Co Ordn/MAS Division based on the prequalifying criteria and bid price as per this EoI.

The scope of this EOI is entire scope of Tender No. M-SG-2025-473\_3TeleWork dated 31.10.2025 floated in IREPs portal (**ireps.gov.in**) for the work of Telecommunication portion of works in connection with Renovation of PCEE's office, Renovation to ORH Rooms at MMC and Provision of CCTV camera system for The Lifts & Escalators at Annexure 2.

Scope of work for the Telecommunication portion of works in connection with Renovation of PCEE's office, Renovation to ORH Rooms at MMC and Provision of CCTV camera system for The Lifts & Escalators . The work involves the supply, installation, testing, and commissioning of Full HD IP-based CCTV surveillance systems including cameras, NVRs, HDDs, monitors, UPS, and all necessary accessories as per RDSO specifications. The contractor shall also provide and install the required networking infrastructure such as field switches, CAT6 cabling, racks, and associated power and data components if any as per the Tender document .

## **Detailed Scope of Work:**

Supply, installation, testing, and commissioning as per Sr DSTE/Co Ordn/MAS – Tender No M-SG-2025-473 3TeleWork dated 31.10.2025 floated in IREPS portal. **The details are provided below.** 

# Schedule () A-SOR items

G				Unit Rate	Total Rate				
S			Qty	inclusive	inclusive				
No.	<b>Description of Item</b>	Qty	Unit	of tax	of tax				
1	Supply and Provision of Earthing as per RDSO								
	Specification RDSO/SPN/197/2008 or latest (as per								
	Technical Specification enclosed)	1.00	Numbers	25306.66	25306.66				
2	Supply o f earth electrodes (GI) a s per Drg no								
	SG/CN/02/13	1.00	Numbers	1456.88	1456.88				
3	Supply of 24 Fibre armoured OFC cable as per R D S O								
	Specification RDSO/SPN/TC/ 110/2020 Rev. 0 or latest	3000.00	Metre	85.71	257121.00				
4	Supply of UTP Cable /CAT6/6A cable ETL or UL or CE3P								
	certified panduit or Systimax or R&M or AMP or Molex								
	or Krone Or D-LinkMakes	1525.00	Metre	31.26	47666.93				
5	Laying of STP/OFC/Power Cable/ switch board (10 pair/								
	20 pair/50 pair) Cables in 1" PVC conduit/case caping a								
	n d clamping on the wall/Roof tops/ Shelters with suitable								
	clamping and hose to be provided where ever bends/								
	curves (PVC conduit/ Case capping and other accessories to be supplied by the contractor)	7000.00	Metre	33.57	234990.00				
6	Provision of GI pipes (50/100mm dia) for cable laying with	7000.00	wieue	33.31	234930.00				
	offset at both ends and with couplings over RCC								
	bridges, drainage, culverts, and girder bridges. For RCC								
	bridges, drainage, and culverts, the pipes shall be								
	mounted on concrete masonry supports of size 300mm x								
	300mm x 300mm at an interval of 2 meters. For girder								
	bridges, the pipes shall be fixed on suitable MS clamps								
	at an interval of 2 meters. The ends of the pipes shall be								
	closed with brick masonry abutments to ensure that no cable								
	is exposed. The work shall be carried out as per the								
	instructions of the Railway representative at the								
	site.(Supply of GI pipes with couplings and laying of								
	cables is not included in this schedule). Stone jelly								
	(20/25mm size), bricks, sand, cement, MS angles, flats,								
	bolts, nuts for manufacturing and fixing clamps, bricks, M sand, cement, and other miscellaneous								
		18.00	Metre	187.69	3378.35				
7	materials for the work shall be supplied by the contractor.  Bl owi ng/ Drawing of OFC cable/Power cable/Signalling	10.00	wieue	107.09	3370.33				
'	cable inside permanently solid lubricated HDPE Pipe	India							
	already laid. This work includes necessary duct integrity								
	test for solid lubricated H D P E p i p e . (This includes								
	Transportation of materials from nominated stores to site)	3000.00	Metre	21.09	63261.00				
8	Supply of OTDR(mini)with standard			-					
	accessories for 1310/1550nm with all standard accessories								
	as per TEC specification GR/OTD-02/02 Jan 2005 or								
	latest, (this item should have valid TEC approval certificate)								
	as per Technical specification	1.00	Numbers	277070.60	277070.60				
9	Supply of OFC Power Meters, as per Technical								
	specification	2.00	Numbers	42480.00	84960.00				
10	Supply of GI pipes - 50mm dia -3.65mm thick as per								
	Technical specification	18.00	Metre	412.09	7417.66				
11	Supply of HDPE Pipe 40mm (outer dia)/33 mm (inner dia)	200000			1.64.				
1.0	with couplers	3000.00	Metre	54.84	164511.00				
12	Provision of HDPE Pipe of dia 40/33 mm	3000.00	Metre	23.50	70497.00				
	Total Rate for Schedule () A SOR Items inclusive of tax 1237637.06								

# **Schedule () B-NON SOR Items**

	() B-NON SOR Items			Unit Data	Total
S.No		Qty	Qty Unit	Unit Rate inclusive	Rate
5.110	D 1 4 40 W 1	Qij	Qty Omt	of tax	inclusive
1	Description of the Work	2500	M		of tax
1	<b>Description:</b> - Supply of STP CAT6 (23 AWG) cable	3500	Metre	40.50	141750.00
	compliant with latest EIA/TIA-568-B.2-1 standard with OEM test report. Make: Dlink/Molex/Finolex/Dax or				
	any other reputed make (Inspection by consignee				
	with OEM test report)				
2	<b>Description:-</b> Supply and Erection of Standard Rack	9	Numbers	4950.00	44550.00
_	19" size, 6U size usable height and 600mm depth				
	front glass door with lock and backcover and 2 key and				
	Rack fixing multi point AC Power strip, with MCB-				
	16A-1no, cable organiser with wall fixing screws.				
	All the accessories and fixing materials required for				
	this installation are to be supplied by contractor within				
	the same cost. (Vero president / HCL /				
	RITTAL/APW/LeGrand Make or better make) (the rack				
	shall be fixed in wall/Platform shelters etc. with				
	suitable SS clamps(304 grade) as directed by				
	railway representative at site) (Inspection by				
2	consignee).	2500	3.6	00.00	246500.00
3	<b>Description:-</b> Supply of 3 Core x 2.5 Sqmm multistrand	3500	Metre	99.00	346500.00
	copper conductor, PVC insulated, armoured power				
	cable confirming to IS: 1554 part I as per RDSO specification No.RDSO/SPN/TC/65/2021 rev 6.0 or				
	latest with OEM Test Report. make:				
	Finolex/polycab/Better make. (Inspection by consignee)				
4	Description:- Supply Full HD Bullet Type IP	46	Numbers	11168.95	513771.52
	Colour Camera as per RDSO Specification No.				
	RDSO/SPN/TC/65/2021, Ver. 6 with Amdt. 1 or latest.				
	(Inspection by RDSO)	-			
5	Description:- Installation, Testing and Commissioning of Full HD	46	Numbers	179.47	8255.57
	Bullet Type IP Colour Camera as per RDSO Specification No. RDSO/SPN/TC/65/2021, Ver. 6 with Amdt. 1 & 2 or latest along with				
	housing, mounting, fixing and all other accessories required for the				
	installation are to be supplied by the contractor (The camera shall be	India			
	fixed with stainless steel clamps of 304 grade of suitable dia 50 mm (min)/ 50mm square with 3mm +- 5% tolerance and thickness as decided				
	by railway representative at site)				
6	<b>Description:</b> - Supply of Full HD P/T/Z/ (Pan/Tilt/Zoom) IP Colour Camera as per RDSO Specification No. RDSO/SPN/TC/65/2021, Ver. 6	2	Numbers	32559.28	65118.56
	with Amdt. 1 or latest with ceiling mount. (Inspection by RDSO)				
7	Description:- Installation, Testing and Commissioning of Full HD	2	Numbers	564.31	1128.62
	P/T/Z/ (Pan/Tilt/Zoom) IP Colour Camera with ceiling mount kit as per RDSO Specification No. RDSO/SPN/TC/65/2021, Ver. 6 with				
	Amdt. 1 & 2 or latest along with housing, mounting, fixing and All the				
	accessories required for the installation are to be supplied by the				
	contractor (The camera shall be fixed with stainless steel clamps of 304 grade of suitable dia 50 mm (min)/ 50mm square with 3mm +- 5%				
	tolerance and thickness as decided by railway representative at site)				
8	Description: - Supply and Installation of 32 channel Network Video	2	Numbers	46768.94	93537.88
	Recorder (NVR) with minimum 08 SATA interfaces (each SATA ports Should support minimum 10TB HDD) with RAID 5/6 configuration				
	including Video management and Video recording software(If any) and				
	32 Nos. of camera recording license (if any), client license in an embedded form or a combination of both the solutions with all required				
	licenses (if any) as per RDSO spec.No. RDSO/SPN/TC/65/2021 Version				
	6.0 with amendment no.1 or latest (Inspection by RDSO).		]		

9	<b>Description:</b> - Supply of RJ 45 Jack or connectors (Make: DAX/MOLEX/KRONE/ Legrand/BETTER) (per unit = 100 Nos/Packet) (Inspection by consignee).	7	Per Unit	468.00	3276.00
10	<b>Description:-</b> Supply of Large Format LED Display Unit, 55" (inches) Including wall mount kit.as per clause 9.0 of RDSO/SPN/TC /65/2021 Ver. 6 with Amdt. 1 or latest. (Inspection by RDSO)	2	Numbers	54025.67	108051.34
11	Description:- Installation, testing and commissioning of large format display monitor unit 55" with all accessories and fixing materials required for this installation are to be supplied by contractor within the same cost as per RDSO Specification No.  RDSO/SPN/TC/65/2021, Ver. 6 with Amdt. 1 or latest.	2	Numbers	954.05	1908.11
12	Description:- Supply, Installation, Testing and commissioning of PC Workstation for Viewing, Monitoring and System management of above IP cameras, including 24" 4K UHD LED Monitor, all required licensed softwares (OS, MS Office, Anti virus-total 3 years security), spike buster(minimum 5 nos. of 6A points with fuse), MountingRack 500VA UPS with battery backup for 30 mins which are suitable for 24x7 working and all other accessories as per RDSO spec. No: RDSO/SPN/TC/65/2021 Rev.6.0 or latest. This also includes supply and installation of Graphical User Interface based Client Software (per workstation basis) (RDSO Inspection).	1	Numbers	221429.52	221429.52
13	Description:- Supply and Fixing of computer table (1200x600x750)mm and revolving chair steel cushioned 2 nos (Godrej feather lite or better) with all accessories and fixing materials and inclued transportaion to the site. Note: One set includes one table and two chairs (Inspection by consignee)	7	Set	14112.00	98784.00
14	Description:- Supply, Installation, Testing and commissioning of Manageable Layer-2 Switches consisting of 24 x 10/100/1000 BASE-T PoE ports, 4 x 10G SFP+ ports with all ports loaded except SFPs along with all accessories A required for the installation as per RDSO Specification No. RDSO/SPN/TC/65/ 2021, Rev6.0. Supply of optical SFP/SFP+ is not included in this schedule. (The to be procured from TTP Approved sources) (Inspection by RDSO)	7	Numbers	76545.00	535815.00
15	Description:- Supply and Fixing of 32 mm PVC conduit pipe (ISI mark) conforming to IS:9537 Part3 medium or latest with all accessories on wall/roofs/FOBs, Cable tray or trough/floor etc., as per the instruction of Rly representative at site. (This includes Transportation of materials from Nominated stores to site) (Inspection by consignee)	7750	Metre	39.29	304528.50
16	<b>Description:-</b> Supply of 10G SFP+ supports minimum of 10Km with dual fiber connectivity to suit the switches. (Inspection by RDSO).	14	Numbers	5197.03	72758.45
17	Description:- Supply and Erection of covered 19" racks (42U) size usable height and 600mm(width) x 800mm (depth) (min) (similar to Vero president / HCL / RITTAL/Legrand or better Make) complete with all fittings including DC Fan (48V)- 2 Nos and AC power distribution panel (horizontal fitting) with power sockets and fuse protection (minimum 6 Nos of 230V 15A/5A combined) and other accessories. The body should be of high quality cold rolled steel. with wheel and caster arrangement, vented from door borders and rear doors for ventilation and reliable operation. All the accessories and fixing materials required for this installation are to be supplied by contractor within the same cost. (Inspection by consignee)	India	Numbers	36000.00	36000.00
18	Description:- Supply and Installation of 150mm width x 60mm depth x 1.6mm thick size perforated Hot dipped Galvanized cable tray with suitable cover of 1.6 mm thickness as per IS 2629, 2633, 4759 including horizontal and vertical reducers, tees, cross members and other accessories as required and duly suspended from the ceiling with GI suspenders (where support is not available, same will be provided by the contractor). (This includes Transportation of materials from Nominated stores to site). (Inspection by RITES)	1200	Metre	445.50	534600.00

19	<b>Description:-</b> Supply and Installation of Media converter single mode ethernet to Fiber media converter for transmission and Reception maximum distance of 15 km as per the RDSO/SPN/TC/103/2013 Rev.2 or latest. (This includes Transportation of materials from Nominated stores to site) (Inspection by consignee).	10	Pair	6138.00	61380.00
20	Description:- Cutting of platform surface (Tile/Slab) for a depth of 25cm and a width of 10cms and refilling /Reconditioning/Concreting/Repairing the platform after laying HDPE/PVC pipe and cable. Cutting should be done with concrete cutting machine in proper manner and restore the same as before in such a manner that aesthetic of the platform is not disturbed. (Supply and laying of HDPE/PVC pipe/cable not included)	50	Metre	225.00	11250.00
21	<b>Description:</b> - Supply and Installation of 15 meter HDMI cable (Inspection by Consignee).	2	Numbers	3022.92	6045.84
22	<b>Description:-</b> Supply and Provision of multipin power socket with switch 5A/15A (6 nos) wired with 2.5 Sq.mm copper multistrand wire asper site requirement.(Inspection by consignee)	2	Numbers	2146.50	4293.00
23	<b>Description:</b> - Supply and Installation of wall mountable power distribution panel with 8Nosx 16 Amp MCB's mounted and also with one earthleakage circuit breaker arrangement fitted. (Inspection by consignee)	2	Numbers	2700.00	5400.00
24	<b>Description:</b> - Supply of 5meter length, Single mode, Simplex SC-LC/SC-SC/LC-LC Optical patch chords as per site requirement. (Inspection by consignee)	50	Numbers	283.50	14175.00
25	Description:- Supply & Installation of 5KVA min 8000 VAH on line UPS (Single phase) (APC/Numeric/TATA liebert make) Rack/Floor mountable type(as per instructions of Railway representative at site) along with suitable batteries (Exide or Amarraja makes) with battery stand. The UPS should have SNMP port or equivalent for remote monitoring, data logging facility with USB port to download and audio-visual alarm for load on bypass mode. (Inspection by consignee)		Numbers	121500.00	243000.00
26	Description:- Supply and Termination of FMS Rack mounting type 19"size for 12F with SC-PC connector loaded with pigtails and termination and splicing of OFC cable as per Rly requirement and fixing in Rack as directed by Engineer representative at site (OTDR readings to be taken and to be submitted for 1310 & 1550 nm) (This includes Transportation of materials from Nominated stores to site) (Inspection by consignee)	India	Numbers	4950.00	44550.00
27	Description:- Track crossing/Road crossing through Horizontal boring method as advised by the engineer at site. This includes the supply and insertion (pushing) of GI pipe (80mm) conforming to IS:1239 heavy class in the bore drilled with the coupler between two pipes and pushing of cable through GI pipe. All the joints of casing pipes should be tight and leak proof. (GI pipes shall be supplied with consignee Inspection)	200	Metre	1080.00	216000.00
28	<b>Description:-</b> Supply of Crimping Tool for RJ45 & RJ11. (Inspection by consignee)	1	Numbers	1265.85	1265.85

29	<b>Description:-</b> Supply of LAN Tester for RJ45+RJ11 Type. (Inspection by consignee)	1	Numbers	547.96	547.96
30	Description:- Preparation and submission of As made drawings mentioning the location of cameras, wiring diagrams of UTP, Power, OFC cable etc., OTDR reports of OFC cable, earth resistance test reports, technical details of servers, switches, works stations, media converters, storage etc, of each station. Six copies in neatly binded form and soft copy are required to be submitted. This also includes submission of survey drawings mentioning the location of camera before starting the work for approval.	1	Station	22500.00	22500.00
31	<b>Description:</b> - Supply and Installation of Table top Chairperson conference Microphone unit with flexible stern of longer length, ringing light, black base, two headphone sockets etc. of Bosch make model CCSE-CMLF.OIU.294.076 or better. (Inspection by Consignee).	1	Numbers	16688.70	16688.70
32	Description:- Supply and Installation of Table top Delegates person conference Microphone unit with flexible stem of longer length, ringing light, black base, two head phone sockets, BOSCH proprietor interconnectivity cables for connecting other delegate unit etc. of Bosch make model CCSE- DLF.OIU.294.075 or better. (Inspection by Consignee).	20	Numbers	13806.00	276120.00
33	Description:- Supply and Installation of P.A conference system Extension cable of length minimum 5 meters of make Bosch model CCS700/CCSE-CA-05-IN F.OIU.347.075 or better make. (Inspection by Consignee).	4	Numbers	2048.40	8193.60
34	<b>Description:-</b> Supply and Installation of P.A conference system Extension cable of length minimum 10 meters of make Bosch model CCS-700/CCSE-CA-10-IN F.OIU.309.729 or better make. (Inspection by Consignee).	2	Numbers	2579.40	5158.80
35	Description:- Supply and Installation of Rack mountable type class D Audio Power Amplifier (2x300W) Output power having two channel of make Yamaha/PX3 or better. (Inspection by Consignee).	2	Numbers	43086.60	86173.20
36	Description:- Supply and Installation of 16-channel Audio mixing console having of dimensions (444 X130X 500)mm, Max. 10 Mic / 16 Line Inputs (8mono + 4 stereo) 4 GROUP Buses + 1 Stereo Bus / 4 AUX (incl. FX), +48V phanton power etc. of Make Yamaha model MG16X or better. (Inspection by Consignee).	India	Numbers	48093.30	48093.30
37	<b>Description:-</b> Installation of surface Mount Speaker of 150W with superior Supply and sound quality and sleek functional design having 5.25 woofer and 0.75" soft done tweeter with IP 35 rated protection along with suitable mounting brackets hardware accessories of Make: Yamaha model VXS5 or better make. (Inspection by Consignee).	6	Numbers	18797.40	112784.40
38	Description:- Supply and Installation of Audio Encoder interface device of Make stein berg model UR22C or better. (Inspection by consignee).	1	Numbers	14109.30	14109.30

39	<b>Description:-</b> Supply and Installation of 1.5 Mtrs XLR Female to Mono male cable. Make: MX or Better. (Inspection by Consignee).	2	Numbers	515.70	1031.40
40	Description:- Supply and Installation of factory crimped 2RCA Male to Single Mono male cable 1.5 Meters. Make: MX or Better. (Inspection by Consignee).	2	Numbers	712.80	1425.60
41	<b>Description:-</b> Supply and Installation of 1.5 Mtrs Mono male to Mono male cable. Make: MX or Better. (Inspection by Consignee).	4	Numbers	659.70	2638.80
42	<b>Description:-</b> Supply and Installation of 1.5 mtr XLR female to XLR male Cable. Make: MX or Better. (Inspection by Consignee).	6	Numbers	515.70	3094.20
43	Description:- Supply and Fixing of SC TYPE Rack mountable 24F Fibre management system (FMS) conforming to suitable for splicing and front patching of 24F cable with all accessories and terminating the optical fibre cable with splicing and	3	Numbers	7056.00	21168.00
	front patching in FMS in the equpiment room (OFC pigtails/patch chords of suitable length and all other material required for installation are to be supplied by contractor)(OTDR reading to be submitted for 1310 & 1550nm). (Inspection by consignee).				
44	Description:- Supply and Installation of Audio conferencing system central control discussion unit support up to 50 discussion, inbuilt audio recorder and amplifier unit, audio interfaces similar to make Bosch model CCS-700/CCSE-CURA-IN F.OIU.315.101 or better make. (Inspection by Consignee).	1	Numbers	36411.30	36411.30
45	Description:- Supply, Installation & Configuration of WiFi 6 router with minimum 4 number of Gigabit LAN Port & one gigabit WAN Port supporting 802.11ax Wi-Fi standard. Capable to manage from remote site.	17	Numbers	8100.00	137700.00
46	Description:- Supply and Fixing of PVC slotted trough of 50mmx50mmx1.2mm thickness as per IS14927 Part 1 or latest (All the miscellaneous materials required for fixing to be supplied by the contractor). (Inspection by Consignee)	50	Metre	162.90	8145.00
47	Description:- Supply and Fixing of PVC trunk of 50mmx50mm (All the miscellaneous materials equired for fixing to be supplied by the contractor). (Inspection by Consignee)	lndia	Metre	181.80	2727.00
48	Description:- Supply and Installation of USB 3.0 extension cable 10mtr delivers a throughput of up to 5Gbps when used in conjunction with a USB 3.0 host and device an astounding increase that is ten times the capability of USB 2.0. of make Aten/model UE3310 or better. (Inspection by Consignee).	2	Numbers	12744.00	25488.00
49	Description:- Supply and Installation of USB 3.0 extension cable 15mtr delivers a throughput of up to 5Gbps when used in conjunction with a USB 3.0 host and device an astounding increase that is ten times the capability of USB 2.0. of make Aten/model UE3315A or better. (Inspection by Consignee).	1	Numbers	21998.70	21998.70
50	<b>Description:-</b> Supply and Installation of USB 3.0 extension cable 5mtr delivers a throughput of up to 5Gbps when used in conjunction with a USB 3.0 host and device an astounding increase that is ten times the	1	Numbers	5765.40	5765.40

	capability of USB 2.0. of make Aten/model UE350A or better. (Inspection by Consignee).				
51	Description:- Supply & Installation of 4x4 USB Hub Switcher(Inspection by consignee)	2	Numbers	28541.25	57082.50
52	Description:- Supply, installation, commissioning 98 inch Smart TV suitable for VC along with required accessories like wall fixing vertical adjustable metal brackets, suitable length HDMI patch cable, wall fixing HDMI I/O Face plate loaded with hdmi interface module etc as per instruction railway representative at site acceted brands are (SONY, SAMSUNG, LG) extended warranty of one year inclusive pannel etc (Inspection by consignee)	1	Numbers	570825.00	570825.00
53	Description:- Supply of STP (Shielded Twisted Pair) CAT6 cable 23 AWG (4 pair) compliant with EIA/TIA568-B.2-1 standard. (Inspection by consignee with OEM test report)	305	Numbers	43.20	13176.00
54	Description:- Cutting of Trench/wall across/on the platform for a depth of 10 cm & 10 cm breath with marble cutting machine and filling the trench after cable laying and restoring surface with plaster etc.	75	Metre	176.40	13230.00
55	Description:- Laying/blowing/pulling/drawal of STP cable/UTP cable/OFC cable/Power cable/Co-axial cable/switch board cable through the conduit pipe or Cable trough or tray or Casing and Caping. Other accessories required for carrying this work are to be arranged by the contractor. (This includes Transportation of materials from Nominated stores to site)	5826	Metre	10.80	62920.80
56	Description:- Supply and Fixing of Standard Rack 19" size width, 27U size usable height and 800mm (min) depth wall mounting type front glass door and back door with lock and 2 key and Rack fixing multi point AC Power strip with 16A MCB (min)-2 nos, cable organiser with wall fixing screws. All the accessories and fixing materials required for this installation are to be supplied by contractor within the same cost. (Make: HCL/Vero president/Rittal/APW President/Legrand or better). (Inspection by consignee),	1 E India	Numbers	21600.00	21600.00
57	Description:- Supply of Fixing of DLP U PVC Trunking of size 150mmx50mm base, 2*65mm top flexible cover, two partition with require number of flat angles, End caps, Internal angle, cable clips as per the direction of Railway Representative at site	90	Metre	3655.23	328970.97
58	Description:- Supply, Installation ,Testing and Commissioning of 24 port (10/100/1000 Base-T port)Gb layer -2 network switch and provided with 4x1G SFP ports loaded along with single fiber SFP modules similar to Make CISCO-model-CBS350-24T-4G-IN or better along with one years onsite warranty (Inspection by consignee).	8	Numbers	35178.75	281430.00
59	Description:- Supply, Fixing and Termination of Dual I/O box with RJ -45 socket dual information outlet with Surface Mount Box (SMB), and RJ45 socket faceplate with shutter facility to be supplied and fixed. UTP cable should be terminated in I/O box. Make:	72	Numbers	328.50	23652.00

	DAX/ MOLEX/ KRONE / BETTER. (Inspection by consignee).				
60	Description:- Supply, Installation, Testing and commissioning of manageable Field Switches consisting of 8 nos. of 10/100 BASE-T PoE and 2 nos of SFP 1000 Mbps uplink ports with all ports loaded with 1G SFPs along with all accessories required for the installation as per RDSO Specification No. RDSO/SPN/TC/65/ 2021, Ver. 6 with Amdt. 1 or latest. Supply of optical 1G SFP single fibre SFP-BX -D and SFP-BX-U (pair) is included in this schedule (RDSO Inspection). (Switches should be procured from trusted telecom portal approved sources)	10	Numbers	9922.50	99225.00
61	<b>Description:</b> - Supply and Termination of 24 port loaded patch panel /jack panel with cable manager and terminating UTP cable. (Make: DAX/MOLEX/KRONE/BETTER)(Inspection by consignee).	6	Numbers	4320.00	25920.00
62	Description:- Supply, Installation, Testing and Commissioning of Video VoIP phone. Detailed technical specification attached.(Inspection by consignee)	5	Numbers	27082.76	135413.82
63	Description:- Supply, Installation, Testing and Commissioning of Executive open standard SIP phone with external power adapter as per Specification attached. (Inspection by consignee)	25	Numbers	8567.53	214188.30
64	Description:- Supply, Installation, Testing and Commissioning of non-Executive open standard SIP phone. Detailed technical specification attached. (Inspection by Consignee)	50	Numbers	3932.66	196632.90
65	<b>Description:-</b> Supply of Krone Termination box 20 pair with Krone Module	3	Numbers	1140.18	3420.55
66	<b>Description:-</b> Installation testing and commissioning of 100/50/20 pair Kronection box, fitting the same wall as directed by Railway Representative.	3	Numbers	540.00	1620.00
67	Description:- "Supply of Wireless Cardioid Microphone. * ClearScan automatically finds the clearest channel * EZsync one-step channel setup * PL22 cardioid dynamic microphone element * 14 hour battery life from two AA alkaline * Rugged metal transmitter * Metal receiver chassis with optional rack mount *With cable accessories; Make: Electrovoice (R300HD) or Better with one year onsite warranty (Inspection by consignee)"	India	Numbers	25312.77	25312.77
68	<b>Description:-</b> Supply and Wiring of 2 core copper x 1.5 sq.mm Screened/Shielded multistrand PVC insulated wire for speaker load line. (Inspection by consignee).	100	Metre	148.50	14850.00
69	Description:- "Supply, Installation and Commissioning of 4K and HD PTZ Camera • Supports 60P at 2160 and 1080 resolution • Features NDI/HX3 for low latency IP production and transmission • 30x optical zoom, with maximum 68 degrees horizontal field of view • Easy installation: video output via Ethernet, HDMI, 3G-SDI and USB • Supports PoE+ Power over Ethernet Make:Lumens/Yealink/Better with one year onsite warranty (Inspection by consignee)"	1	Numbers	256207.50	256207.50

70	Description:- "Supply, Installation and Commisioning of 8x8 Matrix Switcher with Audio Output- Inputs 4 HDMI: On a female HDMI connector Outputs 1 HDMI: On a female HDMI connector 1 Unbalanced Stereo Audio: On a 3.5mm mini jack Video Max Data Rate: 17.82GBPS (5.94Gbps per graphic channel) Max Resolution: 4K@ 60 (4:4:4) Power Source: 5V DC, 2A Consumption: 5V DC, 600mA User Interface Controls: Input selection buttons. DIPswitches for configuring switching mode and EDID mode; Make: ATEN, Kramer or better with one year onsite warranty (Inspection by consignee)"	1	Numbers	260190.00	260190.00
71	<b>Description:-</b> Supply, Installation and Commissioning of Pop Up Box with 2xPower, 1xLAN,1xUSB C, 1xHDMI, 1xUSB Type A (Charging),1x USB Pass Through. Make:EIS/MARX.(Inspected by Consignee)	2	Numbers	12611.25	25222.50
72	Description:- Supply of Maintenance portable terminal, hp Intel Core i7, 14 Inch Laptop with Windows 10 Professional, 16 GB RAM, 512 GB SSD or higher, Integrated graphics card, i7 1255U, loaded with OEM MS-OFFICE latest along life time	1	Numbers	97770.91	97770.91
	license or better along with one year onsite warranty (Inspection by consignee).				
73	<b>Description:-</b> Supply and installation of 1 Mtr length CAT6 STP patch chord (RJ45) factory crimped per instruction of railway representative at site.(Inspection by consignee).	3	Numbers	391.88	1175.63
74	<b>Description:-</b> Supply and installation of 3Mtr length CAT6 STP patch chord(RJ45) factory crimped per instruction of railway representative at site.(Inspection by consignee).	2	Numbers	696.67	1393.34
75	Description:- Supply & Installation of 100X50 mm raceways-Laying of 100X50 mm raceways with civil work Including floor cutting, Tile refixing with masnary work, Channel fixing, Supply of 100X100 Junction Box and Supply of Suitable tile. (Inspected by Consignee)	15	Metre	265.50	3982.50
76	Description:- Supply, installation, commissioning 55 inch Smart TV suitable for VC along with required accessories like wall fixing vertical adjustable metal brackets, suitable length HDMI patch cable, wall fixing HDMI I/O Face plate loaded with HDMI interface module etc as per instruction railway representative at site accepted brands are (SONY, SAMSUNG, LG) extended warranty of one year inclusive panel etc (Inspection by consignee)	II India	Numbers	41152.50	452677.50
77	Description:- Supply and Installation of 20 meter HDMI cable (Male to Male) (Inspection by consignee)	5	Numbers	2925.00	14625.00
78	Description:- Testing, integration, commissioning, of Audio, VC system in PCEE conference meeting hall, on site training-10 man days (user departments and S&T DEP),system & cabling complete documentation in hard & soft copies as per instruction of railway representative at site etc	1	Lumpsum	31860.00	31860.00
79	Description:- Supply of UTP CAT 6 cable (23 AWG) as per EIA/TIA-568-C.2 standard or latest with OEM test report.	4270	Metre	22.50	96075.00

80	<b>Description:-</b> Supply of 12 core Unarmoured Optical fibre cable for indoor with OEM test report as per	500	Metre	27.90	13950.00
	specification enclosed in the tender document.				
81	<b>Description:-</b> Supply of Power cable 3 core, 2.5 sq mm, multistrand cable as per IS 694:1990 reaffirmed 1995 or latest shall be of reputed make like Havells/Finolex/Polycab/Better.	150	Metre	85.50	12825.00
82	Description:- Supply and Fixing of 25mm PVC conduit pipe (ISI mark) conforming to IS:9537 part-3 medium or latest with all accessories on wall/roofs/FOBs, Cable tray or trough etc., as per the instruction of Rly representative at site. (This includes Transportation of materials from Nominated stores to site)	1150	Metre	34.20	39330.00
83	Description:- Supply and fixing of 25mmx25mmx1.2mm thickness PVC casing and capping with cover (ISI mark) conforming to IS:14927 Part 1 or latest with all accessories on wall /floor/pertitions /roofs etc., as per the direction of site engineer. (Inspection by consignee)	50	Metre	40.50	2025.00
84	Description:- Supply and fixing of 12mmx12mmx1.2mm thickness PVC casing and capping with cover (ISI mark) conforming to IS:14927 Part 1 or latest with all accessories on wall /floor/partitions /roofs etc., as per the direction of site engineer. (Inspection by consignee)	75	Metre	34.20	2565.00
85	Description:- Supply, Installation, Testing and Commissioning of 8 port POE manageable switch with two fibre ports (1G SFP loaded) as per RDSO/SPN/TC/65/2021 Ver. 6 or latest. Supply of optical 1G SFP single fibre SFP-BX -D and SFP-BX-U (pair) is included in this schedule. (Inspection by consignee).	5	Numbers	11025.00	55125.00
86	Description:- Supply, Installation, Testing and commissioning of 24 port giga bit layer 2 switch 24 x 10/100/1000 BASE-T Non POE+ Ports. 4 X 1G Minimum, SFP + Ports. without fiber module. Make CISCO, Model. CBS350-24T-4G-IN or better.		Numbers	43200.00	43200.00
87	Description:- Supply, Installation and Integration of single Fibre bidirectional Module similar to Cisco make code No GLC -BX-D to suit the switches above with LC to SC-PC Patch Cords so as to suit the site requirement minimum 10 mts Length as directed by the Railway Representative at site.	India	Numbers	8010.00	8010.00
88	<b>Description:-</b> Supply, Installation and Integration of single Fibre bidirectional Module similar to Cisco make code No GLC- BX-U to suit the switches with LC to SC-PC Patch Cords so as to suit the site requirement minimum 10 mts Length as directed by the Railway Representative at site.	1	Numbers	8010.00	8010.00

89	Description:- Supply and Fixing of Standard Rack 19 "size width, 12U size usable height and 600mm depth wall mounting type front glass door and back cover with lock and 2 key and Rack fixing multi point AC Power strip with 16A MCB (min)-1nos, cable organiser with wall fixing screws. All the accessories and fixing materials required for this installation are to be supplied by contractor within the same cost. The rack should be fixed in wall/platform shelters etc. with suitable SS clamps(304 grade) as directed by railway representative at site. (Make: HCL/Vero president/Rittal/APW President/Legrand or better). (Inspection by consignee).	1	Numbers	9061.71	9061.71
90	<b>Description:-</b> Supply, Installation & Configuration of WiFi 6 Range Extender with minimum one Gigabit output Ethernet Port similar or better of TP-Link AX1500 (RE505X) or better.	8	Numbers	5734.80	45878.40
91	<b>Description:-</b> Supply, Fixing and Termination of Single I/O with SMB and connector with shutter facility and terminating the UTP cable.	11	Numbers	261.00	2871.00
92	<b>Description:-</b> Supply of 10 mtr length, Single mode, Simplex SC/LC to SC/LC OFC Patch cards so as to suit the site requirement as directed by the Railway Representative.	5	Numbers	603.71	3018.56
93	<b>Description:-</b> Supply and Installation of 1 Mtr length UTP CAT6 24 AWG factory crimped patch chord (RJ45).	40	Numbers	85.50	3420.00
94	<b>Description:-</b> Supply and Installation of 3 Mtr length UTP CAT6 24 AWG factory crimped patch chord (RJ45).	40	Numbers	148.50	5940.00
95	Description:- Supply and Installation of rack mountable 2 KVA online UPS (single phase) (minimum 3200 VAH) (APC/Numeric/Microtek make) with 1 hrs Backup time along with suitable AH capacity batteries necessary stand for UPS and batteries (Exide or amaraja makes) to be supplied and fixed as per railway requirement.	J	Numbers	52914.04	52914.04
96	Description:- Supply and Installation of 43" LED 4K UHD smart Television with all accessories as per Specification enclosed. Make: Samsung/Sony/LG. (Installation of 43inch UHD smart TV with moveable/Swing type TV wall adjustable bracket suitable for 43" along with Setup box holder as per instruction of railway representative at site) (this schedule includes supply and installation of moveable/Swing type TV wall adjustable bracket along with Setup box holder)	lndia	Numbers	37734.16	452809.87
97	<b>Description:-</b> Supply and Installation of i5 10th generation or latest CPU with 8GB RAM, 1000GB HDD, Windows 11 OS, Keyboard, Mouse along with all accessories as per Specification enclosed. CPU make: HP/DELL/Better.	1	Numbers	34816.73	34816.73
98	<b>Description:-</b> Supply and Installation of wall mountable TV stabilizer along with suitable stand for LED TV upto 55" with thermal overload protection similar to make V-Guard model Voltino or better.	13	Numbers	3186.00	41418.00

99	<b>Description:-</b> Supply and Installation, Testing and Commissioning Corporate Satellite HD DTH cable TV connectivity for 26 nos of TV users/subscribers with outdoor Antenna kit module including splitters, signal boosters, connectors and all other accessories suitable for commissioning of the above system along with 1 year subscription.	13	Set	5940.00	77220.00
100	<b>Description:-</b> Supply of RG 6F coaxial cable suitable for cable TV system similar to Finolex/Havells/better	500	Metre	10.18	5089.50
101	<b>Description:-</b> Supply of 2-way splitter suitable for RG 6F coaxial cable for cable TV DTH system suitable for the above satellite DTH cable TV system	8	Numbers	407.27	3258.14
102	<b>Description:-</b> Supply and Fixing of wall concealed type cable TV Outlet modular type box provided with female RG6 coaxial female jack along with modular face plate	13	Numbers	145.60	1892.83
103	<b>Description:-</b> "Supply and Installation of distribution box loaded with fitted with suitable 26 nos of RG6 Coaxial female jack/male jack as per instruction of railway representative at site "	1	Numbers	6113.10	6113.10
104	Description:- Supply, Installation, Testing and Commissioning of Manageable Layer-2 Switches consisting of 24 x 10/100/1000 BASE-T PoE+ ports, 4 x 1G SFP+ ports with all ports loaded except SFPs along with all accessories required for the installation similar to Dlink DGS- 1210-28P or better. Supply of optical SFP/SFP+ is not included in this schedule. (Inspection by consignee)	1	Numbers	39420.99	39420.99
105	<b>Description:-</b> Supply of 1G Single fibre SFP-BX -D and SFP-BX-U (pair) supports minimum 10Kms Single Fibre Transceiver Fibre Module to suit the switches in Sl. no.36. (Inspection by consignee)	1	pair	1062.00	1062.00
	Total Rate for Schedule () B-NON SOR Items inclusive	e of tax			8898980.77

Total estimated value is inclusive of GST

# 2.2 Roles and Responsibility of the BA/SI/OEM Partner

The BA/SI will be responsible for the work of work of Telecommunication portion of works in connection with Renovation of PCEE's office, Renovation to ORH Rooms at MMC and Provision of CCTV camera system for The Lifts & Escalators. The work involves the supply, installation, testing, and commissioning of Full HD IP-based CCTV surveillance systems including cameras, NVRs, HDDs, monitors, UPS, and all necessary accessories as per RDSO specifications. The contractor shall also provide and install the required networking infrastructure such as field switches, CAT6 cabling, racks, and associated power and data components if any as per the tender document.

For details refer the Tender documents floated by Sr DSTE/Co Ordn/MAS – Tender No M-SG-2025-473\_3TeleWork dated on 31.10.2025 floated in IREPS portal for the work of Telecommunication portion of works in connection with Renovation of PCEE's office, Renovation to ORH Rooms at MMC and Provision of CCTV camera system for The Lifts & Escalators.

As per the scope of work technical specification., details in Sr DSTE/Co Ordn/MAS – Tender No M-SG-2025-473\_3TeleWork dated on 31.10.2025 floated in IREPS portal floated in IREPs portal (ireps.gov.in) ). The BA/SI/BP should integrate, for this work.

BA/SI/BP should have sufficient backup support required for laisoning, meetings, coordination to meet the time lines of the project and its successful completion. The BA/SI shall nominate technical SPOC and account manager for this project.

<u>Compliances:</u> BA/SI/BP shall be responsible for all the regulatory compliances related to fulfillment of delivery of this project under this EoI during its currency.

Above requirements are only indicative in nature and are only for the guidance of the bidder to assess the quantum of work. The BA/SI/BP are required to apply their expertise to fulfill the required objective. In case of any discrepancy/ typo-graphical error mentioned in this EoI then the conditions/ specifications mentioned by Sr.DSTE/Co ordn/MAS will prevail.

## **Governance Framework**

- The BA/SI/BP shall adhere to the governance framework put in by RailTel for the project deliverable.
- The Governance team (RailTel) among other things will monitor the performance of the project and take corrective measures as required for successful delivery of the project.
- The Governance Team (RailTel) shall be overseeing the coordination, periodical reviews, escalations, billing, documentation, customer interactions etc.

## 2.3 Qualifying and mandatory conditions

The bidder must comply the following:

Sl	Particulars	Criteria Proof/Documents Required
No		A Government of India
1	Empaneled	BA/SI Partner must already be an Letter from RailTel selecting bidder as
	partner of	empaneled Business Partner/ System an empaneled channel
	RailTel	Integrator/Business Associate of partner/Business Partner/SI/BA.
		RailTel. Further BA/SI/BP, who
		have breached contract or engaged in
		legal dispute with RailTel shall not be
		eligible for the Bid. The project being
		proposed is capital intensive hence
		the BA/SI/BP should not be a loss-
		making entity during the last three (3)
		Financial years

2	EMD	1,01,366 /- (Rupees One Lakh One Thousand Three hundred and Sixty Six only)	EMD payment need to be done through e-nivida portal.
3	Valid PBG	PBG @ 5% document	Should submit PBG at 5% of the order
			value after signing LOA
4	Turnover	Annual financial turnover during	Audited balance sheet for the
		each of the last 3 years, ending 31st	financial year 2022 -23,2023 -24 and
		March 2025, should be at least	2024-25 or Copy of original CA
		(150% of this bid value).	Certificate (with UDIN number)
			indicating the turnover of last 3
			financial years. The date of certificate
			should be of the current financial year
			showing Profit and Loss Account and
			total turnover.
5	Blacklisting	BA/BP/SI Partner should not have	Undertaking from the Company
		been blacklisted by the Government	Secretary or the Managing
		of India or any state government or	Director/Authorized representative of
		any of its agencies or PSUs for any	the Partner
		reasons whatsoever and SI Partner	
		should not have been blacklisted by	
		Central / any other State/UT	
		Government or its agencies for	7
		indulging in corrupt or fraudulent	
		practices or for indulging in unfair	FI
		trade practices.	
6	Technical	The bidder must have successfully	f India
	Experience	executed / completed *Similar Services, over the last three years	The Bidder should have provide, work
		i.e. the current financial year and the	order /PO/Work Completion
		last three financial years: (i) One similar work of value not	Certificate in any Banks/ Financial
		less than amount of 80% of the	Institutions/ Government
		tender value (ii) Two similar works of value not	Organisations/PSU and Private
		less than amount of 50% of the	organisations in India
		tender value (iii) Three similar works of value not	
		less than amount of 40% of the	
		tender value *"Similar Work" means "Provision	
		of LAN or WAN or Data	
		connectivity or CCTV"	

7	Office	The bidder should have an office in	Valid documentary evidence
		Chennai	of address should be submitted
			(i.e EB/Rental
			Agreement/Telephone bill/GST
			certificate)
8	Tie up with	Bidder should have tie up with OEM	Declaration of OEM name against
	OEM	of equipment's for which	each item of the BOQ to be submitted
		Warranty/AMC has to be provided	on the bidder letterhead with
		and for the equipment/ software	authorized signatory sign/seal
		bidder propose to supply.	
9	Authorization	The bid must be signed by	Power of attorney to be submitted in
		authorized person	favor of authorized person.

Preferably MAF/e-mail confirmation from the OEMs for major items.

#### 3 Evaluation Method

Among all the bidders who are complying the mandatory conditions (Table under cl.2.3) and the evaluation based on submission of total Price Bid (All-inclusive including Taxes) for this EoI to select lowest eligible bidder.

## 4 Acceptance of LOA and Performance Bank Guarantee

4.1 The bidder shall convey acceptance to LOA within 3 days from the date of issue. The tenderer is required to submit a Performance Bank Guarantee (PBG) within 21 days of the issue of LOA/Purchase order @ 5% of the value of the LOA/PO for the satisfactory performance of materials covered in SOR validity of the PBG will be on a back to back basis from the date of issue of LOA. The Performa for PBG is given in Annexure-3. If the delivery period gets extended, the PBG should also be extended appropriately. Similarly, if the value of the project increases, the value of the PBG may also to be required to be increased, if RailTel is also required to increase the value of the PBG, as per requirement of the customer.

The procedure for obtaining Performance Guarantee is outlined below: -

Extension of time for submission of PBG beyond 21 days and upto 60 days from the date of issue of LOA may be granted subject to the conditions that a penal interest of 12% per annum of the amount of BG shall be charged for the period of delay beyond 21 days i.e., 22nd day after date of issue of LOA. In case the successful bidder is not able to submit PBG, the successful bidder will have options to submit this amount in the form of Demand Draft/FDR. In case the successful bidder fails to submit the requisite PBG even after 60 days from the date of issue of LOA, the contract shall be terminated duly en-cashing PBG submitted for empanelment and other dues, if any payable against that contract and further action shall be taken as per conditions of empanelment with Railtel.

Whenever the contract is rescinded, the Performance Bank Guarantee shall be en-cashed the balance work shall be got done independently without risk and cost of the failed contractor. The failed contractor shall be

debarred from participating in the tender for executing the balance work. If the failed contractor is a JV or partnership firm, then every member or partner of such a firm shall be debarred from participating in the tender for the balance work either in his/her individual capacity or as a partner of any other JV/Partnership firm.

Note: if BG submitted, a separate advice of the BG will invariably be sent by the BG issuing bank to the RailTel's bank through SFMS and only after this the BG will become acceptable to RailTel. It is therefore in own interest of bidder to obtain RailTel's bank IFSC code, its branch and address and advise these particulars to the BG issuing bank and request them to send advice of BG through SFMS to the RailTel's Bank. The bank details of RailTel, Secundrabad is enclosed at Chapter IV Forms

The Performance Bank guarantee will bear no interest.

#### 4.2. Earnest Money Deposit:

- 1. The Partner shall furnish a sum as given in EOI Notice via online transfer from any scheduled bank in India in favour of "RailTel Corporation of India Limited" along with the offer or directly through e-Nivida portal. This will be called as EOI EMD.
- 2. Offers not accompanied with valid EOI Earnest Money Deposit shall be summarily rejected.
- 3. Return of EMD for unsuccessful Business Associates: EOI EMD of the unsuccessful Business Associate shall be returned without interest after completion of EOI process.
- 4. Return of EMD for successful Business Associate: EOI-EMD (Earnest Money Deposit) of the successful partner will be discharged / returned on receipt of Security Deposit and Performance Bank Guarantee as applicable (clause no. 3.7) from Business Associate.
- 5. Forfeiture of EOI EMD and or Penal action as per EMD Declaration.
- 6. The EOI EMD may be forfeited and or penal action shall be initiated if a Business Associate withdraws his offer or modifies the terms and conditions of the offer during validity period.\
- 7. In case of non-submission of SD/PBG (as per clause no. 3.7) lead to forfeiture of EOI EMD and or suitable action as prescribed in the EMD Declaration shall be initiated as applicable.

#### 5 Payment Terms:

RailTel will make payment to the BA/SI/MSP on back-to-back basis after realizing the payments from Sr.DSTE/Coordn/MAS Division after adjusting penalties / SLA if any. (As per the RFP Sr DSTE/Co Ordn/MAS – Tender No M-SG-2025-473\_3TeleWork dated on 31.10.2025 floated in IREPS portal floated in IREPs portal (ireps.gov.in) ) Sr.DSTE/Co ordn/MAS Division).

1	100% back to back basis

# 6 Timeframe for Completion of Project:

S. No.	Services	Timelines
1	As per Schedule	5 Months from the issue of PO/LOA by RailTel.

### 7 Service Level Agreement for Services

Service level agreement for the services with penalties will be applicable to the BA/SI/BP on back-to-back basis (As per RFP Tender No M-SG-2025-473\_3TeleWork dated on 31.10.2025 floated in IREPS portal floated in IREPs portal (ireps.gov.in) ) by Sr.DSTE/Co ordn/MAS Division

#### **8 Liquidated Damages**

Liquidated Damages clause will be applicable to the BA/SI/BP on back-to-back basis. (As per RFP Tender No M-SG-2025-473\_3TeleWork dated on 31.10.2025 floated in IREPS portal floated in IREPs portal (ireps.gov.in) ) by Sr.DSTE/Co ordn/MAS Division).

## 9 Comprehensive Onsite Warranty

The contract Agreement shall be executed separately after successful completion of work; Security deposit shall be released to the contractor only after execution of Contract agreement.

- The BA/SI warrants that the Goods supplied under the Contract are new, unused, of the most recent or current model(s) and they incorporate all recent improvements in design and materials unless provided otherwise in the Contract. The BA/SI further warrants that all Goods supplied under this Contract shall have no defect arising from design, materials, or workmanship or from any act or omission of the BA/SI, that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.
- The BA/SI must provide the support supplied under the contract.
- Upon receipt of such notice, the BA/SI shall, repair or replace the defective Goods or parts thereof, without cost to RailTel.
- If the BA/SI, having been notified, fails to remedy the defect(s), RailTel may proceed to take such remedial action as may be necessary, at the BA/SI's risk and expense and without prejudice to any other rights which RailTel may have against the BA/SI under the Contract as per the SLA.

## 10 Bid Currency and bid validity

The prices in the bid document shall be expressed in Indian Rupees only and price figures quoted wherever will be considered as expressed in Indian Rupees only.

Bids shall remain valid for a period of 90 days from the date of opening of the bids. RailTel shall at its own discretion may reject a bid value of shorter period.

#### 11 Modification and/or Withdrawal of Bids:

Bids once submitted will be treated as final and no modification will be permitted. No correspondence in this regard will be entertained.

No bidder shall be allowed to withdraw the bid after the deadline for submission of bids.

In case of the successful bidder, he will not be allowed to withdraw or back-out from the bid commitments. The BG submitted in reference to empanelment, in such eventuality shall be forfeited and all interests/claims of such bidder shall be deemed as foreclosed.

## 12 Variation in Quantity:

RailTel reserves the right to reduce or increase the quantity of any item as mentioned in the BoM back-to-back as per the RFP Tender No M-SG-2025-473\_3TeleWork floated in IREPS portal floated in IREPs portal (ireps.gov.in) ) by Sr.DSTE/Co ordn/MAS Division

## 13. Negotiation:

RailTel reserves the right to negotiate with the bidder in order to make the bid competitive.

The tenderer/s shall not increase his/their quoted rates including payment terms in case the RailTel Administration negotiates for reduction of rates. Such negotiations shall not amount to cancellation or withdrawal of the original offer and the rates originally quoted will be binding on the tenderer/s.

- **13.1**All offers in the prescribed forms should be submitted before the time and date fixed for the receipt of the offers.
- **13.2**. In case the schedule of requirement quoted by tenderer is incomplete with reference to tender document, the offer is liable to be rejected.
- **13.3.** ATTESTATION OF ALTERATION: No scribbling is permissible in the tender documents. Tender containing erasures and alterations in the tender documents are liable to be rejected. Any correction made by the tenderer/ tenderers in his/their entries must be signed (not initialed) by him/them.
- **13.4.** The tenderer shall submit his tender through https://railtel.eNivida.com on or before specified date & time.
- **13.5**. The offer shall be submitted in single packet. price bid shall be submitted in https://railtel.eNivida.com.

13.6 The bidder must submit all applicable document as per check list

#### 14. Information to Bidder

### 14.1 Guideline for preparation of response to this EoI

Bidders are requested to follow the below guidelines while preparing the responses to EoI.

- 1. The price bid should be submitted in the https://railtel.eNivida.com. portal. Any bid not found responsive to the details mentioned in this document may be rejected.
- 2. The bidder is requested to review the response before submission as the submitted responses shall be considered final and revisions may not be permitted, unless there are genuine reasons for such revision.

#### 14.2 Amendment to the EOI Document

RailTel may, for any reason, whether at their own initiative or in response to a clarification requested by an interested bidder, modify this document through amendment. In such case, the following rules will apply:

- 1. Any amendment shall be issued in writing through addendum/corrigendum via https://railtel.eNivida.com
- 2. Any such modification will overrule the original version and previously modified version.
- 3. RailTel, at its discretion, may extend the deadline for submission of EoI after considering the materiality of the amendment.

#### 14.3 Arbitration

The parties through respective signatories shall settle any dispute or disagreement with respect to performance, non-performance, or defective performance of respective obligation amicably. In the event

# A Government of India Undertaking

of disputes remaining unresolved, the parties shall refer the matter to a single arbitrator under arbitration law that may be applicable, whose appointment shall be done by CMD, RailTel Corporation of India Limited. The place of arbitration shall be New Delhi and the language used shall be English.

#### 14.4 Force Majeure Clause

If at any time, during the continuance of this contract, the performance, in whole or part, by either party, of any obligation under this contract shall be prevented or delayed by reason of any war, hostility, act of the public enemy, Civil Commotion, Sabotage, Fires, Floods, Earthquakes, explosions, strikes, epidemics,

quarantine restrictions, lockouts, any statute, statutory rules/regulations, order of requisitions issued by any Government Department or Competent Authority of acts of God (here-in-after referred to as event)then provided notice of the happening of any such event is given by either party to the other within twenty one days from the date of occurrence thereof, neither party shall, by reason of such event, be entitled to terminate this Contract nor shall either party have any claim for damage against the other in respect of such non-performance or delay in performance, and the obligations under the Contract shall be resumed as soon as practicable after such event has come to an end or ceased to exist, PROVIDED FURTHER that if the performance in whole or part of any obligation under this Contract is prevented or delayed by reason of any such event beyond a period as mutually agreed to by the RailTel and the Contract or after any event or 60days in the absence of such an agreement which ever is more, either party may at its option terminate the Contract provided also that if the contract is so terminated under this clause the RailTel may at the time of such termination take over from the Contractor at prices as provided for in the contract, all works executed or works under execution.

#### 15. Terms and Conditions

- RailTel will enter into an agreement, incorporating technical specifications, financial conditions, service levels and related terms and conditions of the RFP No M-SG-2025-473\_3TeleWork floated in IREPS portal floated in IREPs portal (ireps.gov.in) ) by Sr.DSTE/Co ordn/MAS Division
- 2) RailTel reserves the right to accept or reject any or all application(s) without assigning any reason whatsoever. RailTel's decision in this regard shall be binding and final.
- 3) If any of the information, furnished by the bidder, is found incorrect at a later stage, the selected bidder shall be liable to be barred from participating in current and subsequent opportunities with RailTel. RailTel reserves the right to verify the particulars furnished by the applicant independently.
- 4) The bidder after submitting the response to this EoI agrees with RailTel for honoring all aspects of fair-trade practices.
- 5) The bidder shall bear all cost associated with the preparation and submission of the response to this EoI.
- 6) A NIL deviation certificate for the acceptance of all the terms and conditions and technical specifications as mentioned in this EOI and in the RFP No M-SG-2025-473\_3TeleWork floated in IREPS portal floated in IREPs portal (ireps.gov.in)
  ) by Sr.DSTE/Co ordn/MAS Division



#### 7) Insurance

(As per the Tender No M-SG-2025-473\_3TeleWork floated in IREPS portal floated in IREPs portal (ireps.gov.in) ) by Sr.DSTE/Co ordn/MAS Division - Tender Documents)

The Contractor shall take out and keep in force a policy or policies or insurance for all materials handed over to him irrespective of whether used up in the portion of work already done or kept for use for the balance portion of the work until such works are handed over to the Railway. For this purpose, the works are deemed to have been handed over when final acceptance certificate is issued by the Engineer after the completion of all the acceptance test to be conducted on the works. The contractor shall not be liable for losses/damages to the materials either used up in the portion of work done or the materials kept for use at site, in consequence of mutiny or other similar causes over which the contractor has no control and which cannot be insured. Such losses or damages shall be the liability of the Railway.

The Contractor should, however, insure the stores brought to site, against risks in consequence of war and invasion, as required under the Emergency Risk (Good) Insurance Act in force.

The Contractor shall take out all insurance covers in connection with this contract with the General Insurance Corporation of India

In case of discrepancy in hardware/Softwre supplied, it is BA/SI's responsibility to replace/repair the equipment's immediately even without recourse to the insurance.

## 16. Technical and Commercial Proposal

The response to the EoI need to cover following and should reach RailTel before the submission deadline through https://railtel.eNivida.com. RailTel reserves the right to reject any response received after the mentioned deadline.

- 1. The covering letter in the format mentioned in Annexure 1 should be part of the expression of interest being submitted.
- 2. The bidder needs to provide all the reference details/documentary evidences required to fulfill the criteria as applicable. The bidder is expected to submit evidences to meet all the criteria mentioned.
- 3. The bidder needs to provide the details of the point of contact who shall be contacted from RailTel for any matter pertaining to the empanelment or the EoI process in the future.

The format in which the details are to be furnished is mentioned below:(PLEASE USE BLOCK LETTERS TO FILL THE TABLE BELOW)

DETAILS OF POINT OF CONTACT	
First Name	Last Name
Designation	·
Official Address	

Contact Number (Office Landline)	
Mobile Number	
Official Email ID	



# 17.1 Annexure 1: Cover Letter Format COVERING LETTER

(To be on company letter head)

Offer Reference No:
Date:
To,
RailTel Corporation of India Ltd. 275e, EVR Periyar High Road CAO/CN Office, Southern Railway Egmore, Chennai - 600008
<b>Sub:</b> Tender for Telecommunication portion of works in connection with Renovation of PCEE's office, Renovation to ORH Rooms at MMC and Provision of CCTV camera system for The Lifts & Escalators.
Dear Sir
Having examined EoI document bearing the reference number RCIL/SR/MAS/Sr.DSTE/Co Ordn/MAS/2025-26/EOI/07, dated 13.11.2025 released by your esteemed organization, we, undersigned, hereby acknowledge the receipt of the same and submit our offer.  If our offer is accepted, we undertake to abide by all the terms and conditions mentioned in this EoI. We hereby declare that all the information and supporting documents furnished as a part of our response to the said EOI, are true to the best of our knowledge. We understand that in case any discrepancy is found in the information submitted by us, our EoI is liable to be rejected.
Date: Signature with seal (In the box)
NameDesignation:Authorized Signatory
and on behalf of (Give below the Name & Address of Bidder)

17.2

**Annexure 2:** 

BOM – Refer Detail Scope of Work (As per RPF No M-SG-2025-473\_3TeleWork floated in IREPS portal floated in IREPs portal (ireps.gov.in) ) by Sr.DSTE/Co ordn/MAS Division)

17.3 Annexure 3: Performance Bank Guarantee Format

## PROFORMA FOR PERFORMANCE BANK GUARANTEE BOND

(On Stamp Paper of Rs One hundred) (To be used by approved Scheduled Banks)

1. In consideration of the RailTel Corporation of India Limited, having its registered office at B Block 2nd Floor, RailNilayamSecunderabad (Herein after called RailTel) having agreed to exempt(Hereinafter called "the said
Contractor(s)") from the demand, under the terms and conditions of an Purchase Order/LOA  No
called "the said Agreement") of security deposit for the due fulfillment by the said Contractor (s) of the terms and conditions contained in the said Agreement, on production of a Bank Guarantee for Rs
2. We,
3. We,

valid discharge of our liability for payment there under and the Contractor(s) / Tenderer(s) shall have no claim against us for making such payment.

4. We,
contained shall remain in full force and effect during the period that would be taken for the
performance of the said Agreement and that it shall continue to be enforceable till all the dues of the
RailTel under or by virtue of the said Agreement have been fully paid and its claims satisfied or
discharged or till RailTel certifies that the terms and conditions of the said Agreement have been
fully and properly carried out by the said Contractor(s) and accordingly discharges this Guarantee.
Unless a demand or claim under the Guarantee is made on us in writing on or before the
We shall be discharged from all liability under this Guarantee thereafter.
5. We, (indicate the name of Bank) further agree
with the RailTel that the RailTel shall have the fullest liberty without our consent and without
affecting in any manner our obligations hereunder to vary any of the terms and conditions of the
Agreement or to extend time of to postpone for any time or from time to time any of the powers
exercisable by the RailTel against the said contractor(s) and to forbear or enforce any of the terms
and conditions relating to the said Agreement and we shall not be relieved from our liability by

This Guarantee will not be discharged due to the change in the Constitution of the Bank or the Contractor(s) / Tenderer(s).

reason of any such variation, or extension to the said Contractor(s) or for any forbearance, act or omission on the part of RailTel or any indulgence by the RailTel to the said Contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision,

(indicate the name of Bank) lastly undertake not to revoke this Guarantee during its currency except with the previous consent of the RailTel in writing.

Dated the day of 2024

have affect of so relieving us.

for .....

(Indicate the name of the Bank)

Witness

Signature

Name

Signature

Name

#### Annexure-4

#### GUIDELINES FOR INDIAN AGENTS OF FOREIGN SUPPLIERS

- 1.0 There shall be compulsory registration of agents for all global (Open) Tender and Limited Tender. An agent who is not registered with RailTel Units shall apply for registration in the prescribed Application -Form.
- 1.1 Registered agents will file an authenticated Photostat copy duly attested by a Notary Public/ Original certificate of the principal confirming the agency agreement and giving the status being enjoyed by the agent and the commission/ remuneration/ retainer-ship being paid by the principal to the agent before the placement of order by RailTel.
- 1.2 Wherever the Indian representatives have communicated on behalf of their principals and the foreign parties have stated that they are not paying any commission to the Indian agents, and the Indian representative is working on the basis of salary or as retainer, a written declaration to this effect should be submitted by the party (i.e. Principal) before finalizing the order.

# 2.0 DISCLOSURE OF PARTICULARS OF AGENTS/ REPRESENTATIVES IN INDIA, IF ANY.

- 2.1 Tenderers of Foreign nationality shall furnish the following details in their offer:
- 2.1.1 The name and address of the agents/representatives in India, if any and the extent of authorization and authority given to commit the Principals. In case the agent/representative be a foreign Company, it shall be confirmed whether it is real substantial Company and details of the same shall be furnished.
- 2.1.2 The amount of commission/ remuneration included in the quoted price(s) for such agents/representatives in India.
- 2.1.3 Confirmation of the Tenderer that the commission/ remuneration if any, payable to his agents/ representatives in India, may be paid by RAILTEL in Indian Rupees only.
- 2.2 Tenderers of Indian Nationality shall furnish the following details in their offers:
- 2.2.1 The name and address of the foreign principals indicating their nationality as well as their status, i.e, whether manufacturer or agents of manufacturer holding the Letter of Authority of the Principal specifically authorizing the agent to make an offer in India in response to tender either directly or through the agents/representatives.
- 2.2.2 The amount of commission /remuneration included in the price(s) quoted by the tenderer for himself.

- 2.2.3 Confirmation of the foreign principals of the Tenderer that the commission/ remuneration, if any, reserved for the Tenderer in the quoted price(s), may be paid by RAILTEL in India in equivalent Indian Rupees on satisfactory completion of the Project or supplies of Stores and Spares in case of operation items.
- 2.3 In either case, in the event of contract materializing, the terms of payment will provide for payment of the commission/ remuneration, if any payable to the agents/representatives in India in Indian Rupees on expiry of 90 days after the discharge of the obligations under the contract.
- **2.4** Failure to furnish correct and detailed information as called for in paragraph 2.0 above will render the concerned tender liable to rejection or in the event of a contract materializing, the same liable to termination by RAILTEL. Besides this there would be a penalty of banning business dealings with RAILTEL or damage or payment of a named sum.



17.5 Annexure 5

# **INTEGRITY PACT**

(The Integrity Pact agreement shall be executed in Rs. 100/- non judicial stamp paper and the same will be uploaded in the e-nivida portal).

I(Name and designation"** appointed as the attorney/authorized	
signatory of the bidder (including its constituents). M/s (hereinafter called the	
bidder) for the purpose of the Bid documents for the work of as per the bidder.	id
No of ( RailTel), do hereby solemnly affirm and state on the behalf of t	he
bidder including its constituents as under:	
1. I/we the bidder, am/are signing this document after carefully reading the contents.	
2. I/we the bidder also accept all the conditions of the bid and have signed all the pages in	
confirmation thereof.	
3. I/we hereby declare that I/we have downloaded the bid documents from RailTel website www.railtelindia.com / https://railtel.enivida.com. I/we have verified the content of the document from the website and there is no addition, no deletion or no alternation to be content of the bid document. In case of any discrepancy noticed at any stage i.e. evaluation of bids, execution of work or final payment of the contract, the Master copy available with the RailTel Administration shall be final and binding upon me/us.	
4. I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.	
5. I/we also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.	
6. I/we declare that the information and documents submitted along with the bid by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us	
7. I/we undersigned that if the certificates regarding eligibility criteria submitted by us are found to lead forged/false or incorrect at any time during process for evaluation of bids, it shall lead to forfeiture of the bid EMD besides banning of business for five years on entire RailTel. Further, I/we (insert name of the bidder)** and all my/our constituents understand that my/our constituents understand that my/our offer shall be summarily rejected.	of

## RCIL/SR/MAS/Sr DSTE/Co Ordn/MAS/2025-26/EOI/07, dated 13.11.2025

8. I/we also understand that if the certificates submitted by us are found to be false/forged or incorrect at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of SD and Performance guarantee besides any other action provided in the contract including banning of business for five years on entire RailTel

Signature of Bidder with Seal

**VERIFICATION** 

I/we above named bid do hereby solemnly affirm and verify that the contents of my/our above affidavit are true and correct. Nothing has been concealed and no part of it is false.

DEPONENT SEAL AND SIGNATURE OF THE BIDDER



17.6

## Annuexure 7 - RFP of Sr.DSTE/Co ordn/MAS Division



**Tender No:** M-SG-2025-473\_3TeleWork **Closing Date/Time:** 24/11/2025 15:00

**Sr DSTE/Co Ordn/MAS** acting for and on behalf of The President of India invites E-Tenders against Tender No **M-SG-2025-473\_3TeleWork** Closing Date/Time 24/11/2025 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

#### 1. NIT HEADER

Name of Work	Telecommunication portion of works in connection with Renovation of PCEE's office, Renovation to ORH Rooms at MMC and Provision of CCTV camera system for The Lifts & Escalators.						
Bidding type	Normal Tender						
Tender Type	Open	Bidding System	Single Packet System				
Tender Closing Date Time	24/11/2025 15:00	Date Time Of Uploading Tender	31/10/2025 17:04				
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable				
Advertised Value	11262908.70	Tendering Section	TELECOM				
Bidding Style	[ Decision at Schedule level ]	Bidding Unit					
Earnest Money (Rs.)	206300.00	Validity of Offer ( Days)	60				
Tender Doc. Cost (Rs.)	0.00	Period of Completion	6 Months				
Contract Type	Works - General	Contract Category	Expenditure				
Bidding Start Date	10/11/2025	·					
Are JV allowed to bid	No	Number of JV Member Allowed	0				
Are Consortium allowed to bid	No	Number of Consortium Member Allowed	0				
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Combined (Revenue + Capital Works)				

## 2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit	
Schedu	ile () A-S	OR items					1375152.29	Above/ Below/Par	
1	Please s	ee Item Bre	akup for deta	ils.	1375152.29	AT Par	1375152.29		
1	Descrip	tion:- SOR	2022 Schedu	les.					
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit	
Schedu	ile () B-N	ON SOR Iten	ns				9887756.41		
	1	3500.00	Metre	45.00	157500.00	AT Par	157500.00	Rs.	
2	with OE consigned 2  Description depth from with MC required HCL / RI	M test repose with OEM  9.00  vtion:- Suppont glass do B-16A-1no, for this ins TTAL/APW/Le table SS cla	ort. Make: D test report)  Numbers  Oly and Erect  or with lock  cable organi  tallation are  eGrand Make	5500.00  ion of Standa and backcove ser with wall to be supplied or better mak	49500.00  Ind Rack 19" sizer and 2 key and fixing screws. And by contractor with the rack shall be seen to be	AT Par Ze, 6U size Rack fixing Il the acce within the Ill be fixed	49500.00  usable height g multi point AC essories and fixir same cost. (Veroin wall/Platform ative at site) (In	Rs. and 600mm Power strip, ng materials president / shelters etc.	
	3	3500.00	Metre	110.00	385000.00	AT Par	385000.00	Rs.	
3	<b>Description:-</b> Supply of 3 Core x 2.5 Sqmm multistrand copper conductor, PVC insulated, armoured power cable confirming to IS: 1554 part I as per RDSO specification No.RDSO/SPN/TC/65/2021 rev 6.0 or latest with OEM Test Report. make: Finolex/polycab/Better make. (Inspection by consignee)								
	4	46.00	·			AT Par		Rs.	
4	<b>Description:-</b> Supply Full HD Bullet Type IP Colour Camera as per RDSO Specification No. RDSO/SPN/TC/65/2021, Ver. 6 with Amdt. 1 or latest. (Inspection by RDSO)								

Page 1 of 14 Run Date/Time: 31/10/2025 17:05:05

**Tender No:** M-SG-2025-473\_3TeleWork **Closing Date/Time:** 24/11/2025 15:00

	<b> </b> 5	46.00	Numbers	199.41	9172.86	AT Par	9172.86	Rs
							pe IP Colour Came	
							r latest along with	
5							are to be supplied	
							grade of suitable d d by railway repre	
	at site)	mm square	With Simili	370 Colcran	ee and emekness	as acciac	a by ranway repre	Serieder
	6	2.00	Numbers	36176.98	72353.96	AT Par	72353.96	Rs
6							as per RDSO Spe	
	No. RDS0						t. (Inspection by R	
	/ Decerin	2.00	Numbers Lation Tostin	627.01	1254.02	AT Par	1254.02	Rs Colour
							:/ (Pan/Tilt/Zoom) PN/TC/65/2021, Ve	
7	Amdt. 1	& 2 or lates	t along with	housing, mo	unting, fixing an	d All the a	accessories require	ed for th
							d with stainless ste	
			presentative		ım square with 3	mm +- 5%	tolerance and thi	ckness a
	8	2.00	Numbers	51965.49	103930.98	AT Par	103930.98	Rs
	Descript	tion:- Supply	y and Installa	ation of 32 ch	annel Network Vi	ideo Recor	der (NVR) with mi	nimum 08
8							with RAID 5/6 conf	
5							32 Nos. of camera f both the solution	
							ersion 6.0 with an	
	no.1 or la		tion by RDSC	T				
_	9	7.00	Per Unit	520.00	3640.00	AT Par	3640.00	Rs
9				ck or connect n by consigne		MOLEX/KR	ONE/ Legrand/BET	TER) (pe
	10	2.00	Numbers	60028.52	120057.04	AT Par	120057.04	Rs
10		2.00						
ΤO	Descript	tion:- Supply	v of Large Fo	ormat LFD Dis	(DIAV UNIT. 55° (II	ICHES) IIIC	luullu wall liloull	
10		<b>tion:-</b> Supply 0 of RDSO/S			n Amdt. 1 or lates			
10	clause 9.	0 of RDSO/S	PN/TC /65/20 Numbers	21 Ver. 6 with 1060.06	2120.12	st. (Inspec AT Par	2120.12	Rs
	clause 9.  11  Descript all acces	0 of RDSO/S 2.00 tion:- Install sories and f	PN/TC /65/20 Numbers ation, testination fixing materi	1060.06 g and commissials required	2120.12 ssioning of large for this installat	AT Par format di ion are to	tion by RDSO)  2120.12  splay monitor unit be supplied by o	Rs t 55" with
	clause 9.  11  Descript all acces	0 of RDSO/S 2.00 tion:- Install sories and f	PN/TC /65/20 Numbers ation, testination fixing materi	1060.06 g and commissials required	2120.12 ssioning of large for this installat	AT Par format di ion are to	tion by RDSO)  2120.12  splay monitor unit	Rs t 55" with
	clause 9.  11  Descript all acces within the	0 of RDSO/S 2.00 tion:- Install sories and f	PN/TC /65/20 Numbers ation, testination fixing materi	1060.06 g and commissials required	2120.12 ssioning of large for this installat	AT Par format di ion are to	tion by RDSO)  2120.12  splay monitor unit be supplied by o	Rs t 55" with contracto mdt. 1 or
	clause 9.  11  Descript all acces within th latest.  12	2.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00	Numbers Ation, testing Sixing materit As per RDS Numbers	121 Ver. 6 with 1060.06 g and commistals required GO Specification 246032.80	2120.12 ssioning of large for this installat on No. RDSO/SPI	AT Par format di ion are to N/TC/65/20	splay monitor unit be supplied by 0 021, Ver. 6 with A	Rs t 55" with contracto mdt. 1 or Rs
11	clause 9.  11  Description all access within the latest.  12  Description Monitoring Mon	2.00 2.00 tion:- Install sories and file same cost 1.00 tion:- Suppling and Systems	Numbers ation, testing fixing materit as per RDS  Numbers ly, Installation manager	121 Ver. 6 with 1060.06 g and committed for Specification 246032.80 on, Testing ament of above	2120.12 ssioning of large for this installat on No. RDSO/SPI  246032.80 and commission e IP cameras, in	AT Par format di ion are to N/TC/65/20  AT Par ing of PC coluding 24	splay monitor unity be supplied by control of the supplied by control of th	Rs t 55" with contracto mdt. 1 or  Rs Viewing onitor, a
11	clause 9.  11  Descript all acces within th latest.  12  Descrip Monitorir required	2.00  tion:- Install sories and file same cost  1.00  tion:- Suppling and Systellicensed soft	Numbers lation, testing fixing materit t as per RDS  Numbers ly, Installation twares (OS, I	121 Ver. 6 with 1060.06 g and commistials required GO Specification 246032.80 on, Testing ament of above MS Office, Ant	Amdt. 1 or lates 2120.12 ssioning of large for this installat on No. RDSO/SPI  246032.80 and commission e IP cameras, in it virus-total 3 ye	AT Par format di ion are to N/TC/65/20  AT Par ing of PC cluding 24 ars securit	splay monitor unit be supplied by o 2120.32  splay monitor unit be supplied by o 221, Ver. 6 with A  246032.80  Workstation for 4" 4K UHD LED M  sy), spike buster(m	Rs t 55" with contracto mdt. 1 or  Rs Viewing onitor, a
11	clause 9.  11  Descript all acces within th latest.  12  Descrip Monitorir required nos. of 6 suitable	2.00  tion:- Install sories and file same cost  1.00  tion:- Suppling and Systellicensed soft SA points wiffer 24x7 wo	Numbers lation, testing fixing materit t as per RDS  Numbers ly, Installation twares (OS, I th fuse),Mountaing and a	121 Ver. 6 with 1060.06 g and commisticals required GO Specification 246032.80 on, Testing ament of above MS Office, AntingRack 50 II other access	Amdt. 1 or lates 2120.12 ssioning of large for this installat on No. RDSO/SPI  246032.80 and commission of IP cameras, in it virus-total 3 ye 0VA UPS with be ssories as per RI	AT Par format di ion are to N/TC/65/20  AT Par ing of PC cluding 24 ars securitattery bac DSO spec.	splay monitor unit be supplied by o 2120.12  splay monitor unit be supplied by o 21, Ver. 6 with A  246032.80  Workstation for 4" 4K UHD LED M  cy), spike buster(m kup for 30 mins o No: RDSO/SPN/TO	Rs t 55" with contracto mdt. 1 or  Rs Viewing onitor, a hinimum ! which are
11	clause 9.  11  Descript all acces within th latest.  12  Descrip Monitorir required nos. of 6 suitable Rev.6.0 co	2.00  tion:- Install sories and file same cost  1.00  tion:- Suppling and Syste licensed soft 5A points with for 24x7 world latest. Thi	Numbers lation, testing fixing materit t as per RDS  Numbers ly, Installation twares (OS, I th fuse),Mountaing and a s also include	121 Ver. 6 with 1060.06 g and commisted required 30 Specification 246032.80 on, Testing and the second of above MS Office, AntingRack 50 Il other accesses supply and	2120.12 ssioning of large for this installation No. RDSO/SPI  246032.80 and commission in the IP cameras, in it virus-total 3 ye oVA UPS with bestories as per RI dinstallation of	AT Par format di ion are to N/TC/65/20  AT Par ing of PC cluding 24 ars securitattery bac DSO spec.	splay monitor unit be supplied by o 2120.12  splay monitor unit be supplied by o 21, Ver. 6 with A  246032.80  Workstation for 4" 4K UHD LED M  sy), spike buster(m kup for 30 mins	Rs t 55" with contracto mdt. 1 or  Rs Viewing onitor, a hinimum ! which are
11	clause 9.  11  Descript all acces within the latest.  12  Descript Monitoring required nos. of 6 suitable Rev.6.0 c Software	2.00  tion:- Install sories and file same cost  1.00  tion:- Suppling and Systel licensed soft for 24x7 woor latest. This (per workstall)	Numbers lation, testing fixing materit as per RDS  Numbers ly, Installation em manager twares (OS, I th fuse),Mou orking and a s also include ation basis) (	121 Ver. 6 with 1060.06 g and commistates required GO Specification 246032.80 on, Testing ament of above MS Office, AntintingRack 50 II other access less supply and RDSO Inspect	n Amdt. 1 or lates 2120.12 ssioning of large for this installat on No. RDSO/SPI  246032.80 and commission e IP cameras, in it virus-total 3 ye 0VA UPS with be ssories as per RI d installation of ition).	AT Par format di	splay monitor unitor be supplied by 6021, Ver. 6 with All 246032.80  Workstation for 4" 4K UHD LED Mary), spike buster(markup for 30 mins No: RDSO/SPN/TOUser Interface base	Rs t 55" with contracto mdt. 1 or Rs Viewing, onitor, al ininimum 5 which are C/65/2021 sed Client
11	clause 9.  11  Description all access within the latest.  12  Description Monitoring required nos. of 6 suitable Rev.6.0 constitution Software 13	2.00  tion:- Install sories and file same cost  1.00  tion:- Suppling and Syste licensed soft for 24x7 work for 24x7 work latest. This (per workstar 7.00)	Numbers Numbers Station, testing fixing materiates per RDS Numbers Num	121 Ver. 6 with 1060.06  g and commissions required 60 Specification 246032.80  on, Testing ament of above MS Office, AntingRack 50 II other access les supply and RDSO Inspect 15680.00	Amdt. 1 or lates 2120.12 ssioning of large for this installat on No. RDSO/SPI  246032.80 and commission e IP cameras, in it virus-total 3 ye 0VA UPS with be ssories as per RI d installation of ion).  109760.00	AT Par format di	splay monitor unit be supplied by 6 (21, Ver. 6 with All 246032.80 (246032.80) (246032.80) (2560) (2	Rs t 55" with contracto mdt. 1 or  Rs Viewing, onitor, al inimum 5 which are C/65/2021 sed Client
11	clause 9.  11  Descript all acces within the latest.  12  Descript Monitoring required nos. of 6 suitable Rev.6.0 consoftware  13  Description	2.00  tion:- Install sories and file same cost  1.00  tion:- Supply and Syste licensed soft for 24x7 wo for latest. This (per workstar 7.00)  tion:- Supply tion:- Supply and Syste for 24x7 workstar for 24x7 wor	Numbers lation, testing fixing materiates per RDS  Numbers ly, Installation manager twares (OS, I th fuse), Mountained and a salso include ation basis) ( Set y and Fixing	121 Ver. 6 with 1060.06  g and commissions required 30 Specification 246032.80  on, Testing ament of above MS Office, AntingRack 50 II other access les supply and RDSO Inspect 15680.00  of computer	n Amdt. 1 or lates 2120.12 ssioning of large for this installat on No. RDSO/SPI  246032.80 and commission e IP cameras, in it virus-total 3 ye 0VA UPS with be ssories as per RI d installation of ion).  109760.00 table (1200x60	AT Par on the state of the stat	splay monitor unitor be supplied by 6021, Ver. 6 with All 246032.80  Workstation for 4" 4K UHD LED Mary), spike buster(markup for 30 mins No: RDSO/SPN/TOUser Interface base	Rs t 55" with contracto mdt. 1 or  Rs Viewing, onitor, al inimum 5 which are C/65/2021 sed Client Rs hair stee
11	clause 9.  11  Descript all acces within the latest.  12  Descript Monitoring required nos. of 6 suitable Rev.6.0 consoftware  13  Descript cushione	2.00  tion:- Install sories and file same cost  1.00  tion:- Supply sor latest. This (per workstar 7.00)  tion:- Supply sor latest. Supply sor latest. This (per workstar 7.00)  tion:- Supply sor latest. Supply sor latest. This (per workstar 7.00)	Numbers lation, testing fixing materit t as per RDS  Numbers ly, Installation manager twares (OS, I th fuse), Mountained and a s also include ation basis) ( Set y and Fixing drej feather	121 Ver. 6 with 1060.06  g and commissions required 30 Specification 246032.80  on, Testing ament of above MS Office, AntingRack 50 II other access les supply and RDSO Inspect 15680.00  of computer lite or better;	an Amdt. 1 or lates  2120.12  ssioning of large for this installat on No. RDSO/SPI  246032.80  and commission the IP cameras, in the virus-total 3 ye 0VA UPS with be sories as per RI d installation of tion).  109760.00  table (1200x60 ) with all accesses	AT Par on AT Par	splay monitor unit be supplied by 6 2120.12  splay monitor unit be supplied by 6 221, Ver. 6 with Ai  246032.80  Workstation for 4" 4K UHD LED M (by), spike buster(m (kup for 30 mins of (kup for 30 mins of (luser Interface base)  109760.00  In and revolving confixing materials ar (Inspection by con	Rs t 55" with contracto mdt. 1 or  Rs Viewing, onitor, al inimum 5 which are C/65/2021 sed Client  Rs hair stee
11	clause 9.  11  Descript all acces within the latest.  12  Descript Monitoring required nos. of 6 suitable Rev.6.0 consoftware  13  Descript cushione	2.00  tion:- Install sories and file same cost  1.00  tion:- Supply sor latest. This (per workstar 7.00)  tion:- Supply sor latest. Supply sor latest. This (per workstar 7.00)  tion:- Supply sor latest. Supply sor latest. This (per workstar 7.00)	Numbers lation, testing fixing materit t as per RDS  Numbers ly, Installation manager twares (OS, I th fuse), Mountained and a s also include ation basis) ( Set y and Fixing drej feather	121 Ver. 6 with 1060.06  g and commissions required 30 Specification 246032.80  on, Testing ament of above MS Office, AntingRack 50 II other access les supply and RDSO Inspect 15680.00  of computer lite or better;	an Amdt. 1 or lates  2120.12  ssioning of large for this installat on No. RDSO/SPI  246032.80  and commission the IP cameras, in the virus-total 3 ye 0VA UPS with be sories as per RI d installation of tion).  109760.00  table (1200x60 ) with all accesses	AT Par on AT Par	splay monitor unit be supplied by o 2120.12  splay monitor unit be supplied by o 21, Ver. 6 with A  246032.80  Workstation for 4" 4K UHD LED M  ty), spike buster(m kup for 30 mins o No: RDSO/SPN/TO User Interface bas  109760.00  m and revolving c fixing materials ar	Rs t 55" with contracto mdt. 1 or  Rs Viewing, onitor, al hinimum 5 which are C/65/2021 sed Client Rs hair stee hd inclued signee)
11 12 13	clause 9.  11  Descript all acces within th latest.  12  Descrip Monitorir required nos. of 6 suitable Rev.6.0 c Software  13  Descript cushione transport  14  Descrip	2.00  tion:- Install sories and file same cost  1.00  tion:- Supping and Systellicensed soft for 24x7 work latest. This (per workstall per wor	Numbers lation, testing fixing materit t as per RDS  Numbers ly, Installation twares (OS, I th fuse), Mountain and a s also include ation basis) ( Set y and Fixing drej feather site. Note: Or Numbers ly, Installation	121 Ver. 6 with 1060.06 Ig and commissions required 1060 Specification 1246032.80 In Testing and the second of above the supply and the supply and the second of computer the set includes 15680.00 In Testing and the set includes 15050.00 In Testing and the set includes 15050.00 In Testing and the set includes 15050.00 In Testing and the set includes	2120.12 ssioning of large for this installation No. RDSO/SPI  246032.80 and commission Progression In Virus-total 3 yes over 100 yes one table (1200x60) with all accesses one table and total progression of the commission of the co	AT Par ing of PC Cluding 24 ars securitattery bac DSO spec. Graphical AT Par over 500x750)mr ories and wo chairs AT Par ng of Mai	splay monitor unit be supplied by o 2120.12  splay monitor unit be supplied by o 21, Ver. 6 with A  246032.80  Workstation for 4" 4K UHD LED M cy), spike buster(m kup for 30 mins No: RDSO/SPN/TO User Interface bas  109760.00  m and revolving con fixing materials ar (Inspection by con 595350.00  mageable Layer-2	Rs t 55" with contracto mdt. 1 or  Rs Viewing, onitor, al ainimum 5 which are C/65/2021 sed Client  Rs hair stee ad inclued signee)  Rs Switches
11 12 13	clause 9.  11  Descript all acces within th latest.  12  Descrip Monitorir required nos. of 6 suitable Rev.6.0 c Software  13  Descript cushione transport  14  Descrip consistin	2.00  tion:- Install sories and file same cost  1.00  tion:- Supping and Systellicensed soft for 24x7 work latest. This (per workstall per wor	Numbers lation, testing fixing materiates per RDS  Numbers ly, Installation wares (OS, Installation wares (OS, Installation wares include at the set of th	121 Ver. 6 with 1060.06 g and commissions required 1060 Specification 246032.80 on, Testing and the second of above the supply and RDSO Inspect 15680.00 on of computer lite or better the set includes 85050.00 on, Testing and BASE-T POE positions and the set includes and the set includes 85050.00 on, Testing and BASE-T POE positions and the set includes and the set includes 85050.00 on, Testing and the set includes and the set	2120.12 ssioning of large for this installation No. RDSO/SPI  246032.80 and commission e IP cameras, in virus-total 3 ye 0VA UPS with besories as per RI d installation of ion).  109760.00 table (1200x60) with all accesses one table and t 595350.00 nd commissioniorts, 4 x 10G SFI	AT Par ing of Mairs AT Par ing of Mairs P+ ports were and part ing of Mairs in ing in in ing in in ing in in ing in in ing in in in in in ing in	splay monitor unit be supplied by o 2120.12  splay monitor unit be supplied by o 221, Ver. 6 with A  246032.80  Workstation for 4" 4K UHD LED M cy), spike buster(m kup for 30 mins No: RDSO/SPN/TO User Interface bas  109760.00  m and revolving of fixing materials ar (Inspection by con 595350.00  mageable Layer-2 with all ports loade	Rs t 55" with contracto mdt. 1 or  Rs Viewing onitor, al ainimum 5 which are C/65/2021 sed Client  Rs hair stee ad inclued signee)  Rs Switches ed except
11	clause 9.  11  Descript all acces within th latest.  12  Descrip Monitorir required nos. of 6 suitable Rev.6.0 c Software  13  Descript cushione transport  14  Descrip consistin SFPs alo RDSO/SP	2.00  tion:- Install sories and file same cost  1.00  tion:- Supping and Systellicensed soft for 24x7 woor latest. This (per workstall processed 2 nos (Godaion to the stall processed 24 x 10 g of 24 x 10 g of 24 x 10 g with all processed 2020	Numbers lation, testing fixing materit t as per RDS  Numbers ly, Installation manager twares (OS, I th fuse), Mou orking and a s also include ation basis) (  Set y and Fixing drej feather site. Note: Or Numbers ly, Installation	121 Ver. 6 with 1060.06 g and commissions required 1060 Specification 246032.80 on, Testing and the second of above the supply and RDSO Inspect 15680.00 of computer lite or better lite or better lite set includes 85050.00 on, Testing and RDSO Inspect lite or better lite or better lite or better lite or better lite set includes 85050.00 on, Testing and RDSO Inspect lite or better	an Amdt. 1 or lates  2120.12  ssioning of large for this installat on No. RDSO/SPI  246032.80  and commission e IP cameras, in ti virus-total 3 ye 0VA UPS with be ssories as per RI d installation of tion).  109760.00  table (1200x60 ) with all access s one table and t  595350.00  nd commissioni orts, 4 x 10G SFI for the installa cal SFP/SFP+ is	AT Par format di	splay monitor unit be supplied by o 2120.12  splay monitor unit be supplied by o 21, Ver. 6 with A  246032.80  Workstation for 4" 4K UHD LED M cy), spike buster(m kup for 30 mins No: RDSO/SPN/TO User Interface bas  109760.00  m and revolving con fixing materials ar (Inspection by con 595350.00  mageable Layer-2	Rs t 55" with contracto mdt. 1 or  Rs Viewing onitor, al ninimum 5 which are C/65/2021 sed Client Rs hair stee nd inclued signee) Rs Switches ed except ation No
11	clause 9.  11  Descript all acces within the latest.  12  Descrip Monitoring required nos. of 6 suitable Rev.6.0 consisting transport 14  Descrip cushioned transport 14  Descrip consisting SFPs alor RDSO/SP be procu	2.00  tion:- Install sories and file same cost 1.00  tion:- Suppled and System of 24x7 was presented to the series of 24x7 was presented 2 nos (Gostaion to the series of 24 x 10 and with all N/TC/65/ 202 red from TTF	Numbers lation, testing fixing materiate as per RDS  Numbers ly, Installation manager twares (OS, I th fuse), Mountaine and a salso include ation basis) ( Set y and Fixing drej feather site. Note: Or Numbers ly, Installation 0/100/1000 E accessories 21, Rev6.0. So Approved si	21 Ver. 6 with  1060.06 g and commissions required GO Specification  246032.80 on, Testing and specification  MS Office, AntintingRack 50 II other accessives supply and RDSO Inspect  15680.00 of computer lite or better includes 85050.00 on, Testing and SASE-T POE pot SA required Supply of optiources) (Inspectiources)	a Amdt. 1 or lates  2120.12  ssioning of large for this installat on No. RDSO/SPI  246032.80  and commission e IP cameras, in it virus-total 3 ye 0VA UPS with be ssories as per RI d installation of ion).  109760.00  table (1200x60 ) with all accesses one table and t  595350.00  nd commissioni orts, 4 x 10G SFI for the installa cal SFP/SFP+ is ection by RDSO)	AT Par ing of PC icluding 24 ars securitattery bac DSO spec. Graphical  AT Par over and ing of PC icluding 24 ars securitattery bac DSO spec. Graphical  AT Par over and ing of Mair security bac including 24 ars securitattery bac DSO spec. Graphical  AT Par over and ing of Mair security back in as protection as protection as protection including	splay monitor unitor be supplied by 6021, Ver. 6 with An 246032.80  Workstation for 4" 4K UHD LED Mary), spike buster(markup for 30 mins or No: RDSO/SPN/TOUser Interface based 109760.00  mand revolving continuing materials are (Inspection by consider RDSO Specificed in this schedule consider RDSO Specificed in this schedule consider RDSO Specificed in this schedule consider RDSO Specificed consider RDSO Specification RDSO Specificat	Rs t 55" with contracto mdt. 1 on  Rs Viewing onitor, a ainimum ! which are C/65/2023 sed Clien  Rs hair stee ad inclued signee)  Rs Switches ed excep ation No e. (The to
11 12 13	clause 9.  11  Description all access within the latest.  12  Description Monitoring required nos. of 6 suitable Rev.6.0 consisting transport 14  Description consisting SFPs alog RDSO/SP be procuus 15	2.00  tion:- Install sories and file same cost series and file same cost series and file same cost series and System of the series of the seri	Numbers lation, testing fixing materit t as per RDS  Numbers ly, Installation manager twares (OS, I th fuse), Mountain and a s also include ation basis) (  Set y and Fixing drej feather site. Note: Or Numbers ly, Installation 0/100/1000 E accessories 21, Rev6.0. So Approved so Metre	21 Ver. 6 with  1060.06 g and commissions required GO Specification  246032.80 on, Testing and an	2120.12 ssioning of large for this installation No. RDSO/SPI  246032.80 and commission e IP cameras, in it virus-total 3 ye 0VA UPS with bissories as per RI d installation of iton).  109760.00 table (1200x60) with all accesses one table and to 595350.00 nd commissioning orts, 4 x 10G SFI for the installation of iton; as a specific to the installation of iton; and commissioning orts, 4 x 10G SFI for the installation of iton; as a specific to the instal	AT Par of Mai Par of M	splay monitor unit be supplied by 6 (22), Ver. 6 with Al (246032.80)  Workstation for 4" 4K UHD LED Mary), spike buster(markup for 30 mins or No: RDSO/SPN/TO User Interface bas (109760.00)  In and revolving confixing materials are (Inspection by consequence of Sp5350.00)  In ageable Layer-2 with all ports loaded er RDSO Specificed in this schedule (338365.00)	Rs t 55" with contracto mdt. 1 or  Rs Viewing, onitor, al inimum 5 which are C/65/2021 sed Client  Rs hair stee nd inclued signee)  Rs Switches ed except ation No e. (The to
11 12 13	clause 9.  11  Description all access within the latest.  12  Description Monitoring required nos. of 6 suitable Rev.6.0 consisting transport 14  Description Consisting SFPs also RDSO/SP be procuus 15  Description RDSO/SP be procuus 15  Description RDSO/SP be procuus 15  Description RDSO/SP be procuus 15	2.00  tion:- Install sories and file same cost same cost services and file same cost services and services and services and services and systems of the services and systems of the services services and services and systems of the services and services are services and services	Numbers lation, testing fixing materit t as per RDS  Numbers ly, Installation manager twares (OS, Installation basis) (  Set y and Fixing drej feather site. Note: Or Numbers ly, Installation y and Fixing drej feather site. Note: Or Numbers ly, Installation 0/100/1000 En accessories 21, Rev6.0. So Approved so Metre y and Fixing	21 Ver. 6 with  1060.06 g and commissions required GO Specification  246032.80 on, Testing and an	2120.12 ssioning of large for this installat on No. RDSO/SPI  246032.80 and commission e IP cameras, in it virus-total 3 ye 0VA UPS with besories as per RI d installation of iton).  109760.00 table (1200x60) with all accesses one table and to 595350.00 nd commissioning for the installation of its commissioning the installation of its 4 x 10G SFI for the installation of its 4 x 10G SFI for the installation of its 38865.00 C conduit pipe (I	AT Par ing of PC cluding 24 ars securit attery bac DSO spec. Graphical  AT Par of Mar Par of Mar Par ing of Mar Par including AT Par instance including AT Par instance including AT Par instance in AT Par inst	splay monitor unit be supplied by 6 (22), Ver. 6 with All 246032.80  Workstation for 4" 4K UHD LED Mary), spike buster(markup for 30 mins or No: RDSO/SPN/TO User Interface based and revolving continuous materials are (Inspection by continuous procession of the specific procession of the spe	Rs t 55" with contracto mdt. 1 or  Rs Viewing, onitor, al inimum 5 which are C/65/2021 sed Client  Rs hair stee nd inclued signee)  Rs Switches ed except ation No e. (The to
11 12 13	clause 9.  11  Description all access within the latest.  12  Description Monitoring required nos. of 6 suitable Rev.6.0 consisting transport 14  Description Consisting SFPs also RDSO/SP be procuut 15  Description medium	2.00  tion:- Install sories and file same cost same cost services and file same cost services and services and services and services and systems of the services and systems of the services services and systems of the services and systems of the services and service	Numbers lation, testing fixing materit t as per RDS  Numbers ly, Installation manager twares (OS, I th fuse), Moun orking and a s also includ ation basis) (  Set y and Fixing drej feather site. Note: Or Numbers ly, Installation 0/100/1000 E accessories 21, Rev6.0. So Approved so Metre y and Fixing th all accessories y and Fixing th all accessories	21 Ver. 6 with  1060.06 g and commissions required GO Specification  246032.80 on, Testing and specific supply and RDSO Inspect  15680.00 of computer lite or better in eset included 85050.00 on, Testing and SASE-T POE pois A required supply of optiources) (Inspecific supply of 32 mm PV ories on wall/	Amdt. 1 or lates  2120.12 ssioning of large for this installat on No. RDSO/SPI  246032.80 and commission e IP cameras, in it virus-total 3 ye 0VA UPS with be ssories as per RI d installation of ion).  109760.00 r table (1200x60 ) with all accesses one table and t  595350.00 nd commissionin orts, 4 x 10G SFI for the installa cal SFP/SFP+ is ection by RDSO)  338365.00 C conduit pipe (I roofs/FOBs, Cabl	AT Par ing of PC icluding 24 ars securit attery bac DSO spec. Graphical AT Par ing of Mar including AT Par ing of Mar including	splay monitor unit be supplied by 6 (22), Ver. 6 with An (246032.80)  Workstation for 4" 4K UHD LED Mary), spike buster(markup for 30 mins or No: RDSO/SPN/TOUser Interface base (Inspection by con 595350.00)  made and revolving con fixing materials are (Inspection by con 595350.00)  mageable Layer-2 with all ports loaded er RDSO Specificed in this schedule (338365.00)  conforming to IS:9 trough/floor etc., as the supplied of the supplied in the schedule (338365.00)	Rs t 55" with contracto mdt. 1 on  Rs Viewing onitor, a alinimum ! which are C/65/2023 sed Clien  Rs hair stee and inclued signee)  Rs Switches ed excep ation No e. (The to
11 12 13 14	clause 9.  11  Descript all acces within the latest.  12  Descrip Monitorin required nos. of 6 suitable Rev.6.0 c Software  13  Descript cushione transport  14  Descript consistin SFPs alo RDSO/SP be procu  15  Descript medium instruction stores to	2.00  tion:- Install sories and file same cost same cost services and file same cost services and services and services and services and Systems of 24x7 work for 24x7 work for 24x7 work services and services for 24x7 work services for 24x7 work services for 24x7 work services for supplied 2 nos (Gostaion to the services for supplied for supp	Numbers lation, testing fixing materit t as per RDS  Numbers ly, Installation manager twares (OS, I th fuse), Moun orking and a s also includ ation basis) (  Set y and Fixing drej feather site. Note: Or Numbers ly, Installation 0/100/1000 E accessories 21, Rev6.0. So Approved so Metre y and Fixing th all accessories y and Fixing th all accessories	21 Ver. 6 with  1060.06 g and commissions required GO Specification  246032.80 on, Testing and another accessions  MS Office, AntiningRack 50 II other accessions and accessions and accessions and accessions are set included as 5050.00 on, Testing and accession, Testing and accession accessions and accessions are set included as 5050.00 on, Testing and accessions are set included as a required accession and accessions are set included as a required accession and accessions are set included as a required accession and accessions are set included as a required as a require	Amdt. 1 or lates  2120.12 ssioning of large for this installat on No. RDSO/SPI  246032.80 and commission e IP cameras, in it virus-total 3 ye 0VA UPS with be ssories as per RI d installation of ion).  109760.00 r table (1200x60 ) with all accesses one table and t  595350.00 nd commissionin orts, 4 x 10G SFI for the installa cal SFP/SFP+ is ection by RDSO)  338365.00 C conduit pipe (I roofs/FOBs, Cabl	AT Par ing of PC icluding 24 ars securit attery bac DSO spec. Graphical AT Par ing of Mar including AT Par ing of Mar including	splay monitor unit be supplied by 6 (22), Ver. 6 with All 246032.80  Workstation for 4" 4K UHD LED Mary), spike buster(markup for 30 mins or No: RDSO/SPN/TO User Interface based and revolving continuous materials are (Inspection by continuous procession of the specific procession of the spe	Rs t 55" with contracto mdt. 1 on  Rs Viewing onitor, a alinimum ! which are C/65/2023 sed Clien  Rs hair stee and inclued signee)  Rs Switches ed excep ation No e. (The to
11 12 13 14	clause 9.  11  Descript all access within the latest.  12  Descript Monitorin required nos. of 6 suitable Rev.6.0 c Software  13  Descript cushione transport  14  Descript consistin SFPs alor RDSO/SP be procuut 15  Descript medium instruction stores to 16	2.00  tion:- Install sories and file same cost	Numbers lation, testing fixing materia t as per RDS  Numbers ly, Installation em manager twares (OS, I th fuse), Mou orking and a s also include ation basis) ( Set y and Fixing drej feather site. Note: Or Numbers ly, Installation 0/100/1000 E accessories 21, Rev6.0. So Approved so Metre y and Fixing th all accessories oresentative ction by cons Numbers	1060.06 g and commissions required to Specification 246032.80 on, Testing an ent of above MS Office, AntingRack 50 ll other accessives supply an RDSO Inspect 15680.00 of computer lite or better in eset include 85050.00 on, Testing an RDSO Inspect 15680.00 of computer lite or better in eset include 85050.00 on, Testing an RDSO Inspect 15680.00 on, Testing and SASE-T POE post A required Supply of optiources) (Inspect 1680.00 of 32 mm PV ories on wall/ at site. (This ignee)	Amdt. 1 or lates  2120.12 ssioning of large for this installat on No. RDSO/SPI  246032.80 and commission e IP cameras, in ti virus-total 3 ye 0VA UPS with be ssories as per RI d installation of tion).  109760.00 table (1200x60 ) with all accesses one table and t 595350.00 nd commissioni orts, 4 x 10G SFI for the installa cal SFP/SFP+ is ection by RDSO) 338365.00 C conduit pipe (I roofs/FOBs, Cabl includes Transpo	AT Par format di ion are to N/TC/65/20  AT Par ing of PC cluding 24 ars securit attery bac DSO spec. Graphical  AT Par over and in wo chairs  AT Par ng of Mai P+ ports w tion as p not include AT Par ISI mark) of e tray or ion ortation of	splay monitor unit be supplied by o 2120.12  splay monitor unit be supplied by o 21, Ver. 6 with A  246032.80  Workstation for 4" 4K UHD LED M  cy), spike buster(m kup for 30 mins No: RDSO/SPN/TO User Interface bas  109760.00  m and revolving of fixing materials ar (Inspection by con 595350.00  mageable Layer-2 with all ports loade er RDSO Specific ed in this schedule  338365.00  conforming to IS:9 trough/floor etc., a materials from N  80842.72	Rs t 55" with contracto mdt. 1 or  Rs Viewing onitor, al ninimum 5 which are C/65/2021 sed Client Rs hair stee nd inclued signee)  Rs Switches ed except ation No e. (The to
11 12 13 14	clause 9.  11  Descript all access within the latest.  12  Descript Monitorir required nos. of 6 suitable Rev.6.0 c Software  13  Descript cushione transport  14  Descript consistin SFPs alor RDSO/SP be procu  15  Descript medium instruction stores to 16  Descript Descript Medium instruction stores to 16  Descript Descript Medium instruction stores to 16	2.00  tion:- Install sories and file same cost in the sam	Numbers lation, testing fixing materia t as per RDS  Numbers ly, Installation manager twares (OS, I th fuse), Mountain basis) ( Set y and Fixing drej feather site. Note: Or Numbers ly, Installation accessories 21, Rev6.0. So Approved so Metre y and Fixing th all accessories y and Fixing	1060.06 g and commissions required to Specification 246032.80 on, Testing an ent of above MS Office, AntingRack 50 ll other accessives supply an RDSO Inspect 15680.00 of computer lite or better in eset include 85050.00 on, Testing an RDSO Inspect 15680.00 of computer lite or better in eset include 85050.00 on, Testing an RDSO Inspect 15680.00 on, Testing and SASE-T POE post A required Supply of optiources) (Inspect 1680.00 of 32 mm PV ories on wall/ at site. (This ignee)	Amdt. 1 or lates  2120.12 ssioning of large for this installat on No. RDSO/SPI  246032.80 and commission e IP cameras, in ti virus-total 3 ye 0VA UPS with be ssories as per RI d installation of tion).  109760.00 table (1200x60 ) with all accesses one table and t 595350.00 nd commissioni orts, 4 x 10G SFI for the installa cal SFP/SFP+ is ection by RDSO) 338365.00 C conduit pipe (I roofs/FOBs, Cabl includes Transpo	AT Par format di ion are to N/TC/65/20  AT Par ing of PC cluding 24 ars securit attery bac DSO spec. Graphical  AT Par over and in wo chairs  AT Par ng of Mai P+ ports w tion as p not include AT Par ISI mark) of e tray or ion ortation of	splay monitor unit be supplied by o 2120.12  splay monitor unit be supplied by o 221, Ver. 6 with A  246032.80  Workstation for 4" 4K UHD LED M (by), spike buster(m (kup for 30 mins o No: RDSO/SPN/TO (User Interface base  109760.00  In and revolving of fixing materials ar (Inspection by con 595350.00  Inageable Layer-2 (in all ports loade er RDSO Specific ed in this schedule  338365.00  conforming to IS:9 trough/floor etc., as in materials from N	Rs t 55" with contracto mdt. 1 or  Rs Viewing, onitor, al ninimum 5 which are C/65/2021 sed Client  Rs hair stee nd inclued signee)  Rs Switches ed except ation No e. (The to
11 12 13 14 15	clause 9.  11  Descript all access within the latest.  12  Descript Monitorir required nos. of 6 suitable Rev.6.0 c Software  13  Descript cushione transport  14  Descript consistin SFPs alor RDSO/SP be procu  15  Descript medium instruction stores to 16  Descript Descript Medium instruction stores to 16  Descript Descript Medium instruction stores to 16	2.00  tion:- Install sories and file same cost	Numbers lation, testing fixing materia t as per RDS  Numbers ly, Installation manager twares (OS, I th fuse), Mountain basis) ( Set y and Fixing drej feather site. Note: Or Numbers ly, Installation accessories 21, Rev6.0. So Approved so Metre y and Fixing th all accessories y and Fixing	1060.06 g and commissions required to Specification 246032.80 on, Testing an ent of above MS Office, AntingRack 50 ll other accessives supply an RDSO Inspect 15680.00 of computer lite or better in eset include 85050.00 on, Testing an RDSO Inspect 15680.00 of computer lite or better in eset include 85050.00 on, Testing an RDSO Inspect 15680.00 on, Testing and SASE-T POE post A required Supply of optiources) (Inspect 1680.00 of 32 mm PV ories on wall/ at site. (This ignee)	Amdt. 1 or lates  2120.12 ssioning of large for this installat on No. RDSO/SPI  246032.80 and commission e IP cameras, in ti virus-total 3 ye 0VA UPS with be ssories as per RI d installation of tion).  109760.00 table (1200x60 ) with all accesses one table and t 595350.00 nd commissioni orts, 4 x 10G SFI for the installa cal SFP/SFP+ is ection by RDSO) 338365.00 C conduit pipe (I roofs/FOBs, Cabl includes Transpo	AT Par format di ion are to N/TC/65/20  AT Par ing of PC cluding 24 ars securit attery bac DSO spec. Graphical  AT Par over and in wo chairs  AT Par ng of Mai P+ ports w tion as p not include AT Par ISI mark) of e tray or ion ortation of	splay monitor unit be supplied by o 2120.12  splay monitor unit be supplied by o 21, Ver. 6 with A  246032.80  Workstation for 4" 4K UHD LED M  cy), spike buster(m kup for 30 mins No: RDSO/SPN/TO User Interface bas  109760.00  m and revolving of fixing materials ar (Inspection by con 595350.00  mageable Layer-2 with all ports loade er RDSO Specific ed in this schedule  338365.00  conforming to IS:9 trough/floor etc., a materials from N  80842.72	Rs t 55" with contractor mdt. 1 or  Rs Viewing, onitor, al ninimum 5 which are C/65/2021 sed Client  Rs hair stee nd inclued signee)  Rs Switches ed except ation No e. (The to

Page 2 of 14 Run Date/Time: 31/10/2025 17:05:05

**Tender No:** M-SG-2025-473\_3TeleWork **Closing Date/Time:** 24/11/2025 15:00

	<b>Description:-</b> Supply and Er					
17	x 800mm (depth) (min) (sim with all fittings including DC I power sockets and fuse prote	an ( 48V)- 2 Nos a	and AC power dis	tribution p	anel (horizontal fi	tting) with
	The body should be of high q	uality cold rolled s	steel. with wheel	and caste	r arrangement, ve	nted fron
	door borders and rear doors					
	materials required for this (Inspection by consignee)		- · · · · · · · · · · · · · · · · · · ·			ame cosi
		etre 495.00	594000.00	AT Par	594000.00	R
18	<b>Description:-</b> Supply and In: Hot dipped Galvanized cable including horizontal and vert and duly suspended from the	tray with suitable cical reducers, tee ceiling with GI su	cover of 1.6 mm es, cross membe spenders (where	thickness rs and otl support is	as per IS 2629, 2 ner accessories a s not available, sa	633, 475 s require me will b
	provided by the contractor). ((Inspection by RITES)		·			
		Pair 6820.00	68200.00	AT Par	68200.00	Rs
19	<b>Description:-</b> Supply and loconverter for transmission RDSO/SPN/TC/103/2013 Rev.2 stores to site) (Inspection by	n and Reception 2 or latest. (This	n maximum d	istance (	of 15 km as	per the
	20 50.00 Me	etre 250.00	12500.00	AT Par	12500.00	Rs
20	<b>Description:-</b> Cutting of pla refilling /Reconditioning/Cond Cutting should be done with before in such a manner th HDPE/PVC pipe/cable not incl	reting/Repairing t concrete cutting nat aesthetic of t	the platform afte machine in prop	er laying per manne	HDPE/PVC pipe a er and restore the	nd cable. same as
21	21 2.00 Numb		6717.60	AT Par	6717.60	Rs
	Description:- Supply and Ins					
22	22 2.00 Numb Description:- Supply and Property 2.5 Sq.mm copper multistran	ovision of multipi				Rs wired with
	23 2.00 Numb	ers 3000.00	6000.00	AT Par	6000.00	Rs
23	<b>Description:-</b> Supply and In: MCB's mounted and also wi consignee)					
	24 50.00 Numb	ers 315.00	15750.00	AT Par	15750.00	Rs
24	<b>Description:-</b> Supply of 5r chords as per site requiremen	nt. (Inspection by o	consignee)			ical patch
	25 2.00 Numb	ers 135000.00	270000.00	AT Par	270000.00	Rs
25	Description:- Supply & I (APC/Numeric/TATA liebert representative at site) along The UPS should have SNMP port to download and audio-v	make) Rack/Floo with suitable bat port or equivalent	r mountable ty teries (Exide or for remote mon	pe(as pe Amarraja itoring, da	r instructions of makes) with batt Ita logging facility	Railway ery stand with USE
	26 9.00 Numb	ers 5500.00	49500.00	AT Par	49500.00	Rs
26	Description:- Supply and connector loaded with pigtail fixing in Rack as directed by submitted for 1310 & 1550 r site) (Inspection by consigned	s and termination Engineer represe ım) (This includes	and splicing of (entative at site (	OFC cable OTDR read	as per Rly require lings to be taken	ement and and to be
		etre 1200.00	240000.00	AT Par	240000.00	Rs
27	Description:- Track crossing engineer at site. This include IS:1239 heavy class in the I through GI pipe. All the join supplied with consignee Inspe	es the supply and bore drilled with t its of casing pipe	insertion (pushi the coupler betw	ng) of GI reen two	pipe (80mm) conf pipes and pushing	orming to g of cable
			1406.50	AT Par	1406.50	Rs
20	28 1.00 Numb					
28	28   1.00 Numb	ping Tool for RJ45	& RJ11. (Inspect	ion by con	signee)	
			& RJ11. (Inspect 608.84	ion by con AT Par	signee) 608.84	Rs
28 29	Description:- Supply of Crim	ers 608.84	608.84	AT Par	608.84	Rs

Page 3 of 14 Run Date/Time: 31/10/2025 17:05:05

**Tender No:** M-SG-2025-473\_3TeleWork **Closing Date/Time:** 24/11/2025 15:00

30	<b>Description:-</b> Preparation and submission of As made drawings mentioning the location of cameras, wiring diagrams of UTP, Power, OFC cable etc., OTDR reports of OFC cable, earth resistance test reports, technical details of servers, switches, works stations, media converters, storage etc, of each station. Six copies in neatly binded form and soft copy are required to be submitted. This also includes submission of survey drawings mentioning the location of camera before starting the work for approval.
	31 1.00 Numbers 18543.00 18543.00 AT Par 18543.00 Rs.
31	<b>Description:-</b> Supply and Installation of Table top Chairperson conference Microphone unit with flexible stern of longer length, ringing light, black base, two headphone sockets etc. of Bosch make model CCSE-CMLF.OIU.294.076 or better. (Inspection by Consignee).
	32 20.00 Numbers 15340.00 306800.00 AT Par 306800.00 Rs.
32	<b>Description:-</b> Supply and Installation of Table top Delegates person conference Microphone unit with flexible stem of longer length, ringing light, black base, two head phone sockets, BOSCH proprietor interconnectivity cables for connecting other delegate unit etc. of Bosch make model CCSE-DLF.OIU.294.075 or better. (Inspection by Consignee).
	33 4.00 Numbers 2276.00 9104.00 AT Par 9104.00 Rs.
33	<b>Description:-</b> Supply and Installation of P.A conference system Extension cable of length minimum 5 meters of make Bosch model CCS700/CCSE-CA-05-IN F.OIU.347.075 or better make. (Inspection by Consignee).
	34 2.00 Numbers 2866.00 5732.00 AT Par 5732.00 Rs.
34	<b>Description:-</b> Supply and Installation of P.A conference system Extension cable of length minimum 10 meters of make Bosch model CCS-700/CCSE-CA-10-IN F.OIU.309.729 or better make. (Inspection by Consignee).
	35 2.00 Numbers 47874.00 95748.00 AT Par 95748.00 Rs.
35	<b>Description:-</b> Supply and Installation of Rack mountable type class D Audio Power Amplifier (2x300W) Output power having two channel of make Yamaha/PX3 or better. (Inspection by Consignee).
	36 1.00 Numbers 53437.00 53437.00 AT Par 53437.00 Rs.
36	<b>Description:-</b> Supply and Installation of 16-channel Audio mixing console having of dimensions (444 X130X 500)mm, Max. 10 Mic / 16 Line Inputs (8mono + 4 stereo) 4 GROUP Buses + 1 Stereo Bus / 4 AUX (incl. FX), +48V phanton power etc. of Make Yamaha model MG16X or better. (Inspection by Consignee).
	37 6.00 Numbers 20886.00 125316.00 AT Par 125316.00 Rs.
37	<b>Description:-</b> Installation of surface Mount Speaker of 150W with superior Supply and sound quality and sleek functional design having 5.25 woofer and 0.75" soft done tweeter with IP 35 rated protection along with suitable mounting brackets hardware accessories of Make: Yamaha model VXS5 or better make. (Inspection by Consignee).
	38   1.00 Numbers 15677.00   15677.00 AT Par 15677.00 Rs.
38	Description:- Supply and Installation of Audio Encoder interface device of Make stein berg model UR22C or better. (Inspection by consignee).  39 2.00 Numbers 573.00 1146.00 AT Par 1146.00 Rs.
39	39 2.00 Numbers 573.00 1146.00 AT Par 1146.00 Rs.  Description:- Supply and Installation of 1.5 Mtrs XLR Female to Mono male cable. Make: MX or
	Better. (Inspection by Consignee).
	40 2.00 Numbers 792.00 1584.00 AT Par 1584.00 Rs.
40	<b>Description:-</b> Supply and Installation of factory crimped 2RCA Male to Single Mono male cable 1.5 Meters. Make: MX or Better. (Inspection by Consignee).
	41 4.00 Numbers 733.00 2932.00 AT Par 2932.00 Rs.
41	<b>Description:-</b> Supply and Installation of 1.5 Mtrs Mono male to Mono male cable. Make: MX or Better. (Inspection by Consignee).
42	42 6.00 Numbers 573.00 3438.00 AT Par 3438.00 Rs.  Description:- Supply and Installation of 1.5 mtr XLR female to XLR male Cable. Make: MX or Better. (Inspection by Consignee).
	(Hispection by Consignee).  43 3.00 Numbers 7840.00 23520.00 AT Par 23520.00 Rs.
43	<b>Description:-</b> Supply and Fixing of SC TYPE Rack mountable 24F Fibre management system (FMS) conforming to suitable for splicing and front patching of 24F cable with all accessories and terminating the optical fibre cable with splicing and front patching in FMS in the equpiment room (OFC pigtails/patch chords of suitable length and all other material required for installation are to be supplied by contractor)(OTDR reading to be submitted for 1310 & 1550nm). (Inspection by consignee).
	44 1.00 Numbers 40457.00 40457.00 AT Par 40457.00 Rs.
44	<b>Description:-</b> Supply and Installation of Audio conferencing system central control discussion unit support up to 50 discussion, inbuilt audio recorder and amplifier unit, audio interfaces similar to make Bosch model CCS-700/CCSE-CURA-IN F.OIU.315.101 or better make. (Inspection by Consignee).

Page 4 of 14 Run Date/Time: 31/10/2025 17:05:05

**Tender No:** M-SG-2025-473\_3TeleWork **Closing Date/Time:** 24/11/2025 15:00

Description: Supply and Fixing of PVC slotted trough of 50mmx50mmx1.2mm thickness as pel is14927 Part 1 or latest (All the miscellaneous materials required for fixing to be supplied by the contractor). (Inspection by Consignee)   47		45 17.00 Numbers 9000.00 153000.00 AT Par 153000.00	Rs
Description: Supply and Fixing of PVC slotted trough of 50mmx50mmx1.2mm thickness as per instance of the supplied by the contractor). (Inspection by Consignee)  Were 202.00 3030.00 AT Par 3030.00 R	45	LAN Port & one gigabit WAN Port supporting 802.11ax Wi-Fi standard. Capable to manage from	
Is14927 Part 1 or latest (All the miscellaneous materials required for fixing to be supplied by the contractor). (Inspection by Consignee)   17		46 50.00 Metre 181.00 9050.00 AT Par 9050.00	Rs
Description:- Supply and fixing of PVC trunk of 50mmx50mm (All the miscellaneous material equired for fixing to be supplied by the contractor). (Inspection by Consignee)   All	46	IS14927 Part 1 or latest (All the miscellaneous materials required for fixing to be supplied by t	
equired for fixing to be supplied by the contractor). (Inspection by Consignee)  48 2.00   Numbers   14160.00   28320.00   AT Par   28320.00    49   Description:- Supply and Installation of USB 3.0 extension cable 10mtr delivers a throughput of ut o 50bps when used in conjunction with a USB 3.0 host and device an astounding increase that is te times the capability of USB 2.0 of make Aten/model UE3310 or better. (Inspection by Consignee).  49   1.00   Numbers   24443.00   24443.00   AT Par   24443.00   R.    Description:- Supply and Installation of USB 3.0 extension cable 15mtr delivers a throughput of ut o 50bps when used in conjunction with a USB 3.0 host and device an astounding increase that is te times the capability of USB 2.0. of make Aten/model UE3315A or better. (Inspection by Consignee).  50   1.00   Numbers   6406.00   6406.00   AT Par   6406.00   R.    Description:- Supply and Installation of USB 3.0 extension cable 5mtr delivers a throughput of up to 50bps when used in conjunction with a USB 3.0 host and device an astounding increase that is te times the capability of USB 2.0. of make Aten/model UE3350A or better. (Inspection by Consignee).  51   2.00   Numbers   31712.50   63425.00   AT Par   6406.00   R.    Description:- Supply & Installation of 44v4 USB 3.0 host and device an astounding increase that is te times the capability of USB 2.0. of make Aten/model UE350A or better. (Inspection by Consignee).  52   1.00   Numbers   31712.50   63425.00   AT Par   63425.00   R.    Description:- Supply & Installation of 44v4 USB 8.0   63425.00   AT Par   63425.00   R.    Description:- Supply, installation of 44v4 USB 8.0   63425.00   AT Par   63425.00   R.    Description:- Supply, installation, commissioning 98 inch Smart TV suitable for VC along with required accessories like wall fixing vertical adjustable metal brackets, suitable length of the part of		47 15.00 Metre 202.00 3030.00 AT Par 3030.00	Rs
Description: Supply and Installation of USB 3.0 extension cable 10mtr delivers a throughput of ut o Scops when used in conjunction with a USB 3.0 extension cable 10mtr delivers a throughput of ut to Scops when used in conjunction with a USB 3.0 extension cable 10mtr delivers a throughput of ut to Scops when used in conjunction with a USB 3.0 extension cable 15mtr delivers a throughput of ut to Scops when used in conjunction with a USB 3.0 extension cable 15mtr delivers a throughput of ut to Scops when used in conjunction with a USB 3.0 host and device an astounding increase that is te times the capability of USB 2.0. of make Aten/model UE3315A or better. (Inspection by Consignee).  Description: Supply and Installation of USB 3.0 extension cable 5mtr delivers a throughput of ut to Scops when used in conjunction with a USB 3.0 host and device an astounding increase that is te times the capability of USB 2.0. of make Aten/model UE3315A or better. (Inspection by Consignee).  Description: Supply and Installation of USB 3.0 extension cable 5mtr delivers a throughput of up to Scops when used in conjunction with a USB 3.0 host and device an astounding increase that is te times the capability of USB 2.0. of make Aten/model UE330A or better. (Inspection by consignee).  10	47		als
to 5Gbps when used in conjunction with a USB 3.0 host and device an astounding increase that is te times the capability of USB 2.0 of make Aten/model UE3310 or better. (Inspection Donsignee).  49		48 2.00 Numbers 14160.00 28320.00 AT Par 28320.00	Rs
Description:- Supply and Installation of USB 3.0 extension cable 15mtr delivers a throughput of ut to 556ps when used in conjunction with a USB 3.0 extension cable 15mtr delivers a throughput of ut to 556ps when used in conjunction with a USB 3.0 host and device an astounding increase that is te times the capability of USB 2.0. of make Aten/model UE3315A or better. (Inspection by Consignee).  50	48	to 5Gbps when used in conjunction with a USB 3.0 host and device an astounding increase that is t	
to 5Gbps when used in conjunction with a USB 3.0 host and device an astounding increase that is te times the capability of USB 2.0. of make Aten/model UE3315A or better. (Inspection by Consignee).  50 1.00 Numbers 6406.00 6406.00 AT Par 6406.00 R.  Description:- Supply and Installation of USB 3.0 extension cable 5mtr delivers a throughput of up to 15Gbps when used in conjunction with a USB 3.0 host and device an astounding increase that is te times the capability of USB 2.0. of make Aten/model UE350A or better. (Inspection by Consignee).  51 2.00 Numbers 31712.50 63425.00 AT Par 63425.00 R.  Description:- Supply & Installation of 4x4 USB Hub Switcher(Inspection by Consignee).  52 1.00 Numbers 634250.00 634250.00 AT Par 634250.00 R.  Description:- Supply, installation, commissioning 98 inch Smart TV suitable for VC along with required accessories like wall fixing vertical adjustable metal brackets, suitable length HDMI pate cable, wall fixing HDMI I/O Face plate loaded with hdml interface module etc as per instruction railwa representative at site acceted brands are (SONY, SAMSUNG, LG) extended warranty of one year inclusive pannel etc (Inspection by consignee).  53 305.00 Numbers 48.00 14640.00 AT Par 14640.00 R.  Description:- Supply of STP (Shielded Twisted Pair) CAT6 cable 23 AWG (4 pair) compliant with EIA/TIA568-B21 standard. (Inspection by consignee) with OEM test report).  54 75.00 Metre 196.00 14700.00 AT Par 14700.00 R.  Description:- Cutting of Trench/wall across/on the platform for a depth of 10 cm & 10 cm breat with marble cutting machine and filling the trench after cable laying and restoring surface with plaster etc.  55 8826.00 Metre 12.00 69912.00 AT Par 69912.00 R.  Description:- Laying/blowing/pulling/drawal of STP cable/UTP cable/OFC cable/Power cable/Co-axic cable/switch board cable through the conduit pipe or Cable trough or tray or Casing and Caping Other accessories required for carrying this work are to be arranged by the contractor. (This include Transportation of materials from Nomin		49 1.00 Numbers 24443.00 24443.00 AT Par 24443.00	Rs
Description:- Supply and Installation of USB 3.0 extension cable 5mtr delivers a throughput of up to SGbps when used in conjunction with a USB 3.0 host and device an astounding increase that is te times the capability of USB 2.0. of make Aten/model UE350A or better. (Inspection by Consignee).    S1	49	to 5Gbps when used in conjunction with a USB 3.0 host and device an astounding increase that is t	ter
SGbps when used in conjunction with a USB 3.0 host and device an astounding increase that is te times the capability of USB 2.0. of make Aten/model UE350A or better. (Inspection by Consignee)  10		50 1.00 Numbers 6406.00 6406.00 AT Par 6406.00	Rs
51 2.00 Numbers 31712.50 63425.00 AT Par 63425.00 R:  Description:- Supply & Installation of 4x4 USB Hub Switcher(Inspection by consignee)  52 1.00 Numbers 634250.00 634250.00 AT Par 634250.00 R:  Description:- Supply, installation, commissioning 98 inch Smart TV suitable for VC along with required accessories like wall fixing vertical adjustable metal brackets, suitable length HDMI patc cable, wall fixing HDMI I/O Face plate loaded with hdmi interface module etc as per instruction railwa representative at site acceted brands are (SONY, SAMSUNG, LG) extended warranty of one yes inclusive pannel etc (Inspection by consignee)  53 305.00 Numbers 48.00 14640.00 AT Par 14640.00 R:  Description:- Supply of STP (Shielded Twisted Pair) CAT6 cable 23 AWG (4 pair) compliant with EIA/TIA568-B.2-1 standard. (Inspection by consignee with OEM test report)  54 75.00 Metre 196.00 14700.00 AT Par 14700.00 R:  Description:- Cutting of Trench/wall across/on the platform for a depth of 10 cm & 10 cm breat with marble cutting machine and filling the trench after cable laying and restoring surface with plaster etc.  55 Se26.00 Metre 12.00 69912.00 AT Par 69912.00 R:  Description:- Laying/blowing/pulling/drawal of STP cable/UTP cable/OFC cable/Power cable/Co-axis cable/switch board cable through the conduit pipe or Cable trough or tray or Casing and Caping Other accessories required for carrying this work are to be arranged by the contractor. (This include Transportation of materials from Nominated stores to site)  56 1.00 Numbers 24000.00 24000.00 AT Par 24000.00 R:  Description:- Supply and Fixing of Standard Rack 19" size width, 27U size usable height and 800mm (min) depth wall mounting type front glass door and back door with lock and 2 key and Rack fixin multi point AC Power strip with 16A MCB (min)-2 nos, cable organiser with wall fixing screws. All the accessories and fixing materials required for this installation are to be supplied by contractor withing depth wall mounting type front glass door and back door with lock and 2	50	5Gbps when used in conjunction with a USB 3.0 host and device an astounding increase that is to	
Description:- Supply & Installation of 4x4 USB Hub Switcher(Inspection by consignee)   52			Rs
Description:- Supply, installation, commissioning 98 inch Smart TV suitable for VC along wit required accessories like wall fixing vertical adjustable metal brackets, suitable length HDMI pate cable, wall fixing HDMI //O Face plate loaded with hdmi interface module etc as per instruction railwa representative at site acceted brands are (SONY, SAMSUNG, LG) extended warranty of one yee inclusive pannel etc (Inspection by consignee)  53	51	<b>Description:-</b> Supply & Installation of 4x4 USB Hub Switcher(Inspection by consignee)	
required accessories like wall fixing vertical adjustable metal brackets, suitable length HDMI patc cable, wall fixing HDMI I/O Face plate loaded with hdmi interface module etc as per instruction railwa representative at site acceted brands are (SONY, SAMSUNG, LG) extended warranty of one year inclusive pannel etc (Inspection by consignee)  53 305.00 Numbers 48.00 14640.00 AT Par 14640.00 R:  Description:- Supply of STP (Shielded Twisted Pair) CAT6 cable 23 AWG (4 pair) compliant with EIA/TIA568-B.2-1 standard. (Inspection by consignee with OEM test report)  54 75.00 Metre 196.00 14700.00 AT Par 14700.00 R:  Description:- Cutting of Trench/wall across/on the platform for a depth of 10 cm & 10 cm breat with marble cutting machine and filling the trench after cable laying and restoring surface with plaster etc.  55 5826.00 Metre 12.00 69912.00 AT Par 69912.00 R:  Description:- Laying/blowing/pulling/drawal of STP cable/UTP cable/OFC cable/Power cable/Co-axic cable/switch board cable through the conduit pipe or Cable trough or tray or Casing and Caping Other accessories required for carrying this work are to be arranged by the contractor. (This include Transportation of materials from Nominated stores to site)  56 1.00 Numbers 24000.00 24000.00 AT Par 24000.00 R:  Description:- Supply and Fixing of Standard Rack 19" size width, 27U size usable height and 800mr (min) depth wall mounting type front glass door and back door with lock and 2 key and Rack fixin multi point AC Power strip with 16A MCB (min)-2 nos, cable organiser with wall fixing screws. All th accessories and fixing materials required for this installation are to be supplied by contractor within the same cost. (Make: HCL/Vero president/Rittal/APW President/Legrand or better). (Inspection b consignee).  Description:- Supply of Fixing of DLP U PVC Trunking of size 150mmx50mm base, 2*65mm to flexible cover, two partition with require number of flat angles, End caps, Internal angle, cable clips a per the direction of Railway Representative at site  58 8.00		52 1.00 Numbers 634250.00 634250.00 AT Par 634250.00	Rs
53 305.00 Numbers 48.00 14640.00 AT Par 14640.00 R:  Description:- Supply of STP (Shielded Twisted Pair) CAT6 cable 23 AWG (4 pair) compliant with EIA/TIA568-B.2-1 standard. (Inspection by consignee with OEM test report)  54 75.00 Metre 196.00 14700.00 AT Par 14700.00 R:  Description:- Cutting of Trench/wall across/on the platform for a depth of 10 cm & 10 cm breat with marble cutting machine and filling the trench after cable laying and restoring surface with plaster etc.  55 5826.00 Metre 12.00 69912.00 AT Par 69912.00 R:  Description:- Laying/blowing/pulling/drawal of STP cable/UTP cable/Power cable/Co-axic cable/switch board cable through the conduit pipe or Cable trough or tray or Casing and Caping Other accessories required for carrying this work are to be arranged by the contractor. (This include Transportation of materials from Nominated stores to site)  Description:- Supply and Fixing of Standard Rack 19" size width, 27U size usable height and 800mr (min) depth wall mounting type front glass door and back door with lock and 2 key and Rack fixing multi point AC Power strip with 16A MCB (min)-2 nos, cable organiser with wall fixing screws. All th accessories and fixing materials required for this installation are to be supplied by contractor within the same cost. (Make: HCL/Vero president/Rittal/APW President/Legrand or better). (Inspection b consignee),  106 90.00 Metre 4061.37 365523.30 AT Par 365523.30 R:  Description:- Supply of Fixing of DLP U PVC Trunking of size 150mmx50mm base, 2*65mm to flexible cover, two partition with require number of flat angles, End caps, Internal angle, cable clips a per the direction of Railway Representative at site  58 8.00 Numbers 39087.50 312700.00 AT Par 312700.00 R:  Description:- Supply, Installation ,Testing and Commissioning of 24 port (10/10/10/1000 Base-T port)G layer -2 network switch and provided with 4x16 SFP ports loaded along with single fiber SFP module similar to Make CISCO-model-CBS350-24T-4G-IN or better along with one years onsite warrant (Inspection	52	required accessories like wall fixing vertical adjustable metal brackets, suitable length HDMI parcable, wall fixing HDMI I/O Face plate loaded with hdmi interface module etc as per instruction railways representative at site acceted brands are (SONY, SAMSUNG, LG) extended warranty of one year.	tcł vay
Description:- Supply of STP (Shielded Twisted Pair) CAT6 cable 23 AWG (4 pair) compliant with EIA/TIA568-B.2-1 standard. (Inspection by consignee with OEM test report)  54			Rs
Description:- Cutting of Trench/wall across/on the platform for a depth of 10 cm & 10 cm breat with marble cutting machine and filling the trench after cable laying and restoring surface with plaster etc.  55	53		ith
with marble cutting machine and filling the trench after cable laying and restoring surface with plaster etc.  55		54 75.00 Metre 196.00 14700.00 AT Par 14700.00	Rs
Description:- Laying/blowing/pulling/drawal of STP cable/UTP cable/OFC cable/Power cable/Co-axia cable/switch board cable through the conduit pipe or Cable trough or tray or Casing and Caping Other accessories required for carrying this work are to be arranged by the contractor. (This include Transportation of materials from Nominated stores to site)  56	54	with marble cutting machine and filling the trench after cable laying and restoring surface w	
cable/switch board cable through the conduit pipe or Cable trough or tray or Casing and Caping Other accessories required for carrying this work are to be arranged by the contractor. (This include Transportation of materials from Nominated stores to site)  56			Rs
Description:- Supply and Fixing of Standard Rack 19" size width, 27U size usable height and 800mr (min) depth wall mounting type front glass door and back door with lock and 2 key and Rack fixin multi point AC Power strip with 16A MCB (min)-2 nos, cable organiser with wall fixing screws. All th accessories and fixing materials required for this installation are to be supplied by contractor within the same cost. (Make: HCL/Vero president/Rittal/APW President/Legrand or better). (Inspection be consignee),  106 90.00 Metre 4061.37 365523.30 AT Par 365523.30 Resident point of the same cover, two partition with require number of flat angles, End caps, Internal angle, cable clips a per the direction of Railway Representative at site  108 8.00 Numbers 39087.50 312700.00 AT Par 312700.00 Resident point flat and the same cover is supply, Installation and Commissioning of 24 port (10/100/1000 Base-T port) Glayer -2 network switch and provided with 4x1G SFP ports loaded along with single fiber SFP module similar to Make CISCO-model-CBS350-24T-4G-IN or better along with one years onsite warrant (Inspection by consignee).	55	cable/switch board cable through the conduit pipe or Cable trough or tray or Casing and Capi Other accessories required for carrying this work are to be arranged by the contractor. (This include	ng
(min) depth wall mounting type front glass door and back door with lock and 2 key and Rack fixin multi point AC Power strip with 16A MCB (min)-2 nos, cable organiser with wall fixing screws. All th accessories and fixing materials required for this installation are to be supplied by contractor within the same cost. (Make: HCL/Vero president/Rittal/APW President/Legrand or better). (Inspection be consignee),  106   90.00   Metre   4061.37   365523.30   AT Par   365523.30   Respectively.  106   90.00   Metre   4061.37   365523.30   AT Par   365523.30   Respectively.  107   Description: Supply of Fixing of DLP U PVC Trunking of size 150mmx50mm base, 2*65mm together the direction of Railway Representative at site    108   8.00   Numbers   39087.50   312700.00   AT Par   312700.00   Respectively.  109   Description: Supply, Installation Testing and Commissioning of 24 port (10/100/1000 Base-T port) Gradual similar to Make CISCO-model-CBS350-24T-4G-IN or better along with one years onsite warrant (Inspection by consignee).		56 1.00 Numbers 24000.00 24000.00 AT Par 24000.00	Rs
Description:- Supply of Fixing of DLP U PVC Trunking of size 150mmx50mm base, 2*65mm to flexible cover, two partition with require number of flat angles, End caps, Internal angle, cable clips a per the direction of Railway Representative at site  8 8.00 Numbers 39087.50 312700.00 AT Par 312700.00 Reservice.  Description:- Supply, Installation ,Testing and Commisioning of 24 port (10/100/1000 Base-T port) Glayer -2 network switch and provided with 4x1G SFP ports loaded along with single fiber SFP module similar to Make CISCO-model-CBS350-24T-4G-IN or better along with one years onsite warrant (Inspection by consignee).	56	(min) depth wall mounting type front glass door and back door with lock and 2 key and Rack fixing multi point AC Power strip with 16A MCB (min)-2 nos, cable organiser with wall fixing screws. All taccessories and fixing materials required for this installation are to be supplied by contractor with the same cost. (Make: HCL/Vero president/Rittal/APW President/Legrand or better). (Inspection	ing the hir
Description:- Supply of Fixing of DLP U PVC Trunking of size 150mmx50mm base, 2*65mm to flexible cover, two partition with require number of flat angles, End caps, Internal angle, cable clips a per the direction of Railway Representative at site    S8			Rs
58 8.00 Numbers 39087.50 312700.00 AT Par 312700.00 Reservition:- Supply, Installation ,Testing and Commissioning of 24 port (10/100/1000 Base-T port)G layer -2 network switch and provided with 4x1G SFP ports loaded along with single fiber SFP module similar to Make CISCO-model-CBS350-24T-4G-IN or better along with one years onsite warrant (Inspection by consignee).	57	<b>Description:-</b> Supply of Fixing of DLP U PVC Trunking of size 150mmx50mm base, 2*65mm t flexible cover, two partition with require number of flat angles, End caps, Internal angle, cable clips	ор
layer -2 network switch and provided with 4x1G SFP ports loaded along with single fiber SFP module similar to Make CISCO-model-CBS350-24T-4G-IN or better along with one years onsite warrant (Inspection by consignee).			Rs
	58	layer -2 network switch and provided with 4x1G SFP ports loaded along with single fiber SFP modu similar to Make CISCO-model-CBS350-24T-4G-IN or better along with one years onsite warrar	ıles
			D -

Page 5 of 14 Run Date/Time: 31/10/2025 17:05:05

**Tender No:** M-SG-2025-473\_3TeleWork **Closing Date/Time:** 24/11/2025 15:00

	<b>Description:-</b> Supply, Fixing and Termination of Dual I/O box with RJ -45 socket dual information outlet with Surface Mount Box (SMB), and RJ45 socket faceplate with shutter facility to be supplied and fixed. UTP cable should be terminated in I/O box. Make: DAX/ MOLEX/ KRONE / BETTER (Inspection by consignee).
	60 10.00 Numbers 11025.00 110250.00 AT Par 110250.00 Rs
60	<b>Description:-</b> Supply, Installation, Testing and commissioning of manageable Field Switches consisting of 8 nos. of 10/100 BASE-T PoE and 2 nos of SFP 1000 Mbps uplink ports with all ports loaded with 1G SFPs along with all accessories required for the installation as per RDSO Specification No. RDSO/SPN/TC/65/ 2021, Ver. 6 with Amdt. 1 or latest. Supply of optical 1G SFP single fibre SFP-BX-D and SFP-BX-U (pair) is included in this schedule (RDSO Inspection). (Switches should be procured from trusted telecom portal approved sources)
61	61 6.00 Numbers 4800.00 28800.00 AT Par 28800.00 Rs <b>Description:-</b> Supply and Termination of 24 port loaded patch panel /jack panel with cable manager and terminating UTP cable. (Make: DAX/MOLEX/KRONE/BETTER)(Inspection by consignee).
62	62 5.00 Numbers 30091.96 150459.80 AT Par 150459.80 Rs  Description:- Supply, Installation, Testing and Commissioning of Video VoIP phone. Detailed
	technical specification attached.(Inspection by consignee)
63	63 25.00 Numbers 9519.48 237987.00 AT Par 237987.00 Rs  Description:- Supply, Installation, Testing and Commissioning of Executive open standard SIP phone with external power adapter as per Specification attached. (Inspection by consignee)
64	64 50.00 Numbers 4369.62 218481.00 AT Par 218481.00 Rs  Description:- Supply, Installation, Testing and Commissioning of non-Executive open standard SIF
65	phone. Detailed technical specification attached. (Inspection by Consignee)  65 3.00 Numbers 1266.87 3800.61 AT Par 3800.61 Rs
65	<b>Description:-</b> Supply of Krone Termination box 20 pair with Krone Module
66	66 3.00 Numbers 600.00 1800.00 AT Par 1800.00 Rs
00	<b>Description:</b> - Installation testing and commissioning of 100/50/20 pair Kronection box, fitting the same wall as directed by Railway Representative.
	67 1.00 Numbers 28125.30 28125.30 AT Par 28125.30 Rs
67	<b>Description:-</b> "Supply of Wireless Cardioid Microphone. * ClearScan automatically finds the cleares channel * EZsync one-step channel setup * PL22 cardioid dynamic microphone element * 14 hou battery life from two AA alkaline * Rugged metal transmitter * Metal receiver chassis with optiona rack mount *With cable accessories; Make: Electrovoice (R300HD) or Better with one year onsite warranty (Inspection by consignee)"
60	68         100.00         Metre         165.00         16500.00         AT Par         16500.00         Rs
68	<b>Description:-</b> Supply and Wiring of 2 core copper x 1.5 sq.mm Screened/Shielded multistrand PVG insulated wire for speaker load line. (Inspection by consignee).
69	Description:- "Supply, Installation and Commissioning of 4K and HD PTZ Camera • Supports 60P a 2160 and 1080 resolution • Features NDI/HX3 for low latency IP production and transmission • 300 optical zoom, with maximum 68 degrees horizontal field of view • Easy installation: video output via Ethernet, HDMI, 3G-SDI and USB • Supports PoE+ Power over Ethernet Make:Lumens/Yealink/Bette with one year onsite warranty (Inspection by consignee)"
	70 1.00 Numbers 289100.00 289100.00 AT Par 289100.00 Rs
70	<b>Description:-</b> "Supply, Installation and Commisioning of 8x8 Matrix Switcher with Audio Output Inputs 4 HDMI: On a female HDMI connector Outputs 1 HDMI: On a female HDMI connector Tunbalanced Stereo Audio: On a 3.5mm mini jack Video Max Data Rate: 17.82GBPS (5.94Gbps pe graphic channel) Max Resolution: 4K@ 60 (4:4:4) Power Source: 5V DC, 2A Consumption: 5V DC 600mA User Interface Controls: Input selection buttons. DIPswitches for configuring switching mode and EDID mode; Make: ATEN, Kramer or better with one year onsite warranty (Inspection by consignee)"
	Inputs 4 HDMI: On a female HDMI connector Outputs 1 HDMI: On a femal
70	Inputs 4 HDMI: On a female HDMI connector Outputs 1 HDMI: On a female HDMI connector of Unbalanced Stereo Audio: On a 3.5mm mini jack Video Max Data Rate: 17.82GBPS (5.94Gbps per graphic channel) Max Resolution: 4K@ 60 (4:4:4) Power Source: 5V DC, 2A Consumption: 5V DC 600mA User Interface Controls: Input selection buttons. DIPswitches for configuring switching mode and EDID mode; Make: ATEN, Kramer or better with one year onsite warranty (Inspection by consignee)"  71 2.00 Numbers 14012.50 28025.00 AT Par 28025.00 RS Description:- Supply, Installation and Commissioning of Pop Up Box with 2xPower, 1xLAN,1xUSB C1xHDMI, 1xUSB Type A (Charging),1x USB Pass Through. Make:EIS/MARX.(Inspected by Consignee)
	Inputs 4 HDMI: On a female HDMI connector Outputs 1 HDMI: On a female HDMI connector of Unbalanced Stereo Audio: On a 3.5mm mini jack Video Max Data Rate: 17.82GBPS (5.94Gbps per graphic channel) Max Resolution: 4K@ 60 (4:4:4) Power Source: 5V DC, 2A Consumption: 5V DC 600mA User Interface Controls: Input selection buttons. DIPswitches for configuring switching mode and EDID mode; Make: ATEN, Kramer or better with one year onsite warranty (Inspection by consignee)"  71 2.00 Numbers 14012.50 28025.00 AT Par 28025.00 Rs Description:- Supply, Installation and Commissioning of Pop Up Box with 2xPower, 1xLAN,1xUSB C
71	Inputs 4 HDMI: On a female HDMI connector Outputs 1 HDMI: On a female HDMI connector of Unbalanced Stereo Audio: On a 3.5mm mini jack Video Max Data Rate: 17.82GBPS (5.94Gbps per graphic channel) Max Resolution: 4K@ 60 (4:4:4) Power Source: 5V DC, 2A Consumption: 5V DC 600mA User Interface Controls: Input selection buttons. DIPswitches for configuring switching mode and EDID mode; Make: ATEN, Kramer or better with one year onsite warranty (Inspection by consignee)"  71
71	Inputs 4 HDMI: On a female HDMI connector Outputs 1 HDMI: On a female HDMI connector Unbalanced Stereo Audio: On a 3.5mm mini jack Video Max Data Rate: 17.82GBPS (5.94Gbps per graphic channel) Max Resolution: 4K@ 60 (4:4:4) Power Source: 5V DC, 2A Consumption: 5V DC 600mA User Interface Controls: Input selection buttons. DIPswitches for configuring switching mode and EDID mode; Make: ATEN, Kramer or better with one year onsite warranty (Inspection by consignee)"  71

Page 6 of 14 Run Date/Time: 31/10/2025 17:05:05

**Tender No:** M-SG-2025-473\_3TeleWork **Closing Date/Time:** 24/11/2025 15:00

					ength CAT6 STP pection by consi		rd(RJ45) factory c	rimped per
	75	15.00	Metre	295.00	4425.00	AT Par	4425.00	Rs
75	civil work	Including flo	oor cutting,	Tile refixing w		rk, Channe	100X50 mm racel fixing , Supply (	
	76	11.00	Numbers	45725.00	502975.00	AT Par	502975.00	Rs
76	required cable, war railway re	accessories all fixing HD epresentative	like wall fix MI I/O Face e at site acc	ing vertical a plate loaded epted brands	djustable metal I with HDMI int are (SONY, SAN	brackets, erface mo	suitable for VC suitable length dule etc as per 6) extended warr	HDMI patc instruction
				n by consigne		AT D	16250.00	D.
77	77	5.00	Numbers	3250.00	16250.00	AT Par	16250.00	Rs
	consigne	e)					le to Male) (Ins	
	78	1.00	Lumpsum	35400.00	35400.00	AT Par	35400.00	Rs
78	hall, on documen	site training tation in hare	-10 man da	ys (user dep es as per inst	artments and S ruction of railwa	S&T DEP),s y represer	n PCEE conferency system & cabling stative at site etc	
	79	4270.00	Metre	25.00	106750.00	AT Par	106750.00	Rs
79	<b>Descript</b> OEM test		of UTP CA	Г 6 cable (23	AWG) as per E	IA/TIA-568	-C.2 standard or	latest with
	80	500.00	Metre	31.00	15500.00	AT Par	15500.00	Rs
80				Unarmoured ender docume		ble for ind	oor with OEM tes	st report a
	81	150.00	Metre	95.00	14250.00	AT Par	14250.00	Rs
81					,  2.5  sq  mm,  r ake like Havells/		cable as per IS ycab/Better.	694:199
	82	1150.00	Metre	38.00	43700.00	AT Par	43700.00	Rs
82		n of Rly rep			includes Transp		or trough etc., f materials from	
			Metre	45.001		AT Dar	2250.00	De
83		Liane Cupply	, and fixing	of 25mmy25	2250.00	AT Par	2250.00	
		I mark) confo	orming to IS	:14927 Part 1	5mmx1.2mm th	ickness PV all accesso	/C casing and ca ories on wall /floo	apping witl
		I mark) confo	orming to IS	:14927 Part 1	ommx1.2mm th	ickness PV all accesso	/C casing and ca ories on wall /floo	apping with or/pertitions
84	/roofs etc 84 <b>Descript</b> cover (IS	I mark) confo , as per the 75.00 t <b>ion:-</b> Supply I mark) confo	direction of  Metre  / and fixing orming to IS	38.00 of 12mmx12 34427 Part 1	ommx1.2mm the large of the larg	ickness PV all accesso consignee) AT Par ickness PV all accesso	/C casing and capries on wall /floo 2850.00 /C casing and capries on wall /floo	apping with or/pertitions Rs apping with
84	/roofs etc 84 Descript cover (IS /roofs etc	I mark) confo , as per the 75.00 tion:- Supply I mark) confo , as per the	direction of  Metre  / and fixing brining to IS direction of  Numbers	38.00 of 12mmx12 314927 Part 1 38.00 of 12mmx12 314927 Part 1 314927 Part 1 314927 Part 1	Emmx1.2mm that I or latest with a consideration by a 2850.00 2mmx1.2mm that or latest with a consideration by a 61250.00	ickness PV all accesso consignee) AT Par ickness PV all accesso consignee) AT Par	/C casing and capries on wall /floo 2850.00 /C casing and capries on wall /floo 61250.00	apping with or/pertitions Rs apping with or/partitions
	/roofs etc  84  Descript cover (IS /roofs etc  85  Descript two fibre	I mark) confi , as per the 75.00 tion:- Supply I mark) confo , as per the 5.00 tion:- Supply ports (1G SF	ming to IS direction of Metre and fixing orming to IS direction of Numbers Installation P loaded) as	site engineer.  38.00 of 12mmx12 site engineer. 14927 Part 1 site engineer. 12250.00 n, Testing and sper RDSO/SP	Emmx1.2mm th I or latest with a (Inspection by or 2850.00) Emmx1.2mm th I or latest with a (Inspection by or 61250.00) Commissioning N/TC/65/2021 V	ickness PV all accesso consignee) AT Par ickness PV all accesso consignee) AT Par of 8 port F er. 6 or late	/C casing and ca ories on wall /floo 2850.00 /C casing and ca ories on wall /floo	apping with or/pertitions apping with or/partitions Rs switch with cical 1G SFI
	/roofs etc  84  Descript cover (IS /roofs etc  85  Descript two fibre	I mark) confi , as per the 75.00 tion:- Supply I mark) confo , as per the 5.00 tion:- Supply ports (1G SF	ming to IS direction of Metre and fixing orming to IS direction of Numbers Installation P loaded) as	site engineer.  38.00 of 12mmx12 site engineer. 14927 Part 1 site engineer. 12250.00 n, Testing and sper RDSO/SP	Emmx1.2mm th I or latest with a (Inspection by or 2850.00) Emmx1.2mm th I or latest with a (Inspection by or 61250.00) Commissioning N/TC/65/2021 V	ickness PV all accesso consignee) AT Par ickness PV all accesso consignee) AT Par of 8 port F er. 6 or late	/C casing and capries on wall /flood//C casing a	Rspping with pr/pertitions Rs pping with pr/partitions Rs switch with cical 1G SFI gnee).
85	/roofs etc  84  Descript cover (IS /roofs etc  85  Descript two fibre single fibre  86  Descript 10/100/10	imark) confi i., as per the 75.00 tion:- Supply I mark) confi i., as per the 5.00 tion:- Supply ports (1G SF re SFP-BX -D 1.00 tion:- Supply	metre Metre and fixing orming to IS direction of Numbers IN Installation P loaded) as and SFP-BX Numbers Installation Non POE+	s:14927 Part 1 site engineer. 38.00 of 12mmx12 s:14927 Part 1 site engineer. 12250.00 n, Testing and per RDSO/SP -U (pair) is inc 48000.00 n, Testing and Ports. 4 X 1G	Emmx1.2mm th I or latest with a 2850.00 Emmx1.2mm th I or latest with a (Inspection by or Emmx1.2mm th I or latest with a (Inspection by or 61250.00 Commissioning N/TC/65/2021 Verification that is served.	ickness Pvall accessorsignee) AT Parickness Pvall accessorsignee) AT Parof 8 port Fer. 6 or latedule. (Insert Parof 24 port	C casing and capries on wall /flood/C casing and casing and casing and capries on wall /flood/C capries on wall /flood/	Repping with pr/pertition:  Repping with pr/partition:  Reserved Res
85	/roofs etc  84  Descript cover (IS /roofs etc  85  Descript two fibre single fibre  86  Descript 10/100/10	imark) confi i., as per the 75.00 tion:- Supply I mark) confo i., as per the 5.00 sion:- Supply ports (1G SF re SFP-BX -D 1.00 sion:- Supply 000 BASE-T	metre Metre and fixing orming to IS direction of Numbers IN Installation P loaded) as and SFP-BX Numbers Installation Non POE+	s:14927 Part 1 site engineer. 38.00 of 12mmx12 s:14927 Part 1 site engineer. 12250.00 n, Testing and per RDSO/SP -U (pair) is inc 48000.00 n, Testing and Ports. 4 X 1G	Emmx1.2mm th I or latest with a 2850.00 Emmx1.2mm th I or latest with a (Inspection by or Emmx1.2mm th I or latest with a (Inspection by or 61250.00 Commissioning N/TC/65/2021 Verification that is served.	ickness Pvall accessorsignee) AT Parickness Pvall accessorsignee) AT Parof 8 port Fer. 6 or latedule. (Insert Parof 24 port	C casing and capries on wall /flood/C capries on w	Rsapping with pr/pertitions with pr/partitions Rsapping with pr/partitions Rsapping
85	/roofs etc  84  Descript cover (IS /roofs etc  85  Descript two fibre single fib  86  Descript 10/100/10 CISCO, M  87  Descript make coo	I mark) conformation, as per the 75.00 cion:- Supply ports (1G SF re SFP-BX -D 1.00 cion:- Supply 000 BASE-T odel. CBS350 1.00 cion:- Supply de No GLC -B.	orming to IS direction of  Metre  And fixing orming to IS direction of Numbers  And IS Numbers	site engineer.  38.00 of 12mmx12 site engineer. 124927 Part 1 site engineer. 12250.00 n, Testing and per RDSO/SP -U (pair) is inc 48000.00 n, Testing and Ports. 4 X 1G or better. 8900.00 n and Integrat he switches al	Smmx1.2mm the control of the control	ickness PV all accesso consignee) AT Par ickness PV all accesso consignee) AT Par of 8 port F er. 6 or late nedule. (Instance) AT Par of 24 port + Ports.  AT Par re bidirecti SC-PC Pato	2850.00  2850.00  2850.00  C casing and capries on wall /flood  61250.00  POE manageable sest. Supply of opt spection by consist 48000.00  giga bit layer 2 swithout fiber mo  8900.00  onal Module similar Cords so as to	Rspping with pr/pertition:  Rspping with pr/partition:  Rspping with pr/partition:  Rspping with with cical 1G SFI gnee).  Rspeed Rspee
84 85 86	/roofs etc  84  Descript cover (IS /roofs etc  85  Descript two fibre single fib  86  Descript 10/100/10 CISCO, M  87  Descript make coo	I mark) conformation, as per the 75.00 cion:- Supply ports (1G SF re SFP-BX -D 1.00 cion:- Supply 000 BASE-T odel. CBS350 1.00 cion:- Supply de No GLC -B.	orming to IS direction of  Metre  And fixing orming to IS direction of Numbers  And IS Numbers	site engineer.  38.00 of 12mmx12 site engineer. 124927 Part 1 site engineer. 12250.00 n, Testing and per RDSO/SP -U (pair) is inc 48000.00 n, Testing and Ports. 4 X 1G or better. 8900.00 n and Integrat he switches al	Smmx1.2mm the contraction by commissioning Minimum, SFP	ickness PV all accesso consignee) AT Par ickness PV all accesso consignee) AT Par of 8 port F er. 6 or late nedule. (Instance) AT Par of 24 port + Ports.  AT Par re bidirecti SC-PC Pato	2850.00  2850.00  2850.00  C casing and capries on wall /flood  61250.00  POE manageable sest. Supply of opt spection by consist 48000.00  giga bit layer 2 swithout fiber mo  8900.00  onal Module similar Cords so as to	Rspping with pr/pertitions  Rspping with pr/partitions  Rsswitch with cical 1G SFI gnee).  Rsswitch 24 > dule. Make Rssuitch Cisco suit the sit
85	/roofs etc.  84  Descript cover (IS /roofs etc.  85  Descript two fibre single fib.  86  Descript 10/100/10 CISCO, M.  87  Descript make coorequirem.  88  Descript make coorequirem.	imark) confi., as per the 75.00 tion:- Supply ports (1G SF re SFP-BX -D 1.00 tion:- Supply 000 BASE-T odel. CBS350 1.00 tion:- Supply de No GLC -B ent minimum 1.00 tion:- Supply de No GLC-B tion:- Supply de No GLC-B tion:- Supply de No GLC-B tion:- Supply tion:- Suppl	orming to IS direction of Metre y and fixing orming to IS direction of Numbers y, Installation P loaded) as and SFP-BX Numbers y, Installation Non POE+ D-24T-4G-IN Numbers y, Installation X-D to suit to 10 mts Ler Numbers y, Installation Numbers y, Installation X-D to suit to 10 mts Ler Numbers y, Installation RX-U to suit	site engineer.  38.00 of 12mmx12 site engineer. 14927 Part 1 site engineer. 12250.00 n, Testing and per RDSO/SP U (pair) is inc 48000.00 n, Testing and Ports. 4 X 1G or better. 8900.00 n and Integrat he switches alogth as directe 8900.00 n and Integrat the switches	Emmx1.2mm the control of the control	AT Par of 8 port F er. 6 or late hedule. (Instance)  AT Par of 24 port + Ports.  AT Par re bidirecti y Represer AT Par re bidirecti PC Patch	2850.00  2850.00  C casing and capries on wall /floor  C casing and capries on wall /floor  61250.00  POE manageable sets. Supply of optics on by consideration consideration by	Rs apping with or/partitions  Rs switch with cical 1G SFF gnee).  Rs switch 24 x dule. Make  Rs lar to Cisco suit the site  Rs lar to Cisco

Page 7 of 14 Run Date/Time: 31/10/2025 17:05:05

**Tender No:** M-SG-2025-473\_3TeleWork **Closing Date/Time:** 24/11/2025 15:00

89	<b>Description:-</b> Supply and Fixing of Standard Rack 19 "size width, 12U size usable height and 600mm depth wall mounting type front glass door and back cover with lock and 2 key and Rack fixing multipoint AC Power strip with 16A MCB (min)-1nos, cable organiser with wall fixing screws. All th accessories and fixing materials required for this installation are to be supplied by contractor within the same cost. The rack should be fixed in wall/platform shelters etc. with suitable SS clamps(30)
	grade) as directed by railway representative at site. (Make: HCL/Vero president/Rittal/APV President/Legrand or better). (Inspection by consignee).
90	90 8.00 Numbers 6372.00 50976.00 AT Par 50976.00 Residence of the supply in the supply
	Gigabit output Ethernet Port similar or better of TP-Link AX1500 (RE505X) or better.
01	91   11.00   Numbers   290.00   3190.00   AT Par   3190.00   Rs
91	<b>Description:-</b> Supply, Fixing and Termination of Single I/O with SMB and connector with shutte facility and terminating the UTP cable.
92	92   5.00   Numbers   670.79   3353.95   AT Par   3353.95   Rs
92	<b>Description:</b> - Supply of 10 mtr length, Single mode, Simplex SC/LC to SC/LC OFC Patch cards so as t suit the site requirement as directed by the Railway Representative.
	93 40.00 Numbers 95.00 3800.00 AT Par 3800.00 Rs
93	<b>Description:-</b> Supply and Installation of 1 Mtr length UTP CAT6 24 AWG factory crimped patch chord (RJ45).
	94 40.00 Numbers 165.00 6600.00 AT Par 6600.00 Rs
94	<b>Description:-</b> Supply and Installation of 3 Mtr length UTP CAT6 24 AWG factory crimped patch chord (RJ45).
	95 1.00 Numbers 58793.38 58793.38 AT Par 58793.38 Rs
95	<b>Description:-</b> Supply and Installation of rack mountable 2 KVA online UPS (single phase) (minimum 3200 VAH) (APC/Numeric/Microtek make) with 1 hrs Backup time along with suitable AH capacit batteries necessary stand for UPS and batteries (Exide or amaraja makes) to be supplied and fixed a per railway requirement.
	96 12.00 Numbers 41926.84 503122.08 AT Par 503122.08 Rs
96	<b>Description:-</b> Supply and Installation of 43" LED 4K UHD smart Television with all accessories as pe Specification enclosed. Make: Samsung/Sony/LG. (Installation of 43inch UHD smart TV wit moveable/Swing type TV wall adjustable bracket suitable for 43" along with Setup box holder as pe instruction of railway representative at site) (this schedule includes supply and installation of moveable/Swing type TV wall adjustable bracket along with Setup box holder)
	97 1.00 Numbers 38685.25 38685.25 AT Par 38685.25 Rs
97	<b>Description:-</b> Supply and Installation of i5 10th generation or latest CPU with 8GB RAM, 1000Gl HDD, Windows 11 OS, Keyboard, Mouse along with all accessories as per Specification enclosed. CPI make: HP/DELL/Better.
	98 13.00 Numbers 3540.00 46020.00 AT Par 46020.00 Rs
98	<b>Description:-</b> Supply and Installation of wall mountable TV stabilizer along with suitable stand for LED TV upto 55" with thermal overload protection similar to make V-Guard model Voltino or better.
	99 13.00 Set 6600.00 85800.00 AT Par 85800.00 Rs
99	<b>Description:-</b> Supply and Installation, Testing and Commissioning Corporate Satellite HD DTH cable TV connectivity for 26 nos of TV users/subscribers with outdoor Antenna kit module including splitters signal boosters, connectors and all other accessories suitable for commissioning of the above system along with 1 year subscription.
100	100   500.00   Metre   11.31   5655.00   AT Par   5655.00   Rs
100	<b>Description:-</b> Supply of RG 6F coaxial cable suitable for cable TV system similar t Finolex/Havells/better
101	101 8.00 Numbers 452.52 3620.16 AT Par 3620.16 Rs  Description:- Supply of 2-way splitter suitable for RG 6F coaxial cable for cable TV DTH system suitable for the above satellite DTH cable TV system
	102 13.00 Numbers 161.78 2103.14 AT Par 2103.14 Rs
102	<b>Description:-</b> Supply and Fixing of wall concealed type cable TV Outlet modular type box provided with female RG6 coaxial female jack along with modular face plate
	103 1.00 Numbers 6792.33 6792.33 AT Par 6792.33 Rs
103	<b>Description:-</b> "Supply and Installation of distribution box loaded with fitted with suitable 26 nos of RG6 Coaxial female jack/male jack as per instruction of railway representative at site."
	104 1.00 Numbers 43801.10 43801.10 AT Par 43801.10 Rs
104	<b>Description:-</b> Supply, Installation, Testing and Commissioning of Manageable Layer-2 Switcher consisting of 24 $\times$ 10/100/1000 BASE-T PoE+ ports, 4 $\times$ 1G SFP+ ports with all ports loaded excep SFPs along with all accessories required for the installation similar to Dlink DGS- 1210-28P or better Supply of optical SFP/SFP+ is not included in this schedule. (Inspection by consignee)

Page 8 of 14 Run Date/Time: 31/10/2025 17:05:05

**Tender No:** M-SG-2025-473\_3TeleWork **Closing Date/Time:** 24/11/2025 15:00

		105	1.00	Pair	1180.00	1180.00	AT Par	1180.00	Rs.
Description:- Supply of 1G Single fibre SFP-BX -D and SFP-BX-U (pair) supports mi Single Fibre Transceiver Fibre Module to suit the switches in SI. no.36. (Inspection by co									
Г									

## 3. ITEM BREAKUP

		e A-SOR items				
Item- 1	SOR 20	22 Schedules.				
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	031040	Supply and Provision of Earthing as per RDSO Specification RDSO/SPN/197/2008 or latest (as per Technical Specification enclosed)		1.00	28118.51	28118.51
2	031080	Supply of earth electrodes (GI) as per Drg no SG/CN/02/13	Numbers	1.00	1618.75	1618.75
3	051170	Supply of 24 Fibre armoured OFC cable as per RDSO Specification RDSO/SPN/TC/ 110/2020 Rev. 0 or latest		3000.00	95.23	285690.00
4	051270	Supply of UTP Cable /CAT6/6A cable ETL or UL or CE3P certified panduit or Systimax or R&M or AMP or Molex or Krone Or D-LinkMakes		1525.00	34.73	52963.25
5	051430	Laying of STP/OFC/Power Cable/ switch board (10 pair/ 20 pair/50 pair) Cables in 1" PVC conduit/case caping and clamping on the wall/Roof tops/ Shelters with suitable clamping and hose to be provided where ever bends/curves (PVC conduit/ Case capping and other accessories to be supplied by the contractor)		7000.00	37.30	261100.00
6	051540	Provision of GI pipes (50/100mm dia) for cable laying with offset at both ends and with couplings over RCC bridges, drainage, culverts, and girder bridges. For RCC bridges, drainage, and culverts, the pipes shall be mounted on concrete masonry supports of size 300mm x 300mm x 300mm at an interval of 2 meters. For girder bridges, the pipes shall be fixed on suitable MS clamps at an interval of 2 meters. The ends of the pipes shall be closed with brick masonry abutments to ensure that no cable is exposed. The work shall be carried out as per the instructions of the Railway representative at the site.(Supply of GI pipes with couplings and laying of cables is not included in this schedule). Stone jelly (20/25mm size), bricks, sand, cement, MS angles, flats, bolts, nuts for manufacturing and fixing clamps, bricks, M sand, cement, and other miscellaneous materials for the work shall be supplied by the contractor.		18.00	208.54	3753.72
7	051740	Blowing/Drawing o f O F C cable/Power cable/Signalling cable inside permanently solid lubricated HDPE Pipe already laid. This work includes necessary duct integrity test for solid lubricated H D P E p i p e . ( This includes Transportation o f materials from nominated stores to site)		3000.00	23.43	70290.00
8		Supplyo fOTDR(mini)with standard accessories for 1310/1550nm with all standard accessories as per TEC specification GR/OTD-02/02 Jan 2005 or latest, (this item should have valid TEC approval certificate) as per Technical specification			307856.22	307856.22
9		Supply of OFC Power Meters, as per Technical specification		2.00	47200.00	94400.00
10	101020	Supply of GI pipes - 50mm dia -3.65mm thick as per Technical specification	Metre	18.00	457.88	8241.84

Page 9 of 14 Run Date/Time: 31/10/2025 17:05:05

**Tender No:** M-SG-2025-473\_3TeleWork **Closing Date/Time:** 24/11/2025 15:00

					Total	1375152.29
12	111920	Provision of HDPE Pipe of dia 40/33 mm	Metre	3000.00	26.11	78330.00
11		Supply of HDPE Pipe 40mm (outer dia)/33 mm (inner dia) with couplers	метге	3000.00	60.93	182790.00
1.1	101000	Committee of LIDDE Direct 40 mans / contrar direct 22 mans	N 4 - L	2000 00	CO 03	100700.00

## 4. ELIGIBILITY CONDITIONS

## **Special Financial Criteria**

S.No.	Description	Confirmation Required		Documents Uploading
1	The tenderer must have minimum average annual contractual turnover of V/N or 'V' whichever is less, where:- V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet. Client certificate from other than Govt Organization should be duly supported by Form 16A/26AS generated through TRACES of Income Tax Department of India.	No	No	Allowed (Mandatory)

## **Special Technical Criteria**

S.No.	Description	Confirmation Required		Documents Uploading
1	(a)The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i)Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or (ii)Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or (iii)One similar work costing not less than the amount equal to 60% of advertised value of the tender.	No	No	Allowed (Mandatory)
1.1	Similar Nature of Work: Provision of LAN or WAN or Data connectivity Special conditions of contract (for Telecom Items) a. Submission of Undertaking by the tenderer in their offer that the equipments shall be procured from RDSO/TEC approved sources and installation, testing and commissioning of the equipments shall also be got done from the same RDSO/TEC approved source including after sales support required during warranty period. b. After award of the contract and before supply of equipments, MOU with RDSO/TEC approved source shall be submitted for supply, installation, testing and commissioning of equipments including after sales support required during warranty period. c. In the MOU, original equipment manufacturer shall: i. Offer technical support for supply, installation and commissioning of the equipment. ii. Offer Warranty for equipment as per the condition laid in the tender document and RDSO/TEC specification for a period of one year from the date of commissioning iii. Guarantee to supply spares for a minimum period of 7 years after the expiry of the warranty period. iv. Support Railways for entering into AMC/ARC if any on later date after the expiry of warranty period. v. The appropriate level of satisfactory performance certificate shall be obtained from Indian Railways /Govt/PSUs/Quasi Govt. is from JA Grade officer in Indian Railways or equivalent.	No	No	Allowed (Mandatory)

## Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
1/	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.

Page 10 of 14 Run Date/Time: 31/10/2025 17:05:05

**Tender No:** M-SG-2025-473\_3TeleWork **Closing Date/Time:** 24/11/2025 15:00

3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

# Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.

:	S.No.	Description
	1	Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer.  [ Click here to download the Format of Self Certification)

## **5. COMPLIANCE**

## **Check Lst**

S.No.	Description	Confirmation Required		Documents Uploading
1	Statement of Deviation	No	No	Not Allowed
2	Power of Attorney	No	No	Not Allowed
3	(Bid Security) Bank Guarantee Bond from any scheduled commercial bank of India (Annexure VI(A)	No	No	Not Allowed
4	EMD Submitted	No	No	Not Allowed
5	List of personnel, organization available on hand and proposed to be engaged for the subject work.	No	No	Not Allowed
6	List of plant & machinery available on hand (own) and proposed to be inducted (own and hired to be given separately) for the subject work.		No	Not Allowed
7	Copy of PAN card	No	No	Not Allowed
8	NEFT Details	No	No	Not Allowed
9	GST Registration Certificate Copy	No	No	Not Allowed
10	Bid Security Declaration in lieu of EMD Submitted	No	No	Not Allowed
11	Organization details	No	No	Not Allowed
12	Undertaking that the item will be procured from RDSO Approved firm.	No	No	Not Allowed
13	Statement of Deviation	No	No	Not Allowed
14	Power of Attorney	No	No	Not Allowed
15	Certificate to be submitted / uploaded by tenderer along with the tender documents (Annexure V), Part I of GCC.	No	No	Not Allowed

Page 11 of 14 Run Date/Time: 31/10/2025 17:05:05

**Tender No:** M-SG-2025-473\_3TeleWork **Closing Date/Time:** 24/11/2025 15:00

16	Annexure-V(A), Part I of GCC (This certificate is to be given by attorney/authorized signatory/each member of Partnership firm/Joint Venture (JV)/Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.)	No	No	Not Allowed
17	(Bid Security) Bank Guarantee Bond from any scheduled commercial bank of India (Annexure VI(A)	No	No	Not Allowed
18	EMD Submitted	No	No	Not Allowed
19	List of personnel, organization available on hand and proposed to be engaged for the subject work.	No	No	Not Allowed
20	List of plant & machinery available on hand (own) and proposed to be inducted (own and hired to be given separately) for the subject work.		No	Not Allowed
21	List of works completed in the last three financial years giving description of work, organization for whom executed, approximate value of contract at the time of award, date of award and date of scheduled completion of work. Date of actual start, actual completion and final value of contract should also be given	No	No	Not Allowed
22	List of works on hand indicating description of work, contract value, approximate value of balance work yet to be done and date of award.		No	Not Allowed
23	Copy of PAN card	No	No	Not Allowed
24	Documents for Turnover for financial eligibility criteria	No	No	Not Allowed
25	Documents for technical eligibility criteria - Performance certificates for single similar nature of work	No	No	Not Allowed
26	NEFT Details	No	No	Not Allowed
27	GST Registration Certificate Copy	No	No	Not Allowed
28	Bid Security Declaration in lieu of EMD Submitted	No	No	Not Allowed
29	Organization details	No	No	Not Allowed

# **Commercial-Compliance**

S.No.	Description	Confirmation Required		Documents Uploading
1	The tenderer must have minimum average annual contractual turnover of V/N or 'V' whichever is less, where:- V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/Certificate from Chartered Accountant duly supported by Audited Balance Sheet. Client certificate from other than Govt Organization should be duly supported by Form 16A/26AS generated through TRACES of Income Tax Department of India.	No	No	Allowed (Mandatory)
2	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)
3	Power of Attorney	Yes	Yes	Allowed (Optional)
4	Annexure-V(A), Part I of GCC (This certificate is to be given by attorney/authorized signatory/each member of Partnership firm/Joint Venture (JV)/Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.)	No	No	Allowed (Optional)
5	NEFT Details	No	No	Allowed (Mandatory)
6	Copy of PAN card	No	No	Allowed (Mandatory)

Page 12 of 14 Run Date/Time: 31/10/2025 17:05:05

**Tender No:** M-SG-2025-473\_3TeleWork **Closing Date/Time:** 24/11/2025 15:00

7	Organization details	No	No	Allowed (Mandatory)
8	GST REGISTRATION/ A CERTIFCATE FOR NON-APPLICABILITY OF GST REGISTRATION	No	INO	Allowed (Mandatory)
9	Bid Security Declaration in lieu of EMD Submitted	No	No	Allowed (Optional)
10	Power of Attorney	Yes	Yes	Allowed (Optional)
11	(Bid Security) Bank Guarantee Bond from any scheduled commercial bank of India (Annexure VI(A)	No	No	Allowed (Optional)
12	NEFT Details	No	INO	Allowed (Mandatory)
13	Copy of PAN card	No	No	Allowed (Mandatory)
14	Organization details	No	No	Allowed (Mandatory)
15	Bid Security Declaration in lieu of EMD Submitted	No	No	Allowed (Optional)

## **Technical-Compliances**

S.No.	Description	Confirmation Required		Documents Uploading
1	List of plant & machinery available on hand (own) and proposed to be inducted (own and hired to be given separately) for the subject work.		No	Allowed (Mandatory)
2	List of works completed in the last three financial years giving description of work, organization for whom executed, approximate value of contract at the time of award, date of award and date of scheduled completion of work. Date of actual start, actual completion and final value of contract should also be given.	No	No	Allowed (Mandatory)
3	Statement of Deviation	No	No	Allowed (Mandatory)
4	Bid Security Declaration in lieu of EMD Submitted	No	No	Allowed (Optional)
5	List of plant & machinery available on hand (own) and proposed to be inducted (own and hired to be given separately) for the subject work.		No	Allowed (Mandatory)
6	List of works completed in the last three financial years giving description of work, organization for whom executed, approximate value of contract at the time of award, date of award and date of scheduled completion of work. Date of actual start, actual completion and final value of contract should also be given.	No	No	Allowed (Mandatory)
7	List of works on hand indicating description of work, contract value, approximate value of balance work yet to be done and date of award.	No	No	Allowed (Mandatory)
8	Bidder should submit an undertaking that the item will be procured from RDSO Approved firm.	No	No	Allowed (Mandatory)
9	Statement of Deviation	No	No	Allowed (Mandatory)
10	(a)The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i)Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or (ii)Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or (iii)One similar work costing not less than the amount equal to 60% of advertised value of the tender.	Yes	Yes	Allowed (Mandatory)

Page 13 of 14 Run Date/Time: 31/10/2025 17:05:05

**Tender No:** M-SG-2025-473\_3TeleWork **Closing Date/Time:** 24/11/2025 15:00

	Similar Nature of Work: Provision of LAN or WAN or Data connectivity Special conditions of contract (for Telecom Items) a. Submission of Undertaking by the tenderer in their offer that the equipments shall be procured from RDSO/TEC approved sources and installation, testing and commissioning of the equipments shall also be got done from the same RDSO/TEC approved			
11	source including after sales support required during warranty period. b. After award of the contract and before supply of equipments, MOU with RDSO/TEC approved source shall be submitted for supply, installation, testing and commissioning of equipments including after sales support required during warranty period. c. In the MOU, original equipment manufacturer shall: i. Offer technical support for supply, installation and commissioning of the equipment. ii. Offer Warranty for equipment as per the condition laid in the tender document and RDSO/TEC specification for a period of one year from the date of commissioning iii. Guarantee to supply spares for a minimum period of 7 years after the expiry of the warranty period. iv. Support Railways for entering into AMC/ARC if any on later date after the expiry of warranty period. v. The appropriate level of satisfactory performance certificate shall be obtained from Indian Railways /Govt/PSUs/Quasi Govt. is from JA Grade officer in Indian Railways or equivalent.	Yes	Yes	Allowed (Mandatory)

#### 6. Documents attached with tender

S.No.	Document Name	Document Description
1	TenderDocumentfor3TelecomworkMASTBM.docx.pdf	Tender Document
	GCC_April-2022_2022_CE-I_CT_GCC- 2022_POLICY_27.04.22.pdf	GCC April 2022
3	SOR2022BOOKLETNew1_compressed.pdf	SOR 2022
4	GCCCorrectionslip1to10.pdf	GCC CORRECTION SLIP 1 to 10

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

**Signed By:** T THULASIDHAR

**Designation:** DSTE/MAS

Page 14 of 14 Run Date/Time: 31/10/2025 17:05:05

## **SOUTHERN RAILWAY**

## **CHENNAI**

## **TENDER DOCUMENT**

Telecommunication portion of works in connection with Renovation of PCEE's office, Renovation to ORH Rooms at MMC and Provision of CCTV camera system for The Lifts & Escalators.

E- Tender Notice No: M-SG-2025-473\_3TeleWork Dated 31.10.2025

Estimated Cost of the Work	Rs. 11262908.70/-	
Cost of Tender Document	NIL	
Cost of Bid Security	Rs. 206300.00/-	
Validity of Offer	60 Days from date of tender opening	
Completion Period	6 Months	
Last Date & Time for submission of Tender	15:00 hrs. of 24.11.2025	
Date and Time for Opening of Tender	After 15:00 hrs. of 24.11.2025	

Office of Senior Divisional Signal & Telecom Engineer/Chennai, Chennai division, Southern Railway

Signature of Tenderer & Seal



# **INDEX**

Chapter No.	Item	Page No.		
Chapter-1 Tender Notice		7		
Chapter 2	Special Conditions of Contract	Special Conditions of Contract		
2.1	General Instruction	10		
2.2	Rules & General Information to Tenderer	10		
2.3	Name of Work	14		
2.4	Brief Scope Of Work	14		
2.4.1	Contractor's Scope of work	15		
2.4.2	Work to be done by Railways	15		
2.5	Qualifying & Eligibility Criteria	16		
2.5.4	Sub- Section clause	20		
2.5.5	Submission of Undertaking	21		
2.6 Bid Security		22		
2.7	2.7 Study of Local Conditions			
2.8	Clarification required by Tenderer			
2.9	Submission of Tender including required documents	26		
2.10 Validity of offer		30		
2.11	2.11 Completion Period			
2.12	2.12 Opening of Tenders			
2.13 Right of Railways to deal with Tenders		31		
2.14	2.14 Acceptance of Tender			
2.15	2.15 Signing of Agreement			
2.16	6 Commencement of Work			
2.17	Consignee			
2.18	Contractor's Office and Stores Depot			
2.19	Changes in Address	33		
2.20	Security Deposit	33		

Chapter No.	Item	Page No.
2.21	Refund of Security Deposit	34
2.22	Performance Guarantee	34
2.23	Programme of Work Execution	37
2.24	Inspection of Material	39
2.25	Inspection Charges	39
2.26	Materials and Workmanship	40
2.27	Stores - Receipt & Accountal	41
2.28	Loading/Unloading and Transportation of Material	41
2.29	Security of Material	42
2.30	Return of Surplus Stores	42
2.31	Return of Released Stores	43
2.32	Packing & Forwarding	43
2.33	Freight and Insurance	44
2.34	Consignee's Right of Rejection	
2.35	Consequences of Rejection (Rejected Stores)	
2.36	Execution of Works	45
2.37	Inspection of Works	52
2.38	Progress Reporting	53
2.39	Clearance of Site	54
2.40	Completion of Works	54
2.41	Warranty	55
2.42	Variation in Contract Quantities	57
2.43	Price Variation Clause	
2.44	Right of Railways to Keep Back from the Contract any Portion of Work	
2.45	Approval and Measurement of Work	59
2.46	Extension of Completion Period	60
2.47	Loss Sustained due to default and Delay	60

Chapter No.	Item	Page No.
2.48	Contractor's Liabilities for Cost and Damages	60
2.49	System of Quoting Rates	61
2.50	Terms of Payment	63
2.51	Final Payment	67
2.52	Post Payment Audit	68
2.53	Mode of Payment to Contractor	69
2.54	Final Settlement	71
2.55	Deduction from On Account Bills	71
2.56	Deduction of Taxes	72
2.57	Insurance	73
2.58	Rates During Negotiation	74
2.59	Vitiation	74
2.60	Labour Camps	74
2.61	Payment of Wages	74
2.62	Assignment or Subletting of Contract	75
2.63	Settlement of Disputes	78
2.64	Force Majeure	78
2.65	Police Verification of Contractor's Employees	79
Chapter -3	Forms & Annexures	
Form No.1A	Format for Technical Credentials	81
Form No.1B	Format for Technical Credentials(Substantially completed similar works)	83
Form No.2	Financial Eligibility Criteria	85
Form No.3	Statement of Deviations	87
Form No.4	Proforma for Bank Guarantee Bond	88
Form No.5	Proforma for Indemnity Bond	90
Form No.6	Receipt Certificate (For Supply Only)	93
Form No.7	Requisition – Cum – Receipt for the Material	94
Form No.8	List of Works completed & Works in hand	95
Form No.9	Format for a copy of Certificate to be Uploaded by Tenderer	96

# E- Tender Notice No: M-SG-2025-473\_3TeleWork Dated 31.10.2025

Chapter No.	Item	Page No.
Form No.10	Tender Form First Sheet	98
Form No 11	orm No 11 Tender Form Second Sheet	
Form No 12	Vendor Mandate Form	120
Form No 13	Checklist for Partnership Deed	121
Form No 14	Declaration regarding Sole proprietor/Partner/ Joint Venture	
Annexure B	Police Verification	125
Annexure 2	Proforma for NEFT Mandate Form	127
Annexure 3	Sources for Specifications/Drawing	128
Annexure 4	General Conditions of Contract 2020 (Uploaded Separately in IREPS)	
Annexure 5	Southern Railway - SOR Vol.II Booklet (Uploaded Separately in IREPS)	130
Annexure 7	Checklist	131
Annexure 8	Bid Security	135
Annexure 9	Average Annual Contractual Turnover Certificate	138
Chapter 4	Schedule of Works	141
CHAPTER- 4A	DETAILED GUIDELINES FOR SCHEDULE OF WORKS & SUPPLIES	142

# CHAPTER-1 TENDER NOTICE

## **SOUTHERN RAILWAY**

# TENDER NOTICE E- Tender Notice No: M-SG-2025-473\_3TeleWork Dated 31.10.2025

1.0 Senior Divisional Signal & Telecommunication Engineer/MAS, Southern Railway, Chennai Division, Chennai 600003 for and on behalf of 'President of India' invites OPEN E-Tender from the competent, experienced & established contractors having sufficient experience in similar work and satisfying minimum eligibility criteria on the prescribed form for the under noted work:

1	Name of the Work	Telecommunication portion of works in connection with Renovation of PCEE's office, Renovation to ORH Rooms at MMC and Provision of CCTV camera system for The Lifts & Escalators.
2	The estimated cost of the work	Rs. 11262908.70/-
3	Earnest money	Rs. 206300.00/-
4	Completion period	6 months.
5	Last date and Time of online submission (closing) of tender document	24.11.2025
6	Validity of offer	60 days from the date of opening of tender
7	The website address, time, and Date from which tender documents will be available	On Indian Railway Website, i.e., www.ireps.gov.in
8	Date and time of opening of Tender	After 15.00 Hrs of 24.11.2025
9	Website Particulars for bid submission	a) Bids are to be submitted online only. b) Tenderers must register on the Indian Railways E-Procurement System (IREPS) site, i.e., www.ireps.gov.in, to participate in the E-tender system. If required, necessary changes, Corrigendum /Addendum would be posted on this site only.

			c) Bidders will be able to submit their
			original/revised bids up to closing date &
			time only.
			d) Manual bids/offers are not allowed
			against this tender. Therefore, any manual
			offer received shall be ignored.
	10	Cost of the Tender	NIL
	10	Document	
	11	Participation of Joint	Not Allowed for this tender as per Railway
		Venture	Board Guidelines
	12	Sub-Section Clause	Sub-section clause is Not applicable

Further particulars can be obtained from the Indian Railways Website <a href="www.ireps.gov.in">www.ireps.gov.in</a>. Tenderers who wish to participate in tenders invited on <a href="www.ireps.gov.in">www.ireps.gov.in</a> have to register on the website mandatorily. Please refer to the website for more details. Tenderers can submit their BID SECURITY online. Online earnest money payment can be made through Net Banking, Debit/Credit, or payment gateway only. Fixed Deposit Receipt (FDR) will not be accepted as BID SECURITY for tenders invited on IREPS (E-Tender portal).

Sr. Divisional Signal and Telecommunication Engineer/ Chennai.
For Divisional Railway manager, Chennai Division Southern Railway, Park Town, Chennai-600003

\*\*\*\* END OF CHAPTER -1 \*\*\*\*

# CHAPTER - 2 SPECIAL CONDITIONS OF CONTRACT

# CHAPTER - 2 SPECIAL CONDITIONS OF CONTRACT

## 2.1 GENERAL INSTRUCTIONS:

- i) This Chapter shall be read in conjunction with Indian Railways Standard General Conditions of Contract (GCC) along with advanced correction slips and S&T SOR 2022, which shall be subject to modifications, additions, or supersession by these Special Conditions of Contract (SCC) and/or specifications/conditions, if any, which is part of this Tender Document.
- ii) The regulations for tenders and contracts shall be read in conjunction with the General Conditions of Contract which are referred to therein, and wherever there is a conflict between the Special condition of this contract with GCC and SCC of S&T SOR 2022, then SCC of this contract prevails.
- iii) It may be noted that the "General Conditions of Contract (Works) April 2022" together with its correction slips are attached to the tender form.
- iv) Any deviations from these Special Conditions of Contract, Technical Requirement & Specifications, Schedule of Material & Supplies and/or any condition of tender document, if any, stated by the tenderer in his tender or subsequently introduced by the Railway shall be a part of the Contract only to such extent as having been explicitly accepted by the Railway and incorporated in the contract. Details shall be given in **Form No—3** (in Forms and Annexures part of chapter 3).
- **v)** All offers are required to be submitted online on <a href="www.ireps.gov.in">www.ireps.gov.in</a> before the last date and time indicated in the Tender Notice.
- vi) Manual offers are not allowed for this tender. If any manual tenders are received, the same shall be ignored.
- vii) Provisions of Make in India Policy 2017 issued by Govt of India as amended from time to time shall be followed for consideration of tenders.

If the tender requires any additional information regarding the tender may be obtained from the Office of Sr. Divisional Signal and Telecommunication Engineer/ Chennai.

## 2.2 RULES & GENERAL INFORMATION TO TENDERER:

(i) Non- transferable tender documents may be downloaded by a registered bidder from <a href="www.ireps.gov.in">www.ireps.gov.in</a>. Bids are to be submitted online before the expiry of time and date of tender opening. Payment regarding the cost of Bid Security (Earnest Money Deposit) shall be through e

payment gateway or shall submit as Bank Guarantee bond only in IREPS website. The notice header can be seen at <a href="https://www.ireps.gov.in">www.ireps.gov.in</a>. **FDRs are not acceptable against** Bid Security (Earnest Money Deposit) **for this tender.** 

- (ii) Tenderer (s) are advised to refer to the "User Manual for Contractors" available in the 'Learning Centre' tab in the left navigation block on the home page of the E-Tendering portal <a href="www.ireps.gov.in">www.ireps.gov.in</a> for detailed instructions on submitting Bid Security/Bids online.
- (iii) Permitting downloading of the tender document by Railway is a facility for the convenience of Tenderer(s). In case, a tender document is not uploaded on the website or download failure or incomplete document downloaded, Railway shall not be responsible in any way. Railway shall not be liable for any direct/indirect loss of business/Profit resulting from the inability to use this facility.
- (iv) The tender document is not transferable, and the cost of the tender form is Zero; hence tenderers have the facility to download to enable more participation.
- The tenderer shall maintain the integrity of the downloaded tender (v) document and shall not make any change/alteration/ deletion/tampering in the downloaded documents. Suppose the tenderer(s) deliberately give(s) wrong information in his/their tender, create(s) circumstances for the acceptance of his/their tender. In that case, Railway reserves the right to reject such tender at any stage. The tenderer's offer shall be rejected, and full Bid Security shall be forfeited if it is detected after submitting an offer that they have made any modification in downloaded documents. If such modification is noticed after award of contract, Railway is liable to terminate the agreement on Contractor's default. In addition, Railway reserves the right to act against the firm as deemed fit, which may include banning business dealings with the firm, and the firm is also liable to be prosecuted as per the law. In case of any dispute over the discrepancy noted in the tender document submitted by Tenderer, the master document kept with Railway shall prevail. The decision of Railway thereon shall be final and binding on the tenderer/contractor. The Tenderers shall give the declaration in Form - 9 while submitting the tender. [Refer Forms & Annexures of Chapter-3 of Tender Document]
- (vi) The tenderer(s) shall keep him updated about any modification in E-tender notice and E-tender document issued by Railway through newspapers, website, or any other means and shall act accordingly. Tenderers are advised to download the tender documents well in advance and submit the tender before the stipulated date and time. The tenderer's

responsibility is to check any corrections or modifications published subsequently in the IREPS Web site. The same shall be considered while submitting the tender. The Tenderers shall download the corrigendum (if any) and upload it with the main tender document with their digital signature. Tender documents not accompanied by published corrigendum(s) are liable to be rejected.

- (vii) The tender shall be signed by individuals or individuals legally authorized to enter into commitments on behalf of the tenderer. Any individual(s) signing the tender documents or other documents connected in addition to that should specify whether he is signing:
  - a. As a sole proprietor of the firm or attorney of the sole proprietor.
  - b. As a partner or partner of the firm.
  - c. As a Director, Manager, or Secretary or official with Power of Attorney as per memorandum/article of association in a Limited Company.
  - d. Individual(s) signing the tender documents must state that they are authorized to sign the same and submit documentary proof.
- (viii) Every tenderer shall state in the tender his postal address fully and clearly. Any communication sent in time to the tenderer by post at the said address shall be deemed to have reached the tenderer duly and in time. He shall also give telephone and fax numbers for communication. Essential documents shall be sent by registered post.
- (ix) Incomplete and conditional tenders will generally not be considered and will be rejected. However, the Railway reserves the right to reject any special conditions stipulated by the tenderer as deemed unacceptable to the Railway. For example, suppose any deviations from the General Conditions of Contract /Special Conditions of Contract/ Technical Specifications & Requirements/Schedule of works & Supplies are proposed by the tenderer. In that case, they should be mentioned on the statement of deviation in **Form No.3** (in Forms & Annexures part of Chapter 3) and not elsewhere in the tender document. If the tender has no exceptions, the **Statement of Deviations** shall submit a "NIL' statement. If the tenderer does not include this with the tender, it shall be conclusive evidence that all contract conditions are entirely acceptable to the Tenderer.
- (x) All the relevant documents shall be uploaded along with the tender form as per the terms and conditions of the tender.

(xi) All supporting documents to the offers shall be typed, written/printed neatly in indelible ink in English, and scanned with sufficient resolution for uploading on the E-tendering portal. A clear hard copy can be taken for the same. Each page of the offer can be duly signed by the tenderer & should bear the seal of the firm. Photocopies of all the certificates etc., submitted by the tenderer should be self-attested as true copies unless required to be attested by the Notary public by other conditions of the tender. No scribbling is permissible in the tender documents. Tenders containing erasures and alterations in the tender documents are liable to be rejected. Any correction made by the tenderer(s) in his/their entries must be attested by him/them.

# (xii) Errors, Omission & Discrepancies (in the tender document):

- a. The contractor(s) shall not take any advantage of any misinterpretation of the conditions due to typing or any other error and if in doubt, shall bring it to the notice of the tender inviting authority without delay. In case of any contradiction, only the printed rules and books should be followed, and no claim for the misinterpretation shall be entertained.
- **b.** Suppose a tenderer finds discrepancies in, or omissions from the drawing or any of the tender documents or has any doubt about their meaning. In that case, he should at once notify
- Sr. Divisional Signal and Telecommunication Engineer/ Chennai., who may send a written clarification to all Tenderers or upload the Amendment & Corrigendum in <a href="https://www.ireps.gov.in">www.ireps.gov.in</a> as required.
  - (xiii) After the opening of the tender, any document/credential about the firm's Technical & Financial eligibility and constitution will neither be asked nor be entertained/considered under any circumstance & nor claim or representation whatever in this regard, from the tenderer, shall be entertained.
  - (xiv) Clarification of Bids: To assist in the examination, evaluation & comparison and pre-qualification of the Tender, the Railway may, at its discretion, ask any Bidder for a clarification of its Bid. Any clarification submitted by a Bidder that is not in response to a request by the Railway shall not be entertained or considered. The Railway request for clarification and the response of the bidder in this regard shall be in writing. However, if a Bidder does not provide clarification of its bid by the date and time communicated in the Railway request for clarification,

the bid shall be evaluated as per the documents submitted along with the bid.

The comparative tabulation of bids received against the open E-tender will be available online to participate firms immediately after opening the Bid by Railway. However, the tenderer or his authorised representative may attend the office of Sr. Divisional Signal and Telecommunication Engineer/Chennai.

(xv) The date of inviting tender shall be the date of publishing a tender notice on the IREPS website.

### 2.3 NAME OF THE WORK:

Telecommunication portion of works in connection with Renovation of PCEE's office, Renovation to ORH Rooms at MMC and Provision of CCTV camera system for The Lifts & Escalators.

#### 2.4 BRIEF SCOPE OF WORK:

#### The work involves

- Supply and Provision of Earthing Arrangements, Supply of GI earth electrode.
- Supply and Provision of GI Pipe, HDPE pipe
- Blowing /Drawing of OFC/Power cable inside Permanently Solid lubricated HDPE pipe and Laying of STP/UTP/OFC/Power Cable/ switch board (10 pair/ 20 pair/50 pair) Cables in PVC Conduit.
- Supply OTDR, OFC Power Meter.
- Supply of STP CAT6 (23 AWG) cable
- Supply and Erection of Standard Rack 19" size, 6U size
- Supply of 3 Core x 2.5 Sqmm multistrand copper conductor
- Supply Full HD Bullet Type IP Colour Camera
- Installation, Testing and Commissioning of Full HD Bullet Type IP Colour Camera
- Supply of Full HD P/T/Z/ (Pan/Tilt/Zoom) IP Colour Camera
- Installation, Testing and Commissioning of Full HD P/T/Z/ (Pan/Tilt/Zoom) IP Colour Camera with ceiling mount kit
- Supply and Installation of 32 channel Network Video Recorder (NVR)

- Supply of RJ 45 Jack or connectors (per unit = 100 Nos/Packet)
- Supply of Large Format LED Display Unit, 55" (inches)
- Installation, testing and commissioning of large format display monitor unit 55" with all accessories
- Supply, Installation, Testing and commissioning of PC Workstation for Viewing, Monitoring and System management of above IP cameras
- Supply and Fixing of computer table (1200x600x750)mm and revolving chair steel cushioned 2 nos
- Supply, Installation, Testing and commissioning of Manageable Layer-2 Switches
- Supply and Fixing of 32 mm PVC conduit pipe
- Supply of 10G SFP+ supports a minimum of 10Km.
- Supply and Erection of covered 19" racks (42U) size
- Supply and Installation of 150mm width x 60mm depth x 1.6mm thick size perforated Hot dipped Galvanized cable tray with suitable cover of 1.6 mm thickness
- Supply and Installation of Media converter single mode ethernet to Fiber media converter.
- Cutting of platform surface (Tile/Slab) for a depth of 25cm and a width of 10cms and refilling.
- Supply and Installation of 15 meter HDMI cable (Inspection by Consignee).
- Supply and Provision of multipin power socket with switch 5A/15A.
- Supply and Installation of wall mountable power distribution panel with 8Nosx 16 Amp MCB's mounted
- Supply of 5meter length, Single mode, Simplex SC-LC/SC-SC/LC-LC Optical patch chords
- Supply & Installation of 5KVA min 8000 VAH on line UPS
- Supply and Termination of FMS Rack mounting type 19"size for 12F with SC-PC connector loaded
- Track crossing/Road crossing through Horizontal boring method as advised by the engineer at site.
- Supply of Crimping Tool for RJ45 & RJ11.

- Supply of LAN Tester for RJ45+RJ11 Type.
- Preparation and submission of As made drawings mentioning the location of cameras, wiring diagrams of UTP, Power, OFC cable etc.,
- Supply and Installation of Table top Chairperson conference Microphone unit with flexible stern of longer length, ringing light, black base, two headphone sockets etc.
- Supply and Installation of Table top Delegates person conference Microphone unit with flexible stem of longer length, ringing light, black base, two head phone sockets, BOSCH proprietor interconnectivity cables for connecting other delegate unit etc.
- Supply and Installation of P.A conference system Extension cable of length minimum 5 meters and 10 Meters.
- Supply and Installation of Rack mountable type class D Audio Power Amplifier (2x300W)
- Supply and Installation of 16-channel Audio mixing console having dimensions (444 X130X 500)mm, Max.
- Installation of Surface Mount Speaker of 150W with superior Supply and sound quality and sleek functional design having 5.25 woofer and 0.75" soft done tweeter with IP 35 rated protection along with suitable mounting brackets hardware accessories
- Supply and Installation of Audio Encoder interface device
- Supply and Installation of 1.5 Mtrs XLR Female to Mono male cable.
- Supply and Installation of factory crimped 2RCA Male to Single Mono male cable 1.5 Meters.
- Supply and Installation of 1.5 Mtrs Mono male to Mono male cable.
- Supply and Installation of 1.5 mtr XLR female to XLR male Cable.
- Supply and Fixing of SC TYPE Rack mountable 24F Fibre management system (FMS).
- Supply and Installation of Audio conferencing system central control discussion unit.
- Supply, Installation & Configuration of WiFi 6 router with minimum 4 number of Gigabit LAN Port.
- Supply and Fixing of PVC slotted trough of 50mmx50mmx1.2mm thickness
- Supply and Fixing of PVC trunk

- Supply and Installation of USB 3.0 extension cable 5 Mtrs, 10mtr and 15 Mtrs
- Supply & Installation of 4x4 USB Hub Switcher
- Supply, installation, commissioning 98 inch Smart TV suitable for VC
- Supply of STP (Shielded Twisted Pair) CAT6 cable 23 AWG (4 pair) compliant with EIA/TIA568-B.2-1 standard.
- Cutting of Trench/wall across/on the platform for a depth of 10 cm & 10 cm breath with marble cutting machine and filling the trench after cable laying and restoring surface with plaster etc.
- Laying/blowing/pulling/drawal of STP cable/UTP cable/OFC cable/Power cable/Co-axial cable/switch board cable through the conduit pipe or Cable trough or tray or Casing and Caping.
- Supply and Fixing of Standard Rack 19" size width, 27U size
- Supply of RJ 45 Jack or connectors
- Supply, Installation ,Testing and Commissioning of 24 port (10/100/1000 Base-T port)Gb layer -2 network switch
- Supply, Fixing and Termination of Dual I/O box with RJ -45 socket dual information outlet with Surface Mount Box (SMB).
- Supply, Installation, Testing and commissioning of manageable Field Switches consisting of 8 nos. of 10/100 BASE-T PoE
- Supply and Termination of 24 port loaded patch panel /jack panel with cable manager and terminating UTP cable.
- Supply, Installation, Testing and Commissioning of Video VoIP phone. Detailed technical specification attached.
- Supply, Installation, Testing and Commissioning of Executive open standard SIP phone with external power adapter as per Specification attached.
- Supply, Installation, Testing and Commissioning of non-Executive open standard SIP phone.
- Supply of Krone Termination box 20 pair with Krone Module
- Installation testing and commissioning of 100/50/20 pair Kronection hox
- Supply of Wireless Cardioid Microphone.

- Supply and Wiring of 2 core copper x 1.5 sq.mm Screened/Shielded multistrand PVC insulated wire for speaker load line.
- Supply, Installation and Commissioning of 4K and HD PTZ Camera
- Supply, Installation and Commissioning of 8x8 Matrix Switcher
- Supply, Installation and Commissioning of Pop Up Box with 2xPower.
- Supply of Maintenance portable terminal.
- Supply and installation of 1 Mtr and 3Mtrs length
- Supply & Installation of 100X50 mm raceways-Laying
- Supply, installation, commissioning 55 inch Smart TV suitable for VC
- Supply and Installation of 20 meter HDMI cable
- Testing,integration,commissioning,of Audio,VC system in PCEE conference meeting hall, on site training-10 mandays (user departments and S&T DEP),system & cabling complete documentation in hard&soft copies as per instruction of railway representative at site etc
- Supply of UTP CAT 6 cable (23 AWG)
- Supply of 12 core Unarmoured Optical fibre cable for indoor.
- Supply of Power cable 3 core, 2.5 sq mm.
- Supply and Fixing of 25mm PVC conduit pipe (ISI mark)
- Supply and fixing of 25mmx25mmx1.2mm thickness PVC casing and capping with cover
- Supply and fixing of 12mmx12mmx1.2mm thickness PVC casing and capping with cover
- Supply, Installation, Testing and Commissioning of 8 port POE manageable switch.
- Supply, Installation, Testing and commissioning of 24 port giga bit layer 2 switch.
- Supply, Installation and Integration of single Fibre bidirectional Module.
- Supply and Fixing of Standard Rack 19 "size width, 12U size.
- Supply, Installation & Configuration of WiFi 6 Range Extender
- Supply, Fixing and Termination of Single I/O with SMB and connector with shutter facility and terminating the UTP cable.

- Supply of 10 mtr length, Single mode, Simplex SC/LC to SC/LC OFC Patch cards so as to suit the site requirement as directed by the Railway Representative.
- Supply and Installation of 1 Mtr and 3 Mtrs length UTP CAT6 23 AWG factory crimped patch chord (RJ45).
- Supply and Installation of rack mountable 2 KVA online UPS
- Supply and Installation of 43" LED 4K UHD smart Television with all accessories as per Specification enclosed.
- Supply and Installation of i5 10th generation or latest CPU with 8GB RAM, 1000GB HDD, Windows 11 OS, Keyboard, Mouse along with all accessories as per Specification enclosed. CPU make: HP/DELL/Better.
- Supply and Installation of wall mountable TV stabilizer along with suitable stand for LED TV upto 55"
- Supply and Installation, Testing and Commissioning Corporate Satellite HD DTH cable TV connectivity for 26 nos of TV
- Supply of RG 6F coaxial cable , 2-way splitter
- Supply and Fixing of wall concealed type cable TV
- Supply and Installation of distribution box loaded with fitted with suitable 26 nos of RG6 Coaxial female jack/male jack
- Supply, Installation, Testing and Commissioning of Manageable Layer-2 Switches
- Supply of 1G Single fibre SFP-BX -D and SFP-BX-U (pair) Supply of Fixing of DLP U PVC Trunking of size 150mmx50mm base

Note: All signalling and Telecommunication cable laying work shall be executed as per Railway Board letter no.2021/tele/5(2)/3 - Part (1) (3425647) dated 12.06.2023 (Joint procedure order for undertaking digging work in the vicinity of underground signaling, electrical & telecommunication cables) and the same is uploaded in IREPS.

#### 2.4.1 CONTRACTOR'S SCOPE OF WORK:

i) The contractor has to make all supplies as per the schedule of works except the items mentioned under the heading "Works to be done by Railways" in the tender document under Para 2.4.2

ii) The contractor shall be responsible for employing qualified personnel for supervision and execution of work as per GCC Clause No 26.

Contract value	Deployment of Qualified Engineers	Remarks
200 Lakhs & above	One qualified Graduate Engineer to be employed	In case contractor fails to employ qualified engineer he shall be liable to pay an amount of Rs. 40,000/- for each month or part thereof for the default period.
1	One qualified Diploma Holder Engineer to be employed	In case contractor fails to employ qualified engineer, he shall be liable to pay an amount of Rs.25,000/- for each month or part thereof for the default period.

- iii) The contractor has to make all supplies as per schedule of works except the items mentioned under heading "Works to be done by Railways" in the tender document
- iv) The contractor shall be responsible for employing of qualified personnel for supervision and execution of work as per GCC Clause No 26.
- v) The contractor shall be responsible for supply of equipment/materials as per Technical specification & Requirement in line with Tender schedules.
- vi) The contractor shall be responsible for proper execution of work in line with Tender schedules.
- vii) The contractor shall be responsible for arranging man and materials required for proper execution of work.
- viii) Trenching, laying of cables with proper protection and related works as per the Schedules and associated termination and wiring works.

#### 2.4.2 WORK TO BE DONE BY THE RAILWAYS:

The following works shall be done by Railways: -

- (i) Supervision of testing and commissioning of installation/equipment. This activity shall be done once the tenderer has completed the testing of complete installation and offers it is up to Railways for their testing, verification and validation.
- (ii) Supervising the entire project execution being carried out by the contractor.

(iii) Making personnel available for the operation of equipment after commissioning.

# 2.5 QUALIFYING & ELIGIBILITY CRITERIA:

## 2.5.1 SIMILAR NATURE OF WORK:

For satisfying eligibility criteria for the subject tender, similar nature of work means "Provision of LAN or WAN or Data connectivity"

Special conditions of contract (for Telecom Items)

- a. Submission of Undertaking by the tenderer in their offer that the equipments shall be procured from RDSO/TEC approved sources and installation, testing and commissioning of the equipments shall also be got done from the same RDSO/TEC approved source including after sales support required during warranty period.
- b. After award of the contract and before supply of equipments, MOU with RDSO/TEC approved source shall be submitted for supply, installation, testing and commissioning of equipments including after sales support required during warranty period.
- c. In the MOU, original equipment manufacturer shall:
  - i. Offer technical support for supply, installation and commissioning of the equipment.
  - ii. Offer Warranty for equipment as per the condition laid in the tender document and RDSO/TEC specification for a period of one year from the date of commissioning
  - iii. Guarantee to supply spares for a minimum period of 7 years after the expiry of the warranty period.
  - iv. Support Railways for entering into AMC/ARC if any on later date after the expiry of warranty period.
  - v. The appropriate level of satisfactory performance certificate shall be obtained from Indian Railways /Govt/PSUs/Quasi Govt. is from JA Grade officer in Indian Railways or equivalent.

## 2.5.2 TECHNICAL ELIGIBILITY: -

Tenderer must have successfully completed any of the following during last 07 (SEVEN) years, ending last day of month previous to the one in which tender is invited.

One Similar work, each costing not less than the amount equal to 60% of the advertised value of the tender.

(OR)

Two Similar works, each costing not less than the amount equal to 40% of the advertised value of the tender.

(OR)

Three Similar works, each costing not less than the amount equal to 30% of the advertised value of the tender.

Work experience certificate from a Private individual shall not be considered. However, in addition to work experience certificates issued by any Govt Organisation, the work experience certificate issued by Public Listed Company has an average annual turnover of Rs. 500 Crores and above in last 3 Financial Years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least five years prior to the date of opening of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public Listed company to issue such certificates.

In case tenderer submits work experience certificate issued by Public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by the company in support of above work experience certificate.

The tenderer shall submit a certificate to this effect in the format given in **Form No.1** (in Forms & Annexures part of Chapter - 3) of the tender document. Certificates to be duly certified by minimum JAG Officer.

#### Note:

- 1) In case the work is started prior to 07 (seven) years, ending last day of month previous to the one in which tender is invited, but completed in last 07 (seven) years, ending last day of month previous to the one in which tender is invited, the completed work shall be considered for fulfillment of credentials.
- 2) Suppose a work is physically completed and the concerned organization issues a completion certificate to this extent, but the

final bill is pending. In that case, such work shall be considered for fulfillment of credentials.

- 3) Suppose a part or a component of work is completed but the overall scope of contract is not completed. In that case, this work shall not be considered to fulfill technical credentials even if the cost of part completed work/component is more than required to fulfill credentials.
- 4) If a work is considered similar in nature for fulfillment of technical credentials, the overall cost of that work, including PVC amount, if any, shall be considered. However, no separate evaluation for each component of that work shall be made to decide eligibility.
  - a. If a bidder has successfully completed work as a subcontractor and the work experience certificate has been issued for such work to the subcontractor by a Govt. Organization or public listed company as defined in a note for item 10.1 part I of GCC, the same shall be considered to fulfill credentials. (As per RB lr.no.2020/CE-I/CT/3E/GCC/Policy dt:30.12.2021)
- 5) The value of the final bill including PVC amount-if paid, or otherwise, in case the final bill is pending the contract cost in the last approved variation statement plus PVC amount paid or the cumulative amount paid up to last on-account bill including PVC amount and statutory deductions whichever is less, shall be considered as the completion cost of work.
- 6) In the case of a newly formed partnership firm, the credentials of individual partners from previous propriety firm(s) or dissolved previous partnership firm(s) or split previous partnership firm(s) shall be considered only to the extent of their share in previous entity on the date of dissolution/split and their share in a newly formed partnership firm. For example, partner A had a 30% share in the previous entity, and his share in the present partnership firm is 20%. Therefore, in the present tender under consideration, the credentials of partner A will be considered to the extent of 0.3\*0.2\*value of the work done in the previous entity. For this purpose, the tenderer shall submit along with his bid all the relevant documents, which include a copy of previous partnership deed(s), dissolution deed(s), and proof

of surrender of PAN No. (s) in case of dissolution of a partnership firm(s), etc.

- 7) In the case of an existing partnership firm, if any one or more partners quit the partnership firm, the credentials of the remaining partnership firm shall be re-worked out, i.e., the quitting partner(s) shall take away his credentials to the extent of his share on the date of quitting the partnership firm (e.g., in a partnership firm of partners A, B & C having share 30%, 30% & 40% respectively and credentials of Rs 10 crore; in case of partner C quits the firm, the credentials of this partnership firm shall remain as Rs 6 crore). For this purpose, the tenderer shall submit along with his bid all the relevant documents, which include a copy of previous partnership deed(s), dissolution deed(s), and proof of surrender of PAN No. (s) in case of dissolution of a partnership firm(s), etc.
- 8) In case of existing partnership firm if any other partner(s) joins the firm, the credentials of partnership firm shall get enhanced to the extent of credentials of newly added partner(s) on the same principles as mentioned in item 6 above. For this purpose, the tenderer shall submit along with his bid all the relevant documents which include copy of previous partnership deeds, dissolution/splitting deeds and proof of surrender of PAN No.(s) in case of dissolution of partnership firm etc.
- 9) Any partner in a partnership firm cannot use or claim his credentials in any other firm without leaving the partnership firm i.e., In a partnership firm of A&B partners, A or B partner cannot use credentials of partnership firm of A&B partners in any other partnership firm or propriety firm without leaving partnership firm of A&B partners.
- 10) If a partner in a partnership firm is replaced due to succession as per succession law, the proportion of credentials of the previous partner will be passed on to the successor.
- 11) Suppose the percentage share among partners of a partnership firm is changed, but the partners remain the same. In that case, the firm's credentials before such modification in the share will continue to be considered for the firm as it is without any change in their value. Further, if a partner of a partnership firm retires without taking

away any credentials from the firm, the credentials of the partnership firm shall remain the same as it is without any change in their value.

- 12) In a partnership firm "AB" of A&B partners, in case A also works as propriety firm "P" or partner in some other partnership firm "AX," credentials of A in propriety firm "P" or in another partnership firm "AX" earned after the date of becoming a partner of the firm AB shall not be added in partnership firm AB.
  - If a tenderer is LLP, the credentials of the tenderer shall be worked out on the above lines similar to a partnership firm.
- 13)If company A is merged with company B, then company B would also get company A's credentials.

#### 2.5.3 FINANCIAL ELIGIBILITY: -

The tenderer must have minimum average annual contractual turnover of **V/N or 'V' whichever is less**, where: -

V= Advertised value of the tender in crores of Rupees

# N= Number of years prescribed for completion of work for which bids have been invited.

The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case the balance sheet of the previous year is yet to be prepared/audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover.

The tenderers shall submit requisite information as per **Annexure-VIB**, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet.

Client certificate from other than Govt Organization should be duly supported by Form 16A/26AS generated through TRACES of Income Tax Department of India.

# 2.5.4 SUB-SECTION CLAUSE: - (Not Applicable for this tender)

A. In view of the sub-sectioning, if eligible Tenderer/firm becomes L-1 only in one tender, the tender will be awarded to the lowest eligible Tenderer/firm.

#### OR

If the Tenderer/firm becomes L-1 in more than one tender for above mentioned Tender Notice, then evaluation of Tenderer/firm for his/its eligibility for award of all such tenders shall be done, duly considering the work experience (i.e., 30% percent for three similar works (or) 40% for two similar works (or) 60% for one similar work) of combined value of such tenders and Financial capability of I50% percent of combined value of such tenders, in which the Tenderer/firm is L-1.

B. In case the Tenderer is lowest in more than one tender under consideration, however, falls short of above sub-sectioning eligibility criteria, then the Tenderer will be considered for awarding any of the work(s) at the sole discretion of the Railways. The decision of the Railway will be final and binding on the Tenderer.

# 2.5.5 BID CAPACITY: - (Not Applicable for this tender)

The tenderers who meet the minimum eligibility criteria will be qualified only if their available bid capacity is equal to or more than the total bid value of the present tender. The available bid capacity shall be calculated as under:

Available Bid Capacity =  $[A \times N \times 2] - 0.33 \times N \times B$ 

## Where

- A = Maximum value of construction works executed and payment received in any one financial year during the current and last three financial years immediately preceding the current financial year, upto date of opening of tender, taking into account the completed as well as works in progress.
- N= Number of years prescribed for completion of work for which bids has been invited.
- B = Existing commitments and balance amount of ongoing works with tenderer as per prescribed proforma of Railway for statement of all works in progress and also the works which are awarded to tender but yet not started upto the date of inviting of tender.

#### Note:

- 1) Tenderer to note that the list of documents to be submitted by tenderer was enclosed as Form-8 (in Forms and Annexures Part of Chapter-4) for assessing Bid capacity.
- 2) In case, tenderer failed to submit the above document/statement as per Form-8 along with offer, their/his offer shall be considered as incomplete and will be rejected summarily.
- 3) The available bid capacity of tenderer shall be assessed based on the details submitted by the tenderer. In case, the available Bid capacity is lesser than estimated cost of work put to tender, his offer shall not be considered even if he has been found eligible in other eligibility criteria/tender requirement.
- 4) The supporting documents to assess the Bid capacity has to be enclosed in Technical Bid document only i.e., Packet-I.

## SUBMISSION OF UNDERTAKING AFTER AWARD OF LOA: -

The tenderer shall necessarily satisfy the Eligibility conditions listed below:

- i) After award of the contract and before supply of EI materials, Undertaking shall be submitted from RDSO approved EI OEM covering supply of equipment for EI, Installation, Testing and commissioning of EI by the same RDSO approved source including after-sales support required during the warranty period, and beyond the warranty period, before supply of equipment is undertaken. Further, the tenderer shall ensure that Undertaking shall include following:
  - a) Offer technical support for supply, installation, and commissioning of the equipment.
  - b) Submission of Interface and Application Logics for approval.
  - c) Undertake certification of Factory Acceptance Test.
  - d) Undertake verification and certification of the pre-commissioning checklist as per RDSO guidelines.
  - e) Submission and Signature of the Application for Technical System approval by RDSO to ensure that the installation is per the RDSO stipulations.
  - f) Impart training to Railway officials at their factory premises and at site
  - g) Offer Warranty for equipment as per the condition laid in the tender document and RDSO specification for one year from the date of commissioning.

- h) Guarantee to supply spares for a minimum of 7 years after the expiry of the warranty period.
- i) Support Railways for entering into AMC/ARC, if any, at a later date after the expiry of the warranty period.

#### Note:

The successful bidder shall submit an undertaking from RDSO approved EI OEM, before the supply of EI materials.

# 2.6 Bid Security:

The tenderer shall deposit BID SECURITY amounting to Rs. 206300.00/- online through net-banking/debit/ credit card or payment gateway only on www.ireps.gov.in for the due fulfillment of:

- a) For the due performance with the stipulation to keep the offer open till such date as specified in the tender, under the tender conditions.
- b) After submitting his tender, he will not resile from his offer or modify the terms and conditions thereof in a manner not acceptable to the Engineer. Should the tenderer fail to observe or comply with the said stipulation, the BID SECURITY mentioned above shall be forfeited by the Railway.

#### Note:

- 1) If the tenderer withdraws his offer within the validity date of his offer, the full Earnest Money shall be forfeited.
- 2) The practice of allowing standing BID SECURITY is dispensed forthwith for all tenders.
- (i) The Bid Security shall be rounded off to the nearest ₹100. This Bid Security shall be applicable for all modes of tendering.
- (ii) Any firm recognized by Department of Industrial Policy and Promotion (DIPP) as 'Startups' shall be exempted from payment of Bid Security deposit detailed above.
- (iii) Labour Cooperative Societies shall submit only 50% of above Bid Security deposit detailed above.
- (b) It shall be understood that the tender documents have been issued to the tenderer and the tenderer is permitted to tender in consideration of stipulation on his part, that after submitting his

tender he will not resile from his offer or modify the terms and conditions thereof in a manner not acceptable to the Engineer Should the tenderer fail to observe or comply with the said stipulation, the aforesaid amount shall be liable to be forfeited to the Railway.

- (c)If his tender is accepted this Bid Security mentioned in sub clause (a) above will be retained as part security for the due and faithful fulfillment of the contract in terms of Clause 16 of the Standard General Conditions of Contract.
  - The Bid Security of other Tenderers shall, save as herein before provided, be returned to them, but the Railway shall not be responsible for any loss or depreciation that may happen thereto while in their possession, nor be liable to pay interest thereon.
- (2)The Bid Security shall be deposited either in cash through thepayment gateway or submitted as Bank Guarantee bond from a scheduled commercial bank of India or as mentioned in tender documents. The Bank Guarantee bond shall be as per Annexure-VIA and shall be valid for a period of 90days beyond the bid validity period.
- (3)In case, submission of Bid Security in the form of Bank Guarantee, following shall be ensured:
- (i) A scanned copy of the Bank Guarantee shall be uploaded on e-Procurement Portal (IREPS) while applying to the tender.
- (ii) The original Bank Guarantee should be delivered in person to the official nominated (Ch.OS/GEN) as indicated in the tender document before closing date for submission of bids (i.e. excluding the last date of submission of bids).
- (iii) Non submission of scanned copy of Bank Guarantee with the bid on e-tendering portal (IREPS)and/or non-submission of original Bank Guarantee within the specified period shall lead to summarily rejection of bid.
- (iv) The Tender Security shall remain valid for a period of 90 days beyond the validity period for the Tender.
- (v) The details of the BG, physically submitted, should match the details available in the scanned copy and the data entered during bid submission time, failing which the bid will be rejected

The Bank Guarantee shall be placed in an envelope, which shall be sealed. The envelope shall clearly bear the identification "Bid for Telecommunication portion of works in connection with Renovation of PCEE's office, Renovation to ORH Rooms at MMC

**and Provision of CCTV camera system for The Lifts & Escalators.** ", and shall clearly indicate the name and address of the Bidder. In addition, the Bid Due Date should be indicated on the right-hand top corner of the envelope.

- (vi) The envelope shall be addressed to the officer and address as mentioned in the tender document.
- (vii) If the envelope is not sealed and marked as instructed above, the Railway assumes no responsibility for the misplacement or premature opening of the contents of the Bid submitted and consequent losses, if any, suffered by the Bidder.

## 2.7 STUDY OF LOCAL CONDITIONS:

The intending tenderer is advised to carefully study the Tender Document, Technical specifications, Schedule of supplies, and other instructions. The tenderer shall inspect the proposed site of work and acquaint himself with the site conditions, working hours, the layout of the land, trees, and shrubs that he will have to cut, type of strata likely to be met while excavation, stacking space for materials, approach roads, pathways available, etc., and all relevant items connected with execution for the work. No claim shall be entertained for the contractors making his arrangements for approach roads from outside Railway land, and contractors will bear entire expenses such as road taxes, payment for the right of way, etc., to outsiders and for constructions of approach roads, etc.,

It will be imperative for the tenderer to fully acquaint themselves with all the local conditions and other factors that would affect the performance of the contract and the cost of the stores. Therefore, after the offer is accepted by the Indian Railway, no request for the change of rate or time schedule of delivery of stores/execution of work shall be entertained on account of any local condition or factors.

The tenderer may undertake a study/survey of Signalling systems/practices used in Railways and assess the work. If the tenderer desires a field visit before furnishing his offer, he may apply to Sr.DSTE/MAS, Southern Railway, for permission in this regard. The Railway shall grant such permission, but the tenderer's expenses in this regard shall be borne completely.

Any submission of an offer by the tenderer shall be deemed to have been done after a careful study and examination of this tender document and site conditions with a complete understanding of the implication thereof. It will be understood that the tenderer has/have got herself/himself/themselves clarified on all the points and interpretation by proper authorities of the Indian Railway Administration. These conditions and specifications shall be deemed accepted unless otherwise commented explicitly upon by the Tenderer in his offer. Failure to adhere to anyone or all these instructions may render his offer liable to be ignored without any reference.

# 2.8 CLARIFICATION REQUIRED BY THE TENDERER:

Specifications, Drawings, Plans, etc., related to the above subject work can be obtained from the office of Sr. Divisional Signal and Telecommunication Engineer/ Chennai.

Suppose a Tenderer finds discrepancies in or omission from the drawing or any of the Tender document or should he be in doubt as to their meaning. In that case, he should at once notify the Railway, i.e., authority inviting tenders by post or email to srdsteco-ord@mas.railnet.gov.in, who may send a written clarification to all Tenderer(s). Before participating in the tender, any clarification regarding discrepancies should be submitted in writing to Sr. Divisional Signal and Telecommunication Engineer/ Chennai.

## 2.9 SUBMISSION OF TENDER INCLUDING DOCUMENTS REQUIRED:

The online Tender shall be accompanied by relevant documents of technical conditions and requirements mentioned in the tender document. Furthermore, all uploaded documents shall be digitally signed by the tenderer. Hence, the tenderer(s) must ensure that these documents are uploaded, duly signed digitally, with their offer.

The Tender shall be submitted with the following documents:

- Offer letter complete along with tender document including tender forms (First sheet & Second sheet), complete tender document downloaded from the website including its addendums/corrigendum's if any, duly signed digitally.
- ii) The tenderer shall specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / HUF etc. In addition, the tenderer(s) shall enclose the attested copies of the constitution of their concern and a copy of the PAN Card along with their tender. Tender Documents in such cases are to be signed by

such persons as they may be legally competent to sign them on behalf of the firm, company, association, trust, or society, as the case may be. Refer to Para 14 of Tender Form Second Sheet [in Forms & Annexures of Chapter-3] regarding documents to be submitted by the tenderer.

- iii) Requisite BID SECURITY shall be submitted online; otherwise, the tenderer shall not be able to participate in the E-tendering process. Bid Security shall only be submitted online through Net-Banking/Debit/Credit cards or payment gateway.
- iv) The documents required for ascertaining Technical & Financial capability as specified in Qualifying Criteria, i.e., Para 2.5 of Chapter-2 of this Tender document, shall be enclosed in the offer. In addition, the tenderer should upload, duly signed digitally, detailed documents to fulfill each condition stipulated above in the criteria.
- v) **Certificate(s) from organizations**: (In English or transcript in English with a copy of original document) describing work, the organization for whom executed the approximate value of the contract at the time of award, date of award, and date of scheduled/actual completion of work. Date of actual start, the actual date of physical completion, and the final value of the contract) regarding meeting Eligibility Criteria Para 2.5.2 for satisfactory and physical completion as per **Form No.1** (in Forms & Annexures part of Chapter -3). The performance certificate (s) from user Railway (with contact details of FAX, phone, and E-Mail of issuing authority) satisfying the above conditions and satisfactory working of the system shall be furnished.

Note:

The experience certificate should have been issued by an officer, not below JA Grade

vi) The detailed list of year-wise contractual payments received in **Form No. 2** (in Forms & Annexure part of Chapter 3) regarding meeting eligibility criteria Para 2.5.3. The attested certificate from employer/client shall include description of work, an organization for whom executed approx. Value of contract at the time of award, date of award and date of scheduled completion of work, the actual date of physical completion, year-wise payments made, and total payment made up to the date of tender opening as per **Form No. 8** (in Forms & Annexures part of Chapter-3) and/or audited balance sheet duly certified by chartered accountant shall be submitted in the support.

- vii) Year-wise details of Audited Balance Sheets certified by registered chartered accountant/company auditor for the <u>last THREE financial years</u>. Client certificates from other than Govt organization should be duly supported by Form 16A/26AS generated through TRACES of Income Tax Department of India.
- viii) A certified copy of Partnership Deed and affidavit for proprietorship firms.
- ix) List of similar types of work completed and works on hand duly indicating the description of work, contract value, date of award of contract, and details of contractual amount received duly certified by employer in Form-8 (in Forms and Annexures Chapter-3).
- x) Certification regarding employment of a retired Engineer of the Gazetted Rank or any other Gazetted officer working before his retirement.
- xi) The tenderer shall also enclose in their offer that they accept all the terms and conditions of Railways. Furthermore, the tenderer shall indicate paragraph by paragraph for each section and each clause and sub-clause of the entire tender document that complies in every respect with the requirements of each clause and sub-clause if not precisely how they differ from the requirements of the tender. In the latter case, the tenderer shall enclose a separate -Statement of Deviations as per Form No. 3 (in forms and annexure part of chapter 3) given, indicating only the deviations for any clause or sub-clause of GCC, Special Conditions of Contract, Specification and Schedule of Works and Supplies, etc., which they propose with 'detailed justifications for deviations proposed.' Railway reserves the right to accept or reject these deviations, and the Railway's decision thereon shall be final.
  - If the tender has no exceptions, the **Statement of Deviations** shall submit a "NIL' statement. If the tenderer does not include this with the tender, it shall be conclusive evidence that all contract conditions are entirely acceptable to the Tenderer.
- xii) List of Personnel, Organization available on hand and proposed to be engaged for the subject work. Similarly, a list of Plant & Machinery available on hand and proposed to be inducted and hired for the tendered work.
- xiii) The tenderer shall submit a copy of the certificate stating that they are not liable to be disqualified and all their statement/documents submitted along with the bid are accurate and factual. The standard format of the affidavit to be submitted by the bidder is enclosed as **Form No 9** (in forms and annexure part of chapter 3).

Non-submission of certificate by the bidder shall result in summary rejection of his/their bid. In addition, it shall be mandatorily incumbent upon the tenderer to identify, state, and submit the supporting documents duly self-attested by which they/he are/is qualifying the Qualifying Criteria mentioned in the Tender Document.

- xiv) Each page of the offer must be numbered consecutively, including technical brochures, manuals, etc., should be signed by the tenderer & should bear the seal of the firm. A reference to the total No. of pages comprising the offer must be made at the top right-hand corner of the first page.
- xv) Provisions of Make in India Policy 2017 issued by Govt of India as amended from time to time shall be followed for consideration of tenders.
- xvi) Non-compliance with any of the conditions set forth therein above is liable to result in the tender being rejected
- xvii) Any other information desired to be submitted by the tenderer.

#### Note:

- 1) No scribbling is permissible in the tender documents. Tenders containing erasures and alterations in the tender documents are liable to be rejected. Any correction made by the tenderer in his entries must be self-attested.
- 2) Tenderer must furnish duly filled CHECK LIST given under **Annexure 7** (in forms and Annexure part of Chapter-3) of the tender document along with all supportive documents.
- 3) The Railway reserves the right to verify all statements, information, and documents submitted by the bidder in his tender offer, and the bidder shall, when so required by the Railway, make available all such information, evidence, and documents as may be necessary for such verification. However, any such verification or lack of such verification by the Railway shall not relieve the bidder of its obligations or liabilities hereunder, nor will it affect any rights of the Railway thereunder.
- 4) In case any information submitted by the tenderer is found to be false, forged, or incorrect during the process for evaluation of tenders, it shall lead to forfeiture of the tender Bid Security besides banning business for a period of up to FIVE years.

5) In case of any information submitted by the tenderer is found to be false forged or incorrect after the award of contract, the contract shall be terminated. Bid Security, Performance Guarantee, and Security Deposit available with the Railway shall be forfeited. In addition, other dues of the contractor, if any, under this contract shall be forfeited, and the agency shall be banned from doing business for a period of up to FIVE years

## 2.10 VALIDITY OF OFFERS:

- 2.10.1 The tenderer shall keep the offer open for a minimum of 60 days from the date of opening of tender. Within that period, the tenderer cannot withdraw her/his/their offer subject to the period being extended further if required by mutual agreement from time to time. Any contravention of the above condition will make the tenderer liable for forfeiture of his Bid Security.
- 2.10.2 It is understood that the tender document has been sold/issued to the Tenderer, and the Tenderer is/are permitted to tender in consideration of the stipulation on her/his/their part that after submitting her/his/their subject to the period being extended further he will not resile from his offer or modify the terms and conditions thereof in a manner not acceptable to Railway. Should the Tenderer fail to observe or comply with the forgoing stipulation, the amount deposited as Earnest Money for the due performance of the above stipulation shall be forfeited by the Railways.

## 2.11 COMPLETION PERIOD:

- a) The time schedule for the entire work is of utmost importance. The entire work must be fully executed within **6 months** from the date of issue of Letter of Acceptance (LOA). The contractor shall depute an adequate number of competent Engineers/qualified staff to survey, install, test, and commission the equipment/system at the site.
- b) Expected time schedule for supply, installation, and commissioning of the System shall be as follows:
- c) Please note that the Railway will provide all the arrangements as furnished vide 2.4.2 as per the contractor's requirement. Further

Railways will ensure no undue delay in arranging Plans, approvals, sanctions, etc.

## 2.12 OPENING OF TENDERS

The tender will be opened online as per the stipulated date and time mentioned in the Tender Notice and Website in the office of <u>Sr. Divisional Signal and Telecommunication Engineer/ Chennai Division Southern Railway, Park Town, Chennai-600003</u>, in the presence of Tenderer/ representatives (whoever chooses to attend). In the event of the specified date of bid opening being declared holiday for the Railway, the Bids shall be opened at the same time and location on the next working day. The tenderer/representatives, who are present during the opening of Bids, should sign a register as a token of their attendance.

#### 2.13 RIGHT OF RAILWAYS TO DEAL WITH TENDERS:

The authority for the acceptance of the tender will rest with the Railway administration for and on behalf of the President of India, who shall not be bound to accept the lowest or any tender or assign any reason for declining to consider non-acceptance or rejection of a tender. However, Railway administration reserves the right to accept any tender in respect of the whole or any portion of the work specified in the tender document, reduce the scope of the work, or accept any tender for less than the tendered quantities without assigning any reason whatsoever.

Railway administration also reserves the right to cancel any or all tenders at any stage. Furthermore, the Railway reserves the right to accept or reject the deviations proposed by the tenderer, and Railway's decision thereon shall be final. The deviation quoted by the tenderer will become part of the Contract Agreement only to the extent to which they are mentioned explicitly as accepted in the Letter of Acceptance.

#### 2.14 ACCEPTANCE OF TENDER:

A letter of acceptance (LOA) of the offer will be issued by the Railway Administration to the successful Tenderer that his offer has been accepted, on receipt of which he shall submit a Performance Bank Guarantee (PBG) bond of 3% of the cost of work and shall execute a formal Contract Agreement with the President of India acting through Sr. Divisional Signal and Telecommunication Engineer/ Chennai Division Southern Railway, Park Town, Chennai-600003 or his authorized representative for carrying out the work according to the tender's terms and conditions, including "General Conditions of Contract" of Indian Railway and Special Conditions/Specifications of this tender. Upon issuing of LOA, the contract for the work shall be deemed to have been awarded to the tenderer, and accordingly, the completion period will be reckoned from the date of issue of LOA irrespective of the date of signing of contract agreement subsequently.

#### 2.15 SIGNING OF AGREEMENT:

The tenderer(s) whose offer is accepted will be required to present themselves or their duly authorized representative in the office of Sr.DSTE/I/MAS, Southern Railway, Chennai-600 003, to execute the contract document within seven days of receipt of notice that the contract documents are ready.

#### 2.16 COMMENCEMENT OF WORK

Upon receipt of LOA, the successful tenderer shall commence the work by submitting a detailed time schedule in terms of Chapter 2 – Special Conditions of Contract, for completion of work within the stipulated completion period.

## 2.17 CONSIGNEE:

Consignee for the material supplied by the contractor shall be as follow:-

- Signalling items and all accessories shall be supplied to the Authorised representative of Sr.DSTE/MAS at the store of the nominated consignee, i.e., SSE/Sig/SRM/PER and SSE/Tele/SRM/PER.
- ii) After supplying the material by the contractor, the same shall be issued to the contractor against indemnity Bond. The contractor shall provide proper storage space, ensuring protection from theft, fire,

and flooding. The contractor shall obtain authorization from Railway before transporting the material to the worksite. The contractor shall submit monthly statements of material delivery/issues to the site, indicating dates and quantity of equipment received and issued every month, along with an overall summary.

Any change/addition required in consignee shall be done after mutual consultation between contractor and Railway.

## 2.18 CONTRACTOR 'S OFFICE & STORES DEPOT:

The contractor shall, within a month of issue of letter of acceptance (LOA) of tender, establish an office and storage depot at a convenient place for receiving & storing equipment and materials and progressing fieldwork expeditiously in consultation and with the approval of the Engineer-in-charge, where all correspondence should be sent. The contractor will intimate office address along with Telephone/Fax, E-mail, of and name **Key-personnel** responsible for the execution of work. Any communication sent to the contractor by post at his said address shall be deemed to have reached the contractor duly and in time. The critical document shall be sent by Registered post.

# 2.19 ADDRESS CHANGES:

Any change in the address of the contractor shall be forthwith intimated in writing to the Railway. The Railway will not be responsible for any loss/inconvenience suffered by the Contractor on account of his failure to comply with this.

## 2.20 SECURITY DEPOSIT:

The Bid Security by the Contractor with his tender will be retained by the Railways as part of security for the due and faithful fulfillment of the contract by the Contractor. The Security Deposit shall be 5% of the contract value. The Contractor may deposit a Security Deposit before the release of the first on account bill in cash or Term Deposit Receipt issued from Scheduled Bank or may be recovered at the rate of 6% of the bill amount till the total Security Deposit is recovered. Also provided that in case of defaulting Contractor, the Railway may retain any amount due for payment to the Contractor on the pending "on account bills" so that the amounts so retained (including amount guaranteed through Performance Guarantee) may not exceed 8% of the total value of the contract.

Further, in case contracts have a value equal to or more than ₹ 50 crores (Rs. Fifty Crores). In that case, the Security Deposit may be deposited as a Bank Guarantee Bond, issued by a scheduled bank after execution of contract documents, but before payment of 1<sup>st</sup> on account bill. Provided further that the validity of Bank Guarantee Bond shall be extended from time to time, depending upon extension of contract granted in terms of Clause 17 of the Standard General Conditions of Contract.

Further, suppose Security Deposit has been submitted as Term Deposit Receipt/Bank Guarantee Bond in the total amount. In that case, the Bid Security by the Contractor with his tender will be returned by the Railways.

#### Note:

- 1) After the work is physically completed as certified by the competent authority, Security Deposit recovered from the running bills of a Contractor can be returned to him, if he so desires, in lieu of Term Deposit Receipt/irrevocable Bank Guarantee for equivalent amount from Scheduled Bank, to be submitted by him.
- 2) Whenever the contract is rescinded as a whole under clause 62 (1) of GCC, the Security Deposit already with Railways under the contract shall be forfeited. However, in case the contract is rescinded in part or parts under clause 62 (1) of GCC, the Security Deposit shall not be forfeited.
- 3) No interest shall be payable upon the Earnest Money and Security Deposit or amounts payable to the Contractor under the Contract, but Government Securities deposited in terms of Sub-Clause 16. (4)(b) of GCC will be payable with interest accrued thereon.

## 2.21 REFUND OF SECURITY DEPOSIT:

Security Deposit mentioned in para 2.20 above shall be returned to the Contractor after the following:

- a) Final Payment of the Contract as per GCC Clause 51. (1) and
- b) Signature of Final Supplementary Agreement or Certification by Engineer that Railway has No Claim on Contractor.
- c) Issue of Maintenance Certificate on expiry of the maintenance period as per GCC clause 50. (1).
- **d)** Before releasing of Security Deposit, the contractor shall submit a certificate to the Engineer or Engineer's representatives that "I have uploaded the correct details of contract labors engaged in connection with this contract and payments made to them during

the wage period in Railway's Shramikkalyan portal at www.shramikkalyan.indianrailways.gov.in

## 2.22 PERFORMANCE GUARANTEE:

The procedure for submission of Performance Guarantee is outlined below:

(a) The successful bidder shall have to submit a Performance Guarantee (PG) within 21 (Twenty-one) days from the date of issue of Letter of Acceptance (LOA). Extension of time for submission of PG beyond 21 (Twenty-one) days and up to 60 days from the date of issue of LOA may be given by the Authority who is competent to sign the contract agreement. However, a penal interest of 12% per annum shall be charged for the delay beyond 21 (Twenty-one) days, i.e., from the 22<sup>nd</sup> day after the date of issue of LOA. Further, if the 60<sup>th</sup> day happens to be a declared holiday in the concerned office of the Railway, submission of PG can be accepted on the next working day.

In all other cases, if the Contractor fails to submit the requisite PG even after 60 days from the date of issue of LOA, the contract is liable to be terminated. If the contract is terminated, Railway shall be entitled to forfeit Bid Security and other dues payable against that contract. Furthermore, suppose a tenderer has not submitted Bid Security on the strength of their registration as a Start-up recognized by the Department of Industrial Policy and Promotion (DIPP) under the Ministry of Commerce and Industry. In that case, DIPP shall be informed to this effect.

The failed Contractor shall be debarred from participating in re-tender for that work.

- i. The successful tenderer(s) shall submit the Performance Guarantee (PG) in any of the following forms, amounting to 5% of the contract value:
  - 1) A deposit of Cash.
  - 2) Irrevocable Bank Guarantee.
  - 3) Insurance Surety Bond (as per format attached to this tender document)

## Note:

The provision of insurance surety bond shall be for all contracts having DOC within 36 months only.

In case DOC extends beyond 36 months, fresh insurance surety bond or any other form of performance guarantee prescribed in GCC for the balance amount shall be submitted by agency, otherwise necessary action will be taken as per terms of agreement.

- 4) Government Securities including State Loan Bonds at 3% below the market value.
- 5) Deposit Receipts, Pay Orders, Demand Drafts, and Guarantee Bonds. These forms of Performance Guarantee could be either of the State Bank of India or any of the Nationalized Banks.
- 6) Guarantee Bonds executed or Deposits Receipts tendered by all Scheduled Banks.
- 7) Deposit in the Post Office Saving Bank.
- 8) Deposit in the National Savings Certificates.
- 9) Twelve years National Defence Certificates.
- 10) Ten years Defence Deposits.
- 11) National Defence Bonds and
- 12) Unit Trust of India Certificates at 3% below market value or at face value, whichever is less. Also, FDR in favor of Sr.DFM/MAS (free from any encumbrance) may be accepted.
- ii. The Performance Guarantee shall be submitted by the successful tenderer(s) after the Letter of Acceptance (LOA) has been issued but before the signing of the contract agreement. This P.G. shall be initially valid up to the stipulated completion date plus 60 days beyond that. However, if the time for completion of work gets extended, the contractor shall get the validity of P.G. extended to cover such extended time for completion of work plus 60 days.
- iii. The value of PG to be submitted by the contractor will not change for variation up to 25% (either increase or decrease). In case during course of execution, the value of the contract increases by more than 25% of the original contract value, an additional Performance Guarantee amounting to 3% (Three Percent) for the excess value over the original contract value shall be deposited by the contractor.
- iv. On the other hand, if the contract value decreases by more than 25% of the original contract value, the performance Guarantee amounting to 3% (Three Percent) of the decrease in the contract value shall be returned to the contractor. Furthermore, the P.G.

amount in excess of required P.G. for decreased contract value, available with Railways, shall be returned to the contractor as per their request, duly safeguarding the interest of Railways.

- b) The Performance Guarantee (PG) shall be released after the physical completion of the work based on the 'Completion Certificate' issued by the competent authority stating that the contractor has completed the work in all respects satisfactorily. Before releasing of Performance Guarantee, the contractor shall submit a certificate to the Engineer or Engineer's representatives that "I have uploaded the correct details of contract labours engaged in connection with this contract and payments made to them during the wage period in Railway's Shramikkalyan portal at 'www.shramikkalyan.indianrailways.gov.in"
- c) The Security Deposit shall be forfeited whenever the contract is rescinded, and the Performance Guarantee shall be encashed. The balance work shall be got done independently without Risk & Cost of the failed contractor. The failed contractor shall be debarred from participating in the tender for executing the balance work. If the failed contractor is a JV or a Partnership firm, then every member/partner of such a firm shall be debarred from participating in the tender for the balance work in their individual capacity or as a partner of any other JV /partnership firm.
- d) The Engineer shall not make a claim under the Performance Guarantee except for amounts to which the President of India is entitled under the contract (not withstanding and/or without prejudice to any other provisions in the contract agreement) in the event of:
  - i) Failure by the contractor to extend the validity of the Performance Guarantee as described herein above, in which event the Engineer may claim the full amount of the Performance Guarantee.
  - ii) Failure by the contractor to pay President of India any amount due, either as agreed by the contractor or determined under any of the Clauses/Conditions of the Agreement, within 30 days of the service of notice to this effect by Engineer.

- iii) The Contract being determined or rescinded under Clause 62 of the GCC.
- iv) Details of BG shall be given in the format as shown in **Form No. 4** (in forms and annexure part of chapter 3)

## 2.23 PROGRAMME OF WORK EXECUTION:

- i) Time is the essence of this contract, and the time schedule shall be strictly adhered to. The entire work as per the Contract will have to be completed within <u>6 months</u> from the Date of issue of letter of acceptance, on a progressive basis. The Tenderer shall be responsible for the progress of work on a progressive basis from the date of issue of the acceptance letter. Since the progress of the work is critically related to the supply of material by the contractor, **he shall be responsible for the supply of duly inspected Material on a progressive basis** so that the work can be completed within the **stipulated period.**
- ii) The contractor shall employ an adequate number of supervisors, technicians, and supporting staff commensurate with the working area available. He will also arrange required materials and equipment to complete the job most expeditiously to ensure that the work is completed within the stipulated period and to the entire satisfaction of the Engineer in charge.
- iii) The Contractor is expected to have worked out a detailed program for execution of the work well before the issue of "Letter of Acceptance" by Railway and submit a Detailed Time and Activity Schedule within 15 days from issue of LOA, for the execution of work aiming at completing the entire work within the stipulated completion time. The Engineer-In-Charge shall thereafter approve this schedule.
- iv) Railway reserves the right to modify the schedule while approving the same as well as at any stage during execution if the situation so warrants. Once approved, in the event of any slippage from the time schedule, especially when resulting in time over-run of the work, the contractor shall submit a revised schedule duly justifying the circumstances without any delay. The Engineer-In-Charge shall approve the revised schedule only when considered justified in his opinion; otherwise, it may attract penal action on the contractor as per the provision of this contract.

- v) The Contractor shall be held responsible for the execution of the work according to the Programme given for the execution of the work in full compliance with the approved documents, drawings, and various clauses of technical specification and requirement. Failure to comply with any of these will be dealt with as per provisions of GCC.
- vi) The contractor will program his work in such a manner so as not to interfere in the working and movement of trains. No extra payment shall be allowed on this account and for taking any precautions or wastage of contractor's labor, time, etc., due to train working.
- vii) No facility whatsoever, e.g., provisions of approach road and provision of the temporary level crossing, etc., shall be provided by Railway for carting materials. However, approach roads within the Railway limits can be used for carting materials.

#### 2.24 INSPECTION OF MATERIAL:

- i. The Inspecting authority of the equipment/materials to be supplied against this contract shall be RDSO/RITES/Consignee, which is mentioned against each schedule of work/supplies in Chapter-4 of this tender document. Generally, the equipment materials to be supplied against this work with IRS/RDSO design or specification and TEC specification will be inspected by RDSO. However, suppose for any reason, inspections of materials are not undertaken by RDSO. In that case, the inspection may be carried out by RITES, or a Railway representative specifically nominated by the Railway for the work.
- ii. Whenever materials are inspected by Authorized Representatives of the Railways/Consignee, the Tenderer will be required to furnish manufacturers/supplier's Guarantee Certificate and performance guarantee for such items. Standard RDSO Drawing referred to in this schedule & technical specification may be collected on payment from RDSO, Lucknow by contractor, if required.
- iii. The Contractor shall give sufficient time notice to RDSO/RITES/Railway's representative when the material is ready for testing/inspection. All facilities as may be necessary shall be provided for carrying out the tests.

## 2.25 INSPECTION CHARGES:

Inspection charges, if any levied by RDSO/Inspecting Agency, shall be <u>borne</u> by <u>the contractor</u>. Also, the tests/analysis required from outside agencies, if any, cost of such tests/analysis shall be borne by the contractor.

## 2.26 MATERIALS AND WORKMANSHIP:

- i) Wherever RDSO specification is prescribed for any material in the tender, the same shall have to be procured from the RDSO approved/recommended firms only.
- ii) Any material to be used for this work shall not be procured from any sources banned for business dealing with Indian Railways under any circumstances.
- iii) If the total value of an item to be supplied as per RDSO/IRS specification is less than Rs. 5 Lakhs (Rs. Five Lakhs only), the same shall be inspected by Consignee subject to supplies being from sources approved by RDSO. However, certain specified items irrespective of value shall invariably be inspected by RDSO as per the extant policy of Indian Railways. [Railway Board Letter No: 2000/RS(G)/379/2 Dated 06.09.2017].
- iv) If the inspection agency requires any modification from RDSO to RITES/Consignee, approval is to be taken from an officer, not below the rank of JAG.
- v) The material should be in properly packed condition, and the consignee reserves the right to reject the material even though it was passed by RDSO/nominated inspecting authority of Railways if it is received in damaged or defective condition.
- vi) All materials shall be procured from the reputed manufacturers or their authorized dealers. Such materials are to be approved by the purchaser's Engineer. The Contractor may be required to furnish the manufacturer's test certificate along with manufacturer's/supplier's guarantee certificate wherever called for by the Engineer. The Railway may also inspect the material again at the Consignee depot.

- vii) Materials shall be procured from RDSO approved vendors as per RDSO specifications if available.
- viii) In case materials are to be inspected by consignee, then materials shall be supplied from the firms approved by not below the rank of JAG.
- ix) All the materials and workmanship used in this work shall be of extremely good quality and high class in every respect and is expected to give trouble-free service.

#### 2.27 STORES - RECEIPT & ACCOUNTAL:

- i) Proper requisition and receipt exchange shall be done on a suitable Proforma as mentioned in **Form No. 6 & 7** (in Forms & Annexures part of Chapter 3) between the Contractor and the Railway's authorized representative.
- ii) The Contractor shall issue a receipt along with the demand slip for the materials required for the work and obtain a receipt when any material is returned to stores. These transactions shall be done with the consignee.
- iii) All stores drawn by the contractor shall be accounted for either as installed as per recorded site measurements or as surplus stores returned to the respective Consignee (stores).
- iv) On submitting every "on account bill," the contractor has to submit a material statement duly signed by CDMS, Concerned SSE-Incharge, and contractor to the bill passing authority.

# 2.28 LOADING/UNLOADING & TRANSPORTATION OF MATERIAL:

a) The Contractor shall deliver the material at the Depot of respective Consignees. Material to be supplied by Railways for the execution of the work and the material delivered by the Contractor will be transported from the Consignee depot or any other nominated depot notified by Railway to site by the Contractor at his own cost. This includes loading and unloading materials at the consignee depot and site by the contractor. Alternatively, suppose the worksite is ready, and work is in progress, physically. In that case, the materials can be brought to the site directly and supplied with prior approval of the Engineer in charge after appropriate accounting by the consignee. Empty cable drums and balance materials after completion of work, if any, should be returned at the nominated Depot i.e., CDMS/Stores/Perambur by the contractor at his own cost. The contractor will have to furnish an Indemnity Bond **Form No.5** (in Forms & Annexures part of Chapter-3) for the Security of the Railway material issued to him.

Indemnity Bond will be released after commissioning of work and when the contractor returns all balance material. The security of the material brought to the site of work will remain with the Contractor till commissioning.

- b) The contractor shall bear the cost of transit insurance required as per rules.
- c) The nominated depot from where Contractor has to collect the materials is from Perambur, Chennai, and Tambaram stores. No payment will be made to the contractor for shifting materials from the nominated depot to the worksite.
- d) The material issued to the contractor, if found defective/unserviceable after transporting at the site, the same shall be transported & handed over to the Consignee Depot by the contractor without any extra cost.

## 2.29 SECURITY OF MATERIAL:

Once the material is handed over to the contractor, the contractor shall be responsible for the security of the material irrespective of the fact that the material is kept in Railway premises. The contractor shall make adequate arrangements at the site as deemed necessary for guarding the same from thefts or damage of any sort. In the event of any loss, the contractor shall be responsible to that effect and shall execute an indemnity bond for the materials, which has been supplied by the Railway and will remain in his custody. The cost of stores lost/damaged shall be realized by the Railway out of any payments due to the contractor in this contract or from any other contract executed by Govt. of India.

#### 2.30 RETURN OF SURPLUS STORES:

The Contractor shall return the stores at his own cost found to be surplus to Consignee. The contractor shall account for all material that is issued to him. A register shall be maintained at the site, which the Contractor shall sign as a token of receipt of material. All the issued material shall either be used in the installation or returned to Consignee.

#### 2.31 RETURN OF RELEASED STORES:

Released material/equipment shall be returned and systematically deposited to Consignee. Proper care of material shall be taken while releasing & transporting the stores.

## 2.32 PACKING AND FORWARDING:

- a) Packing shall conform to Para 14 of RDSO Specification No RDSO/SPN/192/2019 Ver 2
- b) The contractor shall pack at his own cost the stores sufficiently and properly for transit by Rail/Road, Air, and/or Sea as provided in the contract to ensure their being free from loss or damage on arrival at their destination.
- c) All containers (including packing cases, boxes, tins, drums, and wrappings) in which the contractor supplies the stores shall be considered as non-returnable and their cost as deemed to have been included in the contractor price.
- d) Each packing delivered under the contract shall be marked by the contractor at his own expenses. Such marking shall be distinct (all previous irrelevant marking being carefully obliterated and shall clearly indicate the description and quantity of stores, the name and address of the Contractor with a distinctive number of mark sufficient for the purpose of identification). All marking shall be carried out with such material as may be found satisfactory by the inspecting officer as regard quickness of drying, fastness and indelibility. Materials and Equipment meant for each section shall be separately packed in separate boxes and marked with name of section, consignee and Railway.

e) The inspecting officer may reject the store if the stores are not packed and/or marked as aforesaid and in case where the packing materials are separately prescribed, if such materials are not in accordance with the term of contract such rejection of the stores by the inspecting officer shall be binding on the contractor and he shall arrange for removal of such rejected store within 7 days.

## 2.33 FREIGHT AND INSURANCE:

The freight and insurance cost for the material to site of work shall be borne by the contractor.

#### 2.34 CONSIGNEE'S RIGHT OF REJECTION:

- i) Notwithstanding any approval which the Inspecting Officer may have given in respect of the stores or any materials or the work or workmanship involved in the performance of the contract (whether with or without any test carried out by the Contractor or the Inspecting Officer) and notwithstanding delivery of the stores where so provided to the interim consignee, it shall be lawful for the consignee, on behalf of the purchaser, to reject the stores or any part, portion of consignment thereof within a reasonable time after actual delivery thereof to him at the place or destination specified in the contract if such stores or part, portion of consignment thereof is not in all respects in conformity with the terms and conditions of the contract whether on account of any loss, deterioration or damage before dispatch or delivery or during transit or otherwise howsoever.
- ii) The Railway shall have full right to reject any material that the Railway may consider to be defective or inferior in quality of material, workmanship, and design or otherwise, not in accordance with the specifications and drawings specified by the Railway and the Railway's decision shall be final, even though they might have been inspected by RDSO/RITES. The contractor shall remove forthwith any such material rejected and replace them promptly at his own cost.

## 2.35 CONSEQUENCES OF REJECTION (Rejected stores):

When any stores delivery at the depots is rejected, the contractor shall remove this within 7 days, from the date of rejection. Such rejected stores shall lie at the consignee's risk from the date of rejection. If the Contractor does not remove the stores within this period, the Railway or his nominee shall have the right to dispose of such stores, as though fit, at the contractor's risk and account. The Railway shall also be entitled to recover from the contractor, handling and ground rent/demurrage and any other charges for the period during the rejected stores are not removed after the period aforementioned.

## 2.36 EXECUTION OF WORKS:

2.36.1 SPECIFICATIONS, DRAWINGS: All the work shall be executed in strict conformity to the provisions of the contract document and according to detailed drawings, specifications and instructions as may be approved from time to time by Railway and OEM, based on detailed design and engineering carried out by the contractor in line with requirements as per contract document. The contractor shall be responsible for ensuring that the work throughout is executed in the most substantial, proper and workman like manner with the quality of material and workmanship in strict accordance with the specifications and as per sound industrial practices and to the entire satisfaction of the Railway. In case of any doubts regarding any particulars of construction and any ambiguities in the plans, the decision of the Railway's Engineer shall be final and binding on the contractor.

Specifications, drawings, requisites, and requirements referred to in the body of this specification form an essential part thereof. The sources of the drawings & specifications referred to in this Tender, can be obtained from Engineer-in-charge. However, a list of such sources has been enclosed as **Annexure – 1 & 3.** 

Installation shall comply with the requirements to the following Indian Railways manuals/books and respective Zonal Railway practices in vogue-Indian Railways.

- I. Signal Engineering Manual (latest edition).
- II. Indian Railways Telecom Manual (latest edition)
- III. Indian Railways Engineering code
- IV. Indian Railways P Way Manual
- V. Indian Railways Works Manual
- VI. Indian Railways AC traction Manual
- VII. General & Subsidiary Rules of Indian Railway and Southern Railway

These books are available on the Indian Railways website and in the Office of Senior Divisional Signal & Telecom Engineer/Chennai, Chennai division, Southern Railway.

#### 2.36.2 SUPERVISION & LABOUR:

- Tenderer shall keep sufficient and competent staff as per G.C.C. Clause No.26 at the work site. The work shall be carried out as per Railway's extant practice.
- ii) Qualified Engineers may be deployed for execution of the work as per GCC conditions. Their payments/salary should not be less than the minimum wage act.

Contract value	Deployment of Qualified Engineers	Remarks
200 Lakhs & above	One qualified Graduate Engineer to be employed	In case contractor fails to employ qualified engineer, he shall be liable to pay an amount of Rs.40,000/- for each month or part thereof for the default period.
More than 25 lakhs, but less than 200 lakhs	•	In case contractor fails to employ qualified engineer, he shall be liable to pay an amount of Rs.25,000/- for each month or part thereof for the default period.

- iii) During the execution of the works, the contractor or his representative shall not leave the site where the works are being carried out. At the site of work, the contractor shall always make available one representative who shall be approved by the Railway Administration and who shall be invested with adequate powers by the Contractor so that orders or instruction given to the said representative by the Railway Administration in writing could be considered as duly given or conveyed to the Contractor himself. Representative of the Railway will check up the work from time to time. Supervision and Erection of work will be done by the contractors with their own labour, till completion and testing of the work.
- iv) The field Supervisor shall receive instructions from the Engineer-in-charge of the work or his representative at site and

comply with the instructions. The Contractor shall be responsible for the compliance of such instructions.

- v) If the supervisor acting on behalf of the Contractor disregards the instructions of the Railway's supervisor/representative and does not execute the work to the satisfaction of this Railway supervisor, the Railway's Engineer, in consultation with superior will have the authority to order stoppage of work and/or ask for the replacement of the supervisor, which it shall be binding on the contractor.
- vi) The contractor shall make his own arrangement for accommodation, for his staff during installation, testing & commissioning and till completion. Water for drinking purpose if available at the station location will be given. However, Railways take no guarantee for this facility.
- **vii) Compliance of Labour Laws:** To be complied as per GCC Clause 54, 55, 55-A, 55-B, 55-C, 55-D, 57 and 59(2).
- viii)Contractor is to abide by the provisions of Payment of Wages act & Minimum Wages act in terms of clause 54 and 55 of Indian Railways General Condition of Contract. In order to ensure the same, an application has been developed and hosted on website 'www.shramikkalyan.indianrailways.gov.in'. Contractor shall register his firm/company etc. and upload requisite details of labour and their payment in this portal. These details shall be available in public domain. The Registration/ updation of Portal shall be done as under:
  - i. Contractor shall apply for onetime registration of his company/firm etc. in the Shramikkalyan portal with requisite details subsequent to issue of Letter of Acceptance. Engineer shall approve the contractor's registration in the portal within 7 days of receipt of such request.
  - ii. Contractor once approved by any Engineer, can create password with login ID (PAN No.) for subsequent use of portal for all LOAs issued in his favour.
  - iii. The contractor once registered on the portal, shall provide details of his Letter of Acceptances (LOA) / Contract Agreements on shramikkalyan portal within 15 days of issue of any LOA for

approval of concerned engineer. Engineer shall update (if required) and approve the details of LOA filled by contractor within 7 days of receipt of such request.

- iv. After approval of LOA by Engineer, contractor shall fill the salient details of contract labours engaged in the contract and ensure updating of each wage payment to them on shramikkalyan portal on monthly basis.
- v. It shall be mandatory upon the contractor to ensure correct and prompt uploading of all salient details of engaged contractual labour & payments made thereof after each wage period.

# 2.36.3 SAFETY OF WORK, TRAINS & PERSONNEL:

- i) The contractor should abide by all the Railway regulations and also ensure that the same are followed by his representatives, agents, servants, or workmen. He is therefore bound under these clauses to give notice to them about the provision of this clause and the consequent liability of the contractor under the agreement. The contractor shall conform to all the Railway Rules relating to safety of personnel and operation of signals and points. In the A.C. electrified areas the special precautions as laid down in AC Traction Manual shall be followed.
- ii) No petroleum spirit within the meaning of the Indian Petroleum Act shall be stored at site or adjacent land until the approval of the Railway and necessary license under the Act has been obtained by the contractor. The tenderer shall also ensure that approval of the Engineer has been obtained for storing any other inflammable material well in advance.
- iii) The contractor's employees and workers shall not for any reason operate any appliances or installations of the Railway concerning the safety of train movements, but they should whenever necessarily notify the qualified Railway staff who will then take necessary steps. The contractor shall also be responsible for any damage that may cause due to the carelessness of his workmen and will bear the consequences in this regard.

- iv) The work must be carried out most carefully in such a way that they do not hinder the Railway operation except as agreed to by the Railway. The Contractor shall do no work that may interfere with traffic until protection has been provided by the Railway and under supervision of Railway's representative. When the work is required to be carried out on the track itself or as close to the track as may pose a hazard to rail traffic, the work shall be carried out under the supervision of an authorized Railway representative Engineer/Senior Section Engineer (JE/SSE). Whenever trackside work are undertaken by the contractors, areas for unloading of bulk materials should be clearly demarcated and barricades provided if necessary with the consent of the (SSE/JE) Signal/Telecom, in-charge of the work. Suitable steps shall also be taken to prevent transport vehicles and such other machinery gaining access so near the track as to threaten the safety of running trains. That, whenever it becomes inescapable to allow transport vehicles or mobile machinery to operate in close proximity to the running lines the maximum moving dimensions for the said lines shall be adequately protected by fencing or such other suitable measures. No vehicle will normally be permitted to ply adjacent to the running lines.
- v) The contractor will be responsible for the safety of hired trucks and men etc. working at the site. He will also be responsible for any damage caused to the Railway property, staff and passengers travelling on the line on account of his truck/vehicles having been allowed to ply on the bank.
- vi) The contractor shall take all precautionary measures in order to ensure protection of his own personnel moving about or working on the Railway premises and shall have to conform to the Rules and Regulations of the Railway.
- vii) Suitable ladders for climbing the post and slings for supporting men on the post shall be used. Ropes as required shall be used for erection of the poles. The size of the rope shall be adequate. The contractor shall take necessary precaution for working near the power lines. If at any time the Railway finds the safety arrangements are inadequate or insufficient, the contractor shall take immediate corrective action as directed by the Railway's representative at site. However, it is not obligatory on the part of the Railway's to give such directions. The issue or non-issue of any direction in the matter by

the Railway shall in no way absolve the contractor of his sole responsibility to adopt safe working methods. The stonebreakers, if employed shall be provided with protective goggles and protective clothing and seated at sufficiently safe intervals.

- viii) Necessary personal safety equipment as considered adequate by the Engineer-in –Charge should be kept available by the contractor for the use of the persons employed on the site and maintained in condition suitable for immediate use and the contractor should take adequate steps, to ensure proper use of equipment by these concerned. When not in use, electrical apparatus shall be switched off. No paint containing lead or lead products shall be used except in the form of paste or ready mixed paints. Suitable face masks should be supplied by the contractor for use by the workers when paint is applied in the form of spray.
- ix) Within the station premises and especially on passenger platforms, the contractor shall ensure sufficient free space for movement of passenger traffic. He must cover and protect the excavations carried out in such areas with a view to avoid any accidents.
- x) In case of an accident of any nature, the contractor will indemnify the Railway for any losses caused by him as a result of the accident.
- xi) The contractor will not be entitled to any compensation for any damage or loss sustained by him during execution of the work, for any idle labour transport or any loss or deterioration of the material or tools.
- xii) During testing and commissioning, signal aspects shall be displayed or changed, and slot given to adjoining cabin/ground frame only as authorized by Railway. During testing and commissioning, point setting shall be changed only as authorized by the Railway. The contractor shall do no work that may interfere with traffic until protections has been provided by the Railway and under the supervision of Railway's representative. While testing and commissioning of the system, the contractor shall not work without authorization from the Railway's Engineer in-charge of the work.

xiii) The contractor shall also be responsible for any damage that he may cause due to the carelessness of his workmen and will bear the consequences in this regard.

#### 2.36.4 WORKING IN AUTOMATIC SIGNALLING SECTION:

The tenderer(s) attention is drawn to fact that while working in part of Automatic section where traffic density is very heavy and the trains move at a high speed, the contractor should exhibit extreme alertness where space between the work area and the track is very less. For the work to be done near track viz. digging, cable laying, trunking/capping etc. contractor will be fully responsible to safeguard the life of his workmen working in this area and also not to cause any disruption to train traffic or any unsafe condition for the train movement. Necessary required equipment as may will be put into service by the contractor viz. Flags, whistles, petromax lights, means of communication etc.

#### 2.36.5 EMERGENCY WORKS:

In the event of any accident or failure occurring in or about the work or arising out of or in connection with the construction, completion or maintenance of the works which in the opinion of the Engineer requires immediate attention, the Railway may bring its own workmen or other agency to execute or partly execute the necessary work or carry out repairs if the Engineer considers that the contractor(s) is/are not in a position to do so in time and charge the cost thereof to the contractor, as to be determined by the Railway.

#### **2.36.6 NIGHT WORKS:**

Notwithstanding the provision in the General Conditions of Contract, if the Engineer is satisfied that the work is not likely to be completed in time, except by resorting to night work, he may order the contractor(s) to carry out the works even at night without conferring any right on the contractor for claiming any extra payment for the same. The contractor at his own cost shall make all adequate lighting arrangements and shall take precautions to avoid any mishap during night.

#### 2.36.7 MAINS POWER SUPPLY:

Testing of installation/equipment shall be done under supervision of Railway officials or by Railway officials themselves, from the electric supply provided by the Railways. However, for any installation activity, like drilling, soldering etc., contractor, if so desires, to use tools / machines for prolonged duration, electric power supply (230V), if available, can be arranged by the Railways on usual payment, as per extant procedure. **Non-availability of Mains Power will not be a reason for the slow progress of work**. If Electric Supply is not available, the contractor shall make his own arrangement i.e., by providing suitable Generator set or any other means acceptable to Railways.

# 2.36.8 OBLIGATION TO CARRY OUT ENGINEER 'S INSTRUCTIONS:

The contractor shall also satisfy the Engineer that adequate provision has been made: - To carry out his instructions fully and with promptitude. To ensure that parts required to be inspected before use are not used before inspections; and to prevent rejected parts being used in error. Where, parts rejected by the inspector have been rectified or altered, such parts shall be segregated for separate inspection and approval before being used in the work.

#### 2.37 INSPECTION OF WORKS:

- i) The Engineer or his representative may inspect and test the various portions of the work at all stages and shall have full power to reject all or any portion of the work that he may consider to be defective or inferior in quality of materials, workmanship of design in comparison to what is called for in the specification. In the event of rejection of any work already executed and not in accordance with specification as in this tender and/or as determined by the Engineer or which the Contractor has been apprised, the Contractor shall carry out alterations/replacements to such works to the satisfaction of the Engineer for which no additional expenses will be borne by the Railway.
- ii) The responsibility of providing facilities for inspection lies with the contractor. He shall be responsible for providing required facilities i.e. tools, equipment for inspection at the place of work, for which no additional payments shall be made. For the purpose of inspection, the contractor shall make a written request for inspection of sites to be done next day.

- iii) The completed installation at all stages shall be subjected to checks and test as decided by Railways and the contractor shall be liable to remedy such defects as discovered during these checks and test and make good all deficiencies brought out. However, complete installation will be taken over finally on completion of the full system. It will be the responsibility of the contractor to rectify any discrepancy noticed within a reasonable period from the date the complete system is taken over. For the purpose of taking over, joint inspection will be carried out by nominated representative of Railways.
- iv) The contractor will be called upon to pay all the expenses incurred by the Railway in respect of any work found to be defective or of inferior quality, adulterated or otherwise unacceptable.
- v) During the execution of the contract, samples may be taken for the purpose of test and/or analysis under the conditions laid down in specification, such samples to be prepared for testing and forwarded free of all cost to the Railway.
- vi) Before the cables are actually laid, Railway's representative and the Engineer's representative shall jointly inspect the quality and depth of trenches, chases, quality of bricks and arrangements for tamped filling. The measurement of length for all these items, which is found to be suitable, will be recorded by the Engineer's representative who will permit the laying of cables after issuing the certificates that the above works have been done as per required Specifications.

#### vii) SITE ORDER BOOK:

An Inspection Register/Site Order book shall be maintained at the site of work by the contractor, wherein the Engineer in-charge of the work or his executive subordinate shall record instructions regarding the working etc. It is expected that the Contractor or his representative at the site shall note such instructions whenever asked upon to do so and take action accordingly. His non-noting the logbook entries shall not be considered sufficient grounds for non-compliance of the instructions.

This register shall have entry on day-to-day basis regarding the progress of work. Record should also be kept with joint signature of

Railways & firms representative for all release material too. This should be produced during the inspection & check of Railway engineer in charge or his authorised representative along with drawing showing new installation locations.

#### 2.38 PROGRESS REPORTING:

- i) The contractor shall submit to Railways at his own cost periodic progress reports at regular intervals regarding the state and progress of work. The details and pro-forma of the report will mutually be agreed after award of the Contract. Such reports shall be for weekly work progress (manpower, equipment and work development) and monthly progress review reports. All actions as directed by Railway's representative to such reports shall be promptly attended to by Contractor.
- ii) The purchaser's engineer shall also conduct monthly meetings with the contractor to assess and review the programme of works. The action proposed to progress the work as planned, difficulties, assistance required etc. shall be clearly brought out and remedial action taken. The minutes of these meetings shall be jointly signed by Railway and contractor.

#### 2.39 CLEARANCE OF SITE:

- 2.39.1 Contractor at his own expenses clean the site, set out all works and provide all necessary labours, pets, string, steel to enable the Railways or any of his representatives to check all setting out and the contractor will correct all errors at his own expenses.
- 2.39.2 At the end of the work in each section the contractor shall as a part of his contractual obligation leave the area completely cleared of rubbish and obstruction of all kinds according to the instructions of the Railway's representatives. Besides, he shall take execution of work to avoid the presence of loose earth and ballast on platforms, in drains, on the track formation and pathways, in the vicinity. If within fortnight of completion of the particular item of site work, the refuge is not cleared, the Railway, will arrange to get them removed at the cost of the contractor. However, before the Railway actually gets the site cleared, intimation in writing shall be given to the Contractor.

#### 2.40 COMPLETION OF WORKS:

As soon as in the opinion of the Engineer, the work has been completed (i.e, which will be considered as date of commissioning of complete system), the Engineer shall issue a completion certificate duly indicating the date of completion in respect of the work and the warranty period of the work shall commence from the date of completion mentioned in such certificate.

The certificate of completion in respect of the works shall not absolve the contractor from his liability to make good any defects imperfections, shrinkages or faults which may appear during the period of maintenance specified in the tender arising in the opinion of the Engineer from materials or workmanship not in accordance with the drawings or specifications or instruction of the Engineer, which defects, imperfections, shrinkages or faults shall upon the direction in writing of the Engineer be amended and made good by the contractor at his own cost; and in case of default on the part of contractor, the Engineer may employ labour and materials or appoint another contractor to amend and make good such defects, imperfections, shrinkages and faults and all expenses consequent thereon and incidental thereto shall be borne by the contractor and shall be recoverable from any moneys due to him under the contract.

#### 2.41 WARRANTY:

Contractor is responsible for Warranty of all the materials supplied and installed by him for a period of ONE year from date of issue of completion certificate, which will be considered as date of commissioning of complete system. Completion certificate will be issued by JAG officer after obtaining "No Due" certificate from SSE-Incharge stating that all works are completed in all respects.

During the period of warranty contractor shall be responsible for:

i) The contractor shall guarantee that all material & equipment to be supplied and installed as per this contract shall be free from defect and fault in design, material, workmanship, and manufacture and shall be of the highest grade and consistent with established and

- generally accepted standard for materials of the type ordered and in full conformity with the contract specification.
- ii) The contractor shall be responsible to the extent expressed in this clause for any defects that may develop under the conditions provided for by the contractor and under proper use, arising from faulty materials, design, or workmanship on the plant or from faulty erection of the equipment under the supervision of the contractor, but not to do so by the purchaser who shall state in writing in what the portion is faulty.
- iii) Warranty includes Predictive Maintenance and Break-Down Maintenance.
  - a) Predictive Maintenance: As the system installed is Vital and Safety in nature, regular maintenance is required to up-keep the system to improve the maintenance and working. Hence, OEM representative has to carry out maintenance of EI system on Monthly basis or as recommended by RDSO/Southern Railway.
  - b) Break Down Maintenance: In case of failure of EI system, the OEM representative shall reach the spot within 1 hour of receipt of such failure information through Phone/SMS/E-mail/FAX from Railways. If failure is due to EI system, and failure is not able to restore after one hour of such information a penalty of Rs. 2500/- per hour will be deducted from the contractor. Failure due to Outdoor cable cuts will not be considered for penalty.
- iv) The Contractor shall remain responsible to arrange replacement and for setting right at his own cost any equipment supplied by him which is of defective manufacture or defective design, or defective material/component become unworkable due to any cause whatsoever. The decision to attend to any damage or defect in work shall be final and binding on the contractor.
- v) If it becomes necessary for the contractor to replace or renew any defective portions of the system under this clause, the **provision of** the above clauses shall apply to the replaced/renewed equipment for the period of six months from the date of such replacement or renewal or until date of warranty period whichever may be later. If any defect is not remedied within reasonable time, the Railway may proceed to do the work at contractor's risk and expenses, but without prejudice to any other

rights, which the Railway may have against the contractor in respect of such defects.

- vi) If the replacement or renewals are of such a character as may affect the efficiency of the system, the Railway shall have the right to give the contractor within one month from such replacement or renewal notice in writing that test on completion will be carried out at his cost. Should such tests show that the plant sustains the guarantee in the contract; the cost of the tests shall be borne by the purchaser. Should the guarantees not be sustained, the cost of the tests shall be borne by the contractor.
- vii) Until the completion of work, the contractor shall have the right to permission of Railways, at his own entry with representatives, names previously whose shall have communicated, in writing, to the Railways at all reasonable working hours upon all necessary parts of the works for the purpose of inspecting the working and the records of the plant and taking notes there from and if he desires at his own risk and expense, making any tests, subject to the approval of the purchaser which shall not be unreasonably withheld.
- viii) All inspections, replacement or renewals carried out by the Contractor during the maintenance period shall be subject to the same condition of the contract.
- ix) All replacement and repairs and design change that the Railway shall call upon the contractor to deliver or perform under this warranty period shall be delivered and performed by the contractor within three months, promptly and satisfactorily.
- x) The decision of the Railway in regard to contractor's liability and the amount, if any, payable under this warranty shall be final and conclusive.
- xi) During failure analysis/de-bugging, if any design deficiency is pointed out by the Railway, the contractor shall rectify it at his own cost

# 2.42 VARIATION IN CONTRACT QUANTITIES:

In addition to Clause 42 of GCC. The procedure detailed below shall be adopted for dealing with variations in quantities during the execution of works contracts.

Individual Items in the contract shall be operated with quantity variation of plus or minus 25%, and payment would be made as per the agreement rate. In case an increase in the quantity of an individual item by more than 25% of the agreement quantity is

considered unavoidable, then the same shall be executed at the following rates

- i. Quantities operated more than 125%, but up to 140% of the agreement quantity of the concerned item, shall be paid at 98% of the rate awarded for that item in that particular tender.
- ii. Quantities operated more than 140%, but up to 150% of the agreement quantity of the concerned item shall be paid at 96% of the rate awarded for that item in that particular tender.
- iii. Variation in quantities of individual items beyond 150% will be avoided and permitted only in exceptional unavoidable circumstances and shall be paid at 96% of the rate awarded for that item in that particular tender.
- iv. Variation to quantities of Minor Value Item:

  The limit for varying quantities for minor value items shall be 100% (as against 25% prescribed for other items). For this purpose, a minor value item is defined as an item whose original agreement value is less than 1 % of the total original agreement value.
  - i. Quantities operated up to and including 100% of the agreement quantity of the concerned minor value item shall be paid at the rate awarded for that item in that particular tender.
  - ii. Quantities operated more than 100%, but up to 200% of the agreement quantity of the concerned minor value item shall be paid at 98% of the rate awarded for that item in that particular tender;
  - iii. Variation in quantities of individual minor value items beyond 200% will be avoided and permitted only in exceptional unavoidable circumstances and shall be paid at 96% of the rate awarded for that item in that particular tender.
- v. No variation limit shall apply in the case of foundation work, and the Contractor shall carry out the work at agreed rates irrespective of any variation.
- vi. As far as SOR items are concerned, the limit of 25% would apply to the value of the SOR schedule as a whole and not on individual SOR items. However, in the case of NS items, the limit of 25% would apply on the individual items irrespective of quoting the rate (single percentage rate or individual item rate).

- vii. Execution of quantities beyond 150% of the overall agreement value should not be permitted and, if found necessary, should be only by negotiating with a contractor, with the prior personal concurrence of Principal FA&CAO/FA&CAO(C) and approval of General Manager
- viii. In cases where the decrease is involved during execution of the contract:
  - i) The contract signing authority can decrease the quantities of items up to 25% of the individual item.
  - ii) For a decrease beyond 25% for individual items or 25% of contract agreement value, the approval of an officer not less than the rank of S.A. Grade may be taken after obtaining "No Claim Certificate" from the contractor and with finance concurrence.

#### Note:

- 1) In case of need for the introduction of any new items (New NS Items) not covered in the schedule of quantities and rates to provide for any additional activity not covered in the original scope of contract shall be done at the rates, terms, and conditions mutually decided between Railway and contractor.
- 2) In case there is a need for introducing SOR items that are originally not available in the tender and further required to be included as per site conditions. Then the rate for such New SOR items shall be applicable at the same originally accepted percentage by the contractor and Railways.

# 2.43 PRICE VARIATION CLAUSE:

As per S&T SOR clause no. 24, Price variation shall NOT be applicable in this contract across all schedules.

# 2.44 RIGHT OF RAILWAYS TO KEEP BACK FROM THE CONTRACT ANY PORTION OF WORK:

The successful tenderer will, however, have no claim or right in the execution of work which in the opinion of the Engineer should be carried out departmentally or otherwise, and the Railway reserves the right to keep back from the contract and carry out the work or any portion of work through any other agency, it may think without assigning any reason, any time after the acceptance of the tender.

Therefore, no claim for compensation/loss or whatsoever on this account will be entertained by the Railway.

#### 2.45 APPROVAL AND MEASUREMENT OF WORK:

- The contractor shall obtain written approval from the Railway supervisor after completing the various sub-items of each work mentioned in the schedule. The contractor should ensure that correct measurements have been made for such work, which is not possible to measure subsequently and shall remain hidden. e.g., Measurement of cable trench before laying of cables and back filling.
- ii) The contractor shall sign the measurement book as a token of acceptance of the measurement entered by the supervisor in charge of the work.
- iii) MEANING AND INTERPRETATION BY RAILWAY TO BE FINAL All measurements, method of measurement, meaning and intent of specifications and interpretation of Special Conditions of Contract, given and made by the Railways or by the Railway's Engineer shall be final and binding and shall be considered "excepted matter" (matters not arbitrable) in terms of conditions laid down in the General Conditions of Contract.

#### 2.46 EXTENSION OF COMPLETION PERIOD:

Extension to the contract will be granted by Railways as per Clause of GCC 17-A & B.

#### 2.47 LOSS SUSTAINED DUE TO DEFAULT AND DELAY:

In the event of any loss to the Railways on account of execution and/or delay in completion of the work or any part thereof by agencies engaged by the contractor, the contractor shall be liable to reimburse the loss to the purchaser without prejudice to the other rights and remedies of the purchaser, and the reimbursement in full or in part as the case may be, shall be met, at the option of the purchaser from out of all or any of the following sources viz:

- ii) Any amount due and payable to the contractor by the purchaser on any account whatsoever.
- iii) The Contractor's security deposit in the hands of the purchaser as far as available, and any other assets whatsoever of the contractor.

In the event of reimbursement from out of sources (i) and/or (ii) above mentioned, the Railway shall have the right of appropriation Suo-moto.

#### 2.48 CONTRACTOR'S LIABILITIES FOR COST AND DAMAGES

Withholding and lien regarding sums claimed will be applicable as per Clause of GCC 52 & 52-A.

## 2.49 SYSTEM OF QUOTING RATES:

The Tender consists of One Schedules, i.e., Schedule-A Non-SOR items

The prices quoted by the Tenderer shall include the prices of materials, including all incidental charges for transport, packing, loading/unloading, and handling of materials, the cost for arranging dispatch by rail/road direct from manufacturer's premises, and completing all necessary formalities in all respect. In addition, the prices shall include all taxes, duties, insurance, Royalty, land levies applicable to this Works Contract. Therefore, the tenderer should quote their prices, considering the rate of GST as applicable for this contract as per extant Government orders from time to time.

The Unit prices offered against the various items in schedules will include beside labour the following elements of cost: -

- i. Cost of all materials required for preparing the cable routes, laying the cables, and all other incidentals connected and excluding the materials supplied by the Railways.
- ii. Special tools & installation materials for cable laying etc.,
- iii. Cost of transportation of material supplied by the Railway from a place of delivery to the worksite.
- iv. Return of released materials left over cables and other materials from the site of work and handing over to the Engineer at specified locations or stores depot.
- v. Return of damaged materials due to transportation.
- vi. Cost of preparation of detailed documentation, completion plans/drawings.
- vii. All other miscellaneous expenses are necessary for the execution of work and fulfilling contractual obligation.
- viii. Conditions for reimbursements of levy/tax/cess if levied after receipt of tenders

- a) Before submitting a tender, the tenderer will be deemed to have satisfied himself by actual inspection of the site and locality of the works, that all conditions liable to be encountered during the execution of the works are taken into account and that the rates entered in the tender forms are adequate and all-inclusive to accord with the provisions in Clause-37 of the standard GCC (Annexure 5 of Chapter 3) for the completion of works to the entire satisfaction of the engineer.
- b) Tenderers shall examine the various provisions of the Central Goods and Services Tax Act, 2017(CGST)/ Integrated Goods and Services Tax Act, 2017(IGST)/Union Territory Goods and Services Tax Act, 2017(UTGST)/ respective state's state Goods and Services Tax Act (SGST) also as notified by Central/State Govt& as amended from time to time and applicable taxes before bidding. Furthermore, tenderers shall ensure that the full benefit of Input Tax Credit (ITC) likely to be availed by them is duly considered while quoting rates.
- c) The successful tenderer is liable to be registered under CGST/IGST/UTGST/SGST Act shall submit GSTIN and other details required under CGST/IGST/UTGST/SGST Act to Railway immediately after the award of contract, without which no payment shall be released to the contractor. The contractor shall be responsible for the deposition of applicable GST to the concerned authority.
- d) Suppose the successful tenderer is not liable to be registered under CGST/IGST/UTGST/SGST Act. In that case, the Railway shall deduct the applicable GST from his/their bills under reverse charger mechanism (RCM) deposit the same to the concerned authority.

#### Note:

a. However, if rates of existing GST or cess on GST for Works Contract is increased or Statute imposes any new tax /cess on Works Contract after the date of opening of tender but within the original date of completion/date of completion extended under clause 17 & 17A and the Contractor thereupon properly pays such taxes/cess, the Contractor shall be reimbursed the amount so paid. b. Further, suppose rates of existing GST or cess on GST for Works Contract is decreased, or any tax/cess on Works Contract is decreased / removed by Statute after the date of opening of tender. In that case, the reduction in tax amount shall be recovered from Contractor's bills/Security Deposit or any other dues of Contractor with the Government of India.

#### 2.50 TERMS OF PAYMENT:

The Contractor will be entitled to be paid from time to time by way of "On Account payment" for the supply of materials and works as in the engineer's opinion who has executed in terms of the contract.

All bills shall be subject to any deduction or recovery which the Railway may be entitled to make under contract.

The Contractor shall be entitled to be paid from time to time by way of "On Account" payment as per clause 46(i) of General Conditions of Contract. While processing payment of any 'On Account Bill' contractor shall submit a certificate to the Engineer or Engineer's representatives that "I have uploaded the correct details of contract labours engaged in connection with this contract and payments made to them during the wage period in Railway's Shramikkalyan portal at 'www.shramikkalyan.indianrailways.gov.in' till \_\_\_\_\_Month, Year."

#### ON ACCOUNT PAYMENT:

Such "On Account Payments" will be made to supply equipment materials indicated in the supply schedule on receipt of materials in good condition at the Stores of SSE/Tele/SRM/PER.

# a) Supply Items:

For supply items of tender, Schedule **90%** (Ninety Percent) of the value of each consignment shall be paid on receipt of materials at consignee store depot and production of the following documents:

i) Store receipt certificate issued by consignee.

- ii) Original Inspection certificate issued by Inspecting Official viz. RDSO/RITES/Railway Representative or Inspection Waiver Certificate issued by the competent authority.
- iii) Manufacturer's certificate for the equipment that the materials are in accordance with the contract specifications.
- iv) Challan/Invoice in duplicate. The payment of supply items should be accepted as per the time frame mentioned in SCC.

The contractor has to furnish an indemnity bond see **Form No.5** (in Forms & Annexures part of Chapter - 3) before payment is claimed, indemnifying the Railway Administration until completion of the work, against all damages, costs, charges, expenses, loss, and liability, which the Railways may sustain, incur or be put to, by reasons or in subsequence directly or indirectly due to the Contractor not fulfilling the portion of the Contract involving the installation, testing and commissioning of the items supplied by the Contractor.

5% of the value of material shall be paid after successful installation and testing of the equipment, certified by a Railway representative

**5%** value of the supply items shall be paid in the final bill (as per GCC Para.51 (1)).

## b) <u>Installation Items:</u>

**90%** of the value of installation rate as per agreement shall be paid as on accounts bills only on production of certificate by the site engineer that relevant portion of the installation has been completed.

**5% of the value of installation rate** as per agreement shall be paid after successful submission of all "As-Made" documents.

**5% value of installation rate** as per agreement shall be paid in the final bill (as per GCC Para.51 (1)).

# c) **Supply and Installation of Items:**

**70%** of the value of material as per agreement shall be paid as on accounts bills only on production of the certificate as brought out in para above.

**20% of the value of material** as per agreement shall be paid after successful completion of the installation of the work.

**5% of the material value** as per agreement shall be paid after successfully submitting all "As-Made" documents.

**5% value of material** as per agreement shall be paid in the final bill (as per GCC Para.51 (1)).

# d) For Testing & Commissioning Items:

95% of the value of the item commissioned shall be paid after successful completion /commissioning of the system by the Railway's representative.

5% value of the item commissioned shall be paid in the final bill (as per GCC Para.51 (1)).

## e) For As-Made Documents:

95% of the value of the item supplied shall be paid after certification by Railway's Representative.

5% value of the item supplied shall be paid in the final bill (as per GCC Para.51 (1)).

# f) For submission of documents:

- a) 30% of the value shall be paid after Submission of SWR Copies
- b) 30% of the value shall be paid after Submission of TSAA Documents
- c) 20% of the value shall be paid after the Submission of Approved Rule

Diagrams and Blueprint Copies.

- d) 10% of the value shall be paid after Submission of NI Drawings/Plans
- e) 10 % of the value shall be paid after Submission of Yard Testing

Diagram

# g) For Usage of M-sand in lieu of river sand Schedule A:

As per SOR 2011, 27 SOR items have a component of River sand as per the SOR working sheet. Due to scarcity and ban on River sand, an alternative option is using M-sand, which PCE and PCSTE already

approved. The following 27 SOR schedules have the component of sand, which are detailed below:

S. No	SOR .No	Description of work	
1	10_108	Provision of GI Pipes 50mm/100mm dia over RCC Bridges	
2	10_110	Provision of GI Pipes 50mm/100mm dia over Rocky Areas	
3	10_118	Supply of Cable Markers (RCC Type)	
4	10_119	Placing of cable markers and concreting (RCC Type)	
5	10_201	Casting of foundation and erection of apparatus case - Full size	
6	10_202	Casting of foundation and erection of apparatus case - Half size	
7	10_203	Casting of foundation and erection of apparatus case - Quarter size	
8	10_204	Erection of CT boxes and concreting (for cable troughing)	
9	10_205	Erection of CT boxes and concreting (for point machines)	
10	10_206	Fabrication and Erection of apparatus case - full size on embankment	
11	10_207	Fabrication and Erection of apparatus case - half size on embankment	
12	10_208a	Shifting of apparatus case (full)	
13	10_210a	Termination on 25/60mm PBT terminals (new location) (Phynolic sheet)	
14	10_210b	Termination on PBT fuse block (new location) (Phynolic sheet)	
15	10_211a	Termination of cables on 25/60mm PBT terminals (existing location)	
16	10_211b	Termination of cables on PBT fuse block (existing location)	
17	10_218	Casting of concrete foundation for colour light Signals	
18	10_220	Casting of foundation for ground type shunt Signal	
19	10_234	Supply and provision of earth electrodes (GI)	
20	10_308a	Provision of interconnections -up to 5 roads	
21	10_308b	Provision of interconnection - more than 5 roads (same floor)	
22	10_308c	Provision of interconnections -more than 5 roads (different floors)	

S. No	SOR .No	Description of work	
23	10_403	Erection and concreting of ground lever frames	
24	10_405	Interlocking of level crossing gates with lifting barriers	
25	10_407	Provision of Boom locking arrangement	
26	10_416	Erection and painting of goods warning boards	
27	10_421	Construction of masonry platform for Signal post telephone	

If the tenderer uses M-sand in lieu of River sand for Schedule – A and B, it is proposed to deduct 0.5% of the accepted rate for that particular item.

#### 2.51 FINAL PAYMENT:

- i) Final payment of 5% (Five Percent) of contract value shall be made after Warranty Period is completed as per Para 2.41 of SCC and as per para 51(1) of GCC.
- ii) The contract for this work will be considered complete after completion of Warranty Period as per Para 2.41 of SCC.
- iii) For releasing of Final Bill, contractor shall submit a certificate to the Engineer or Engineer's representatives that "I have uploaded the correct details of contract labours engaged in connection with this contract and payments made to them during the wage period in Railway's Shramikkalyan portal at 'www.shramikkalyan.indianrailways.gov.in' till \_\_\_\_Month, Year."

On the basis of (i), (ii) and (iii) above for all the works in all the section covered in this contract, and reconciliation of materials issued, the final bill for the balance payment for each item of work shall be submitted by the Contractor along with a clear 'No Claim Certificate'.

On the Engineer's certificate of completion in respect of the works, adjustment shall be made and the balance of account based on the Engineer or the Engineer's representative's certified measurements or Engineer's certified "contractor's authorized engineer's measurements" of the total quantity of work executed by the Contractor up to the date of completion and on the accepted

schedule of rates and for extra works on rates determined under Clause 39 of these Conditions shall be paid to the Contractor subject always to any deduction which may be made under these presents and further subject to the Contractor having signed delivered to the Engineer enclosing either a full account in detail of all claims he may have on the Railway in respect of the works or having delivered No Claim Certificate and the Engineer having after the receipt of such account given a certificate in writing that such claims are not covered under excepted matter i.e. Clauses 7(j), 8, 18, 22(5), 39, 43(2), 45(i)(a), 55, 55-A(5), 57, 57A, 61(1), 61(2) and 62(1) (i) to (xv)(B) of Standard General Conditions of Contract or in any Clause of the Special Conditions of the Contract, that the whole of the works to be done under the provisions of the Contracts have been completed, that they have been inspected by him since their completion and found to be in good and substantial order, that all properties, works and things, removed, disturbed or injured in consequence of the works have been properly replaced and made good and all expenses and demands incurred by or made upon the Railway for or in the respect of damage or loss by from or in consequence of the works, have been satisfied agreeably and in conformity with the contract.

#### Note:

For releasing of Final Bill, contractor shall submit a certificate to the Engineer or Engineer's representatives that "I have uploaded the correct details of contract labours engaged in connection with this contract and payments made to them during the wage period in Railway's Shramikkalyan portal at 'www.shramikkalyan.indianrailways.gov.in' till \_\_\_\_Month, \_\_\_Year."

#### 2.52 POST PAYMENT AUDIT:

It is an agreed term of contract that the Railway reserves to itself the right to carry out a post-payment audit and/ or technical examination of the works and the final bill including all supporting vouchers, abstracts etc. and to make a claim on the Contractor for the refund of any excess amount paid to him till the release of security deposit or settlement of claims, whichever is later, if as a result of such examination any over-payment to him is discovered to have been made in respect of any works done or alleged to have been done by him under the contract.

#### 2.53 MODE OF PAYMENT TO CONTRACTOR:

All payments to contractors/suppliers will be made through National Electronic Fund Transfer (NEFT) system. It is mandatory to enclose, MANDATE Form given in (**Annexure-3** of Chapter-3 Forms & Annexure) which will require to be filled in along with the offer. Indian Financial System Code (IFSC) of the concerned bank shall be given in the MANDATE form or through Letter Of Credit (LC) arrangements.

In case Tenderer seeks payment through Letter of Credit then the option can be exercised at the time of bidding only. Special condition for Letter of Credit in works tender vide Railway Board Lr No 2018/CE-I/CT/9 Dt 04.06.2018 are given below:

- (i) For all the tenders having advertised cost of Rs. 10 Lakhs or above, the contractor shall have the option to take payment from Railways through a letter of credit (LC) arrangement.
- (ii) This option of taking payment through LC arrangement has to be exercised in IREPS (Indian Railway Electronic Procurement System -the e-application on which tenders are called by Railways) by the tenderer at the time of bidding itself, and the tenderer shall affirm having read over and agreed to the terms and conditions of the LC option.
- (iii) The option so exercised, shall be an integral part of the bidder's offer.
- (iv) The above option of taking payment through LC arrangement, once exercised by tenderer at the time of bidding, shall be final and no change shall be permitted, thereafter, during execution of contract
- (v)In case tenderer opts for payment through LC, following shall be the procedure to deal release of payment through LC.
  - (a) The LC shall be a sight LC

- (b) The contractor shall select his Advising/Negotiating bank for LC. The incidental cost towards issue of LC and its operation thereof shall be borne by the contractor
- (c) SBI, New Delhi, Main Branch will be the nodal branch for issue of LCs based on online requests received from Railway Accounts Units for tenders opened in financial year 2018-19. SBI branches where the respective Railway Accounts Office its Account (local SB1branch) will the issuance/reimbursing branch for LC issued under this arrangement. The Bank shall remain same for this tender till completion of contract. The incidental cost @0.15% per annum of LC value, towards issue of LC and operation thereof shall be borne by the contractor and shall be recovered from his bills
- (d) The LC shall be opened initially for duration of 180 to 365 days in consultation with contractor. The LC shall be extended time to time as per the progress of the contract, on the request of the contractor. The value of LC to be opened initially as well as extended thereafter shall be finalised by the engineer in consultation with the contractor on the basis of expected progress of work
- (e) The LC terms and conditions shall inter-alia indemnify and save harmless the Railway from and against all losses, claims and demands of every nature and description brought or recovered against the Railways by reason of any act or omission of the contractor, his, agents or employees, in relation to the Letter of Credit (LC). All sums payable/borne by Railways on this account shall be considered as reasonable compensation and paid by contractor
- (f) The LC terms and conditions shall inter-alia provide that Railways will issue a Document of Authorisation (format enclosed as Annexure 2) after passing the bill for completed work, to enable contractor to claim the authorized amount from their bank
- (g) The acceptable, agreed upon document for payments to be released under the LC shall be the Document of Authorisation
- (h) The Document of Authorisation shall be issued by Railway Accounts Office against each bill passed by Railways
- (i) On issuance of Document of Authorisation, a copy of Document of Authorisation shall be posted on IREPS for download by the contractor. A digitally signed copy of

- Document of Authorisation shall also be sent by Railway Accounts Office to Railway's bank (Local SBI Branch)
- (j) The contractor shall take print out of the Document of Authorisation available on IREPS and present his claim to his bank (advising Bank) for necessary payments as per LC terms and conditions. The claim shall comprise of copy of Document of Authorisation, Bill of Exchange, and Bill
- (k) The payment against LC shall be subject to verification from Railway's Bank (Local SBI Branch)
- (I) The contractor's bank (advising bank) shall submit the documents to the Railway's Bank (Local SBI Branch)
- (m) The railway's bank (issuing bank) shall, after verifying the claim so received w.r.t. the digitally signed Document of Authorisation received from Railway Accounts Office, release the payment to contractor's bank (advising bank) for crediting the same to contractor's account
- (n) Any number of bills can be dealt within one I.C, provided the sum total of payments to contractor is within the amount for which LC has been opened
- (o) The LC shall be closed after the release of final payment including PVC amount, if any, to the contractor
- (p) The release of performance guarantee or security deposit shall be dealt directly by railway with the contractor i.e., not through LC

#### 2.54 FINAL SETTLEMENT:

On expiry of the warranty period as per Para 2.41 of SCC, a fresh Performance Guarantee (PG) shall be submitted based on the value of Annual Maintenance Contract (AMC) for entire 5-year period. On submission of the required PG against AMC, the security deposit of this tender will be refunded to the Contractor.

#### 2.55 DEDUCTION FROM ON ACCOUNT BIILLS:

All costs, damages or expenses, which Railways may have paid or incurred, which under the provisions of contract are Contractor's obligations will be deducted by Railways from progressive payment Bills/Invoice of Contractor, as and when it is understood that such expenses have been incurred or paid for. All such claims of Railways shall, however, be duly supported by appropriate and certified

vouchers, receipts, or explanations as are available to enable the Contractor to identify such claims.

#### 2.56 DEDUCTION OF TAXES:

Railways will deduct applicable Taxes such as GST as per extant rules and any other cess to be levied by Government of India. Wherever the law makes it statutory for the purchaser to deduct any amount towards Tax on works contract, the same will be deducted and remitted to the concerned authority. The Contractor and all personnel employed by him shall pay such taxes like Income Tax as are payable under statutory laws of India and the Railways will not accept any liability for the same. In terms of provisions of finance act and income tax act enforce deduction of income tax, surcharge & cess at source shall be made from the contractor and the amount so deducted may be credited to the central government. All other statutory deductions, such as GST, etc., at the rates as applicable at the time of payment, shall be made both from on account bills as well as final bills as per rules in force.

#### Note:

- 1) Income Tax and surcharge, if any, as notified by the Income Tax department will be deducted at source from each bill, unless otherwise authorized by Income Tax Department.
- 2) If rates of existing GST or cess on GST for Works Contract is increased or any new tax /cess on Works Contract is imposed by Statute after the date of opening of tender but within the original date of completion/date of completion extended under clause 17 & 17A and the Contractor thereupon properly pays such taxes/cess, the Contractor shall be reimbursed the amount so paid.
- 3) Further, if rates of existing GST or cess on GST for Works Contract is decreased or any tax/cess on Works Contract is decreased / removed by Statute after the date of opening of tender, the reduction in tax amount shall be recovered from Contractor's bills/Security Deposit or any other dues of Contractor with the Government of India
- 4) Deduction of Labour Cess as per extant instructions from Railway Board

#### 2.57 INSURANCE:

#### 2.57.6 INSURANCE FOR PERSONS EMPLOYED BY CONTRACTOR

The contractor shall take out and keep in force a policy or policies of insurance against all liabilities of the Contractor or the Railways at common law or under any statute in respect of accidents to persons who shall be employed by the contractor in or about the site for the purpose of carrying out the works on the site. The Contractor shall also take out and keep in force a policy or policies of Insurance against all recognized risks to their offices and depots. Such insurance shall in all respects be to the approval of the Purchaser and if he so requires in his name.

#### 2.57.7 INSURANCE OF MATERIALS & INSTALLATIONS:

The contractor shall take out and keep in force a policy or policies of Insurance for all materials including Railway supply materials, equipment irrespective of whether used up in the portion of work already done or kept for the use in the balance portion of the work until such works are provisionally handed over to the Railways. For this purpose, the works are deemed to have been provisionally handed over when work completion certificate is issued. The Contractor shall not be liable for losses/damages to the materials either used up in the portion of work done or his material kept for use at site, in consequence of mutiny, or other similar causes over which the Contractor has no control, and which cannot be insured. Such losses or damages shall be the liability of the Purchaser and if required by the Railways, be made good by the contractor, at the cost of the Purchaser. The Contractor should, however, ensure the stores brought to site, against risks in consequence of war and invasion, as required under the Emergency Risk (Goods) Insurance Act in force from time to time.

It may be noted that the beneficiary of the insurance policy should be Railways, or the policies should be pledged in favour of Railway. The contractor shall keep the policy/policies current till the installations are provisionally handed over to the Railways. It may also be noted that in the event of contractor's failure to keep the policy current and alive, renewal of the policy will be done by the Railways for which the cost of the premium plus 20% of premium shall be recovered from the contractor. For purpose of enabling the contractor to take the insurance cover in connection with this

contract, the Railways' engineer will advise the approximate price of all the Railway's supply materials to the contractor.

#### 2.58 RATES DURING NEGOTIATION:

The tenderer shall not increase his quoted rates in case the Railway Administration negotiates for reduction of rates. Such a negotiation shall not amount to cancellation or withdrawal of the original offer and the rates originally quoted will be binding on the tenderer.

#### 2.59 VITIATION:

In the event of vitiation occurring due to increase or decrease in quantities, among the first, second and third lowest valid tenderers etc., the vitiation shall be to the contractor's account. The total value of the work done shall be calculated at the rate offered by those tenderers and the amount payable shall be limited to the lowest aggregate value as worked out. Vitiation shall be applicable as per Railway Board Ir.no. 2017/Trans/01/Policy Dt 08.02.2018.

#### 2.60 LABOUR CAMPS:

Applicable as per GCC Clause 59 (1).

#### 2.61 PAYMENT OF WAGES:

Contractor is to abide by the provisions of Payment of Wages act & Minimum Wages act in terms of clause 54 and 55 of Indian Railways General Condition of Contract. In order to ensure the same, an application has been developed and hosted on website <a href="https://www.shramikkalyan.indianrailways.gov.in">www.shramikkalyan.indianrailways.gov.in</a>. Contractor shall register his firm/company etc. and upload requisite details of labour and their payment in this portal. These details shall be available in public domain. The Registration/updation of Portal shall be done as under.

(a) Contractor shall apply for one time registration of his company/firm etc. in the Shramikkalyan portal with requisite details subsequent to issue of letter of Acceptance Engineer shall approve the contractor's registration on the portal within 7 days of receipt of such request.

- (b) Contractor once approved by any Engineer, can create password with login ID (PAN No.) for subsequent use of portal for all LOA's issued in his favour.
- (c) The contractor once registered on the portal shall provide details of his letter of Acceptances (LOA)/Contract Agreements on Shramikkalyan portal within 15 days of issue of any LOA/or approval of concerned engineer. Engineer shall update (if required) and approve the details of LOA filled by contractor within 7 days of receipt of such request.
- (d) After approval of LOA by Engineer, Contractor shall full the salient details of contract labours engaged in the contract and ensure updating of each wage payment to them on Shramikkalyan portal on monthly basis.
- (e) It shall be mandatory upon the contractor to ensure correct and prompt uploading of all salient details of engaged contractual labour & payment made thereof after each wage period.

While processing payment of any "On Account bill" or "Final bill" or release of "Advance " or "Performance Guarantee/Security deposit", contractor shall submit a certificate to the Engineer or Engineer's representatives that "I have uploaded the correct details of contract labours engaged in connection with this contract and payments made to them during the wage period in Railway's Shramikkalyan portal at <a href="https://www.shramikkalyan.indianrailways.gov.in">www.shramikkalyan.indianrailways.gov.in</a> till \_\_\_\_\_ Month Year.

## 2.62 ASSIGNMENT OR SUBLETTING OF CONTRACT:

The Contractor shall not assign or sublet the contract or any part thereof or allow any person to become interested therein in any manner whatsoever without the special permission in writing of the Chief Engineer, save as provided below. Any breach of this condition shall entitle the Railway to rescind the contract under Clause 62 of these Conditions and also render the Contractor liable for payment to the Railway in respect of any loss or damage arising or ensuing from such cancellation; provided always that

execution of the details of the work by petty Contractor under the direct and personal supervision of the Contractor or his agent shall not be deemed to be sub-letting under this clause.

In case Contractor intends to subcontract part of work, he shall submit a proposal in writing seeking permission of Chief Engineer for the same. While submitting the proposal to railway, Contractor shall ensure the following:

- (a) (i) Total value of work to be assigned to sub-contractor(s) shall not be more than 50% of total contract value.
  - (ii)The subcontractor shall have successfully completed at least one work similar to work proposed for subcontract, costing not less than 35% value of work to be subletted, in last 5 years through a works contract directly given to him by a Govt. Department; or by a Public listed company having average annual turnover of Rs 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, registered at least 5 years back from the date of submission of proposal by Contractor to Railway and work experience certificate issued by a person authorised by the Public Listed Company to issue such certificates.

In case contractor submits subcontractor's work experience certificate issued by public listed company, the contractor shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate.

- (iii)There is no banning of business with the sub-contractor in force over IR.
- (b) The Contractor shall provide to the Engineer a copy of the agreement to be entered into by Contractor with subcontractor. No subcontractor shall be permitted without a formal agreement between Contractor and subcontractor. This agreement shall clearly define the scope of work to be carried out by subcontractor and the terms of payment in clear & unambiguous manner.

- (c) On receipt of approval from Chief Engineer, Contractor shall enter into a formal agreement legally enforceable in Court of Law with subcontractor and submit a copy of the same to the Engineer.
- (d) The Contractor shall intimate to the Engineer not less than 7 days in advance, the intended date of commencement of subcontractor's work.
- (e) Once having entered into above arrangement, Contractor shall discontinue such arrangement, if he intends to do so at his own or on the instructions of Railway, with prior intimation to Chief Engineer.
- (f) The Contractor shall indemnify railway against any claim of subcontractor.
- (g) The Contractor shall endeavour to resolve all matters and payments amicably and speedily with the subcontractor.
- (h) In addition to issuance of work experience certificate to Contractor, the Engineer, when, based on documents, is satisfied that subcontracted work has been carried out by subcontractor, shall issue work experience certificate to the subcontractor also for the portion of work subcontracted and successfully completed by the sub-contractor.
- (i) The responsibility of successful completion of work by subcontractor shall lie with Contractor. Subcontracting will in no way relieve the Contractor to execute the work as per terms of the Contract.
- (j) Further, in case Engineer is of the view that subcontractor's performance is not satisfactory, he may instruct the Contractor to remove the subcontractor from the work and Contractor has to comply with the above instructions with due promptness. Contractor shall intimate the actual date of discontinuation of subcontract to Engineer. No claim of Contractor whatsoever on this account shall be entertained by the Railway and this shall be deemed as 'excepted matter' (matter not arbitrable).

(k)The permitted subcontracting of work by the Contractor shall not establish any contractual relationship between the sub-contractor and the Railway and shall not relieve the Contractor of any responsibility under the Contract.

#### 2.63 SETTLEMENT OF DISPUTES:

# 2.63.6 Matters Finally Determined by the Railways: (Refer GCC Clause 63)

All disputes and differences of any kind whatsoever arising out of or in connection with the contract, whether during the progress of the work or after its completion and whether before or after the determination of the contract, shall be referred by the contractor to the GM and the GM shall, within 120 days after receipt of the contractor's representation, make and notify decisions on all matters referred to by the contractor in writing provided that matters for which provision has been made in Clauses 8, 18, 22(5), 39, 43(2), 45(a), 55, 55-A(5), 57, 57A, 61(1), 61(2) and 62(1) to (xiii)(B) of Standard General conditions of contract or in any clause of the special conditions of contract shall be deemed as 'excepted matters' (matters not arbitrable) and decisions of the Railway authority, thereon shall be final and binding on the contractor; provided further that 'excepted matters' shall stand specifically excluded from the purview of the Arbitration clause.

# **2.63.7** DEMAND FOR ARBITRATION: Refer GCC Clause 64 for complete details

# 2.64 FORCE MAJEURE: (Refer GCC Clause 17)

If at any time, during continuance of this Contract, the performance in whole or in part, by either party, of any obligation under this contract shall be prevented or delayed by reason of any war, hostility, act of the public enemy, Civil Commotion, Sabotage, serious loss or damage by Fires, explosions, epidemics/ pandemics, strikes, lockouts or acts of God (here-in-after referred to as events ) provided, notice of the happening of any such event is given by either party to the other within 30 days from the date of occurrence thereof neither party shall by reason of such event be entitled to terminate this Contract nor shall either party have any claim for damages against the other in respect of such non-performance or delay in performance, and works under the Contract shall be resumed as soon as practicable after such event has come to an end or ceased to

exist, and the decision of Engineer as to whether the works have been so resumed or not shall be final and conclusive, PROVIDED FURTHER that if the performance in whole or in part of any obligation under this contract is prevented or delayed by reason of any such event for a period exceeding 120 days, either party may at its option terminate the contract by giving notice to the other party.

## 2.65 Police Verification of contractor's employees:

- (i) All contractual workers engaged in Railways are subject to police verification as per the laid down procedures.
- (ii) The shall ensure that the Police Verification of Contractual Staff is done and police verification certificate to be furnished to the Railways within 30-days from the date of engagement of any staffs. If contractor fails to furnish necessary police verification certificates, Railway may take action against the contractor, including imposition of penalty The Police verification to be submitted in Annexure B format.

\*\*\*\*END OF CHAPTER - 2\*\*\*\*

**CHAPTER - 3** 

# **FORMS & ANNEXURES**

FORM No. 1A

## **TECHNICAL CREDENTIALS**

{Only for Technical Eligibility Criteria (completed similar work)} [Refer Para 2.5.1 and 2.5.2 of Tender Document]

For the most eligible contractors who had completed similar works, Tenderers shall have to submit the following details along with tender duly attested by the tenderer. The tenderer shall also enclose relevant certificate/documents issued by the concerned authority in this regard:

1.	Name of work.	
2.	Contract awarding Authority.	
3.	Contact agreement No.	
4.	Name of the firm.	
5.	Date of award.	
6.	The original value of the contract.	
7.	The original date of completion.	
8.	(a) Whether work has been physically Completed	
	(b) Actual date of completion.	
9.	The final value of the contract.	
10.	Whether working as a main contractor	
11.	Whether working in an individual capacity or a Joint venture.	
12	Whether working as a Sub - Contractor	
13.	If the work was executed as a joint venture firm, the share of each partner to be given.	
14.	The brief scope of work.	
15.	Reference with Page No. in the submitted document.	

Signature by officer JAG/ above Signature & Date Seal

FORM No. 1B

# TECHNICAL CREDENTIALS {Only for Technical Eligibility Criteria (for substantially completed similar work)}

# [Refer Para 2.5.1 and 2.5.2 of Tender Document]

For the most eligible contractors who had completed similar works, Tenderers shall have to submit the following details along with tender duly attested by the tenderer. The tenderer shall also enclose relevant certificate/documents issued by the concerned authority in this regard:

1.	Name of work.	
2.	Contract awarding Authority.	
1. 2. 3.	Contact agreement No.	
4.	Name of the firm.	
5.	Date of award.	
6.	The original value of the contract.	
7.	The original date of completion.	
8.	(a) Whether work has been Substantially completed	
9.	The present value of the contract (Excluding PVC if any)	
10.	PVC amount paid to the contractor if any	
11.	Whether working as a main contractor	
12	Whether working in an individual capacity or a Joint venture.	
13.	Whether working as a Sub - Contractor	
14.	If the work was executed as a joint venture firm, the share of each partner to be given.	
15.	The brief scope of work.	
16.	Reference with Page No. in the submitted document.	

It is certified that there is NO proceedings of termination of contract on Contractor's default has been initiated

Signature by officer JAG/ above
Signature & Date
Seal

#### FORM No. 2

# FINANCIAL CREDENTIALS [Refer Para 2.5.3 of Tender Document]

The tenderer is required to submit the contractual payments received for the last THREE years and the current financial year up to the date of invitation of tender. In addition, the tenderer shall also enclose relevant certificates/documents issued by the concerned authority.

	Previous 3 <sup>rd</sup> Financial Year	
	Previous 2 <sup>nd</sup> Financial Year	
	Previous 1 <sup>st</sup> Financial Year	
	Current Financial Year till the date	
	of opening of the tender.	
Gra	nd Total	
2.	Whether the certificate issued for the Contractual Payment received is audited & certified by a chartered accountant.	Yes/No
3.	Whether the Contractual Payment received for which the certificate is issued more than required as per the eligibility criteria of the tender.	Yes/No
4.	Reference with Page No. in the submitted document	

Note: The total contract amount received during the last three Financial Years and in the current Financial Year up to the date of inviting of tender should be a minimum of 150% of the advertised tender value. Tenderers should upload/submit to this effect any of the following authentic documents/certificates for evaluating the above financial eligibility criteria.

a) Attested certificate(s) issued by Executive or Nominated Authority of the Government Departments or Semi-Government / Public sector undertakings for the value of work done for them during the qualifying period including current financial year certifying the bill amounts paid Agreement-wise and Date-wise or attested photocopy of such certificate. Such certificates will be accepted only from Govt. / Govt. bodies / PSUs authorities. Certificates issued by Private bodies will not be considered.

b) Audited Balance Sheets indicating contractual receipts from the works done for Govt. / Govt. bodies / PSUs / Pvt. organization in the P&L account of the Balance Sheet, duly certified by the Chartered Accountant for the completed financial years. For the current financial year, Provisional balance sheets issued by Chartered Accountant indicating contractual receipts and supported by income tax Form-26AS.

#### **NOTE:**

- (i) Financial Year shall normally be reckoned as 1st April to 31st March of the Next Year. However, for Turnover Criteria, the Financial Year as applicable to the Company / Tenderer to be considered if it defers from the above.
- (ii) Current Financial Year is reckoned as the incomplete Financial Year in which Tender submission dates fall.
- (iii) Charted accountant statements duly indicating yearly receipts will not be considered unless backed by audited balance sheets or provisional balance sheets with 26AS statements of the income tax department.
- (iv) If the tender is not accompanied by the certificate(s) supporting financial eligibility as above, the tender shall be rejected. No post-tender correspondence will be entertained.
- (v) Attestation of documents may be self-attested or attested by a gazetted officer.

#### FORM No. 3

# STATEMENT OF DEVIATIONS PROFORMA FOR STATEMENT OF DEVIATIONS

The following are the particulars of deviations from the tender document:

Chapter No. XXX

SL No.	CLAUSE	DEVIATION	REMARKS
1110.			(INCLUDING JUSTIFICATION)

Note: Tenderers are advised to submit the deviations from the entire tender document, including Annexures. Where there is no deviation, the statement should be uploaded duly signed with an endorsement indicating no deviations. If the tenderer does not submit the deviations, they will be treated as NIL deviations to the entire tender document.

#### FORM No. 4

#### **GUARANTEE BOND TOWARDS PERFORMANCE OF CONTRACTOR**

The President of India, Through Sr.DFM/MAS, Southern Railway, Chennai-03,

Ref: Letter of Acceptance No of Sr.DSTE/MAS, Southern Railway, Chennai - 3 issued to(Name of the contractor) for " (Name of Work)."

- In consideration of the President of India acting through the Sr.DFM /MAS, Southern Railway, Chennai, -600003(hereinafter called "the Government") having agreed to exempt Shri . (Hereinafter called "the contractor"), from the demand under the terms and conditions of the agreement under execution between the president of India acting through the Sr.DSTE/MAS, Southern Railway, Chennai 600003 and. ("the said contractor") in terms of Letter of Acceptance No . dt: . "(Name of Work)" by the said contractor of terms and conditions contained in the said Agreement is on the production of Bank Guarantee for Rs (Rupees. ). as security towards the satisfactory performance of the work from the said contractor for compliance of his obligations in accordance with the terms and conditions in the said agreement.
- 2. We(Indicate the name of Bank) a, body corporate constituted under the Banking Companies (Acquisition and Transfer of undertaking) Act, 1970 having its corporate office atj hereinafter referred to as "the bank" do hereby undertake to pay to the Government an amount not exceeding Rs. (Rupees.) against any loss or damage caused to or suffered by or would be caused or suffered by the Government by reasons of any breach by the said contractor/s of any of the terms or conditions contained in the said agreement towards performance of the contract assigned.
- 3. We(indicate the name of Bank) do hereby undertake to pay the amounts due and payable under this Guarantee without any demur, merely on a demand from the Government stating that the amount claimed is required to meet the recoveries due or likely to be due from the said contractor. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this Guarantee. However, our liability under this Guarantee shall be restricted to an amount not exceeding Rs . (Rupees .)
- 4. We(Indicate the name of the bank) further undertake to pay the Government any money so demanded not withstanding any dispute or disputes raised by the said Contractor / Supplier in any suit or proceeding pending before any court or Tribunal relating thereto, our liability under this present being absolute and unequivocal. The payment so made by us under this bond shall be valid discharge of our liabilities for payment there under and the said

contractor / supplier shall have no claim against us for making such payment.

- 5. We (indicate the name of the bank) agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said Agreement and that it shall continue to be enforceable till all the dues of the government under or by virtue of the said agreement have been fully paid and its claims satisfied or discharged or till The Sr.DSTE/MAS Chennai-600003, ministry of railway certified that the terms and conditions of the said Agreement have been fully and properly carried out by the said contractor and accordingly discharge this guarantee. Unless a demand or claim under this guarantee is made on us in writing on or before the expiry of \_\_\_\_\_ we shall be discharged from all liability under this guarantee thereafter.
- 6. In the event of the period of the contract being extended and the contractor fails to extend the validity of this Guarantee for a further period to cover the extended period of the contract before the validity date of this Guarantee, a mere demand or claim made on the bank by the Government on or before the date of discharge of this Bond to the effect that the Contractor has failed to extend the validity of this Bond can be conclusive as regards the amount due and payable by the bank under this Guarantee unless the contractor extend the validity and the bank shall pay the amount forthwith to the Government.
- 7. We (indicate the name of the bank ) further agree with the Government that the Government shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of terms and conditions of the said agreement or to extend the time of performance by the said contractor(s) from time to time or to postpone from any time to time any of the powers exercisable by the Government against the said contractor and to forbear or enforce any of the terms and conditions relating to the said agreement, and we shall not be relieved from our liability by reason of any such variation, or extension is granted to the said contractor or forbearance act or omissions on the part of the Government or any indulgence by the Government to the said contractor/s or by any such matter or thing whatsoever under the law relating to sureties would, but for this provision, have the effect of so relieving us.
- 8. This Guarantee will not be discharged due to the change in the constitution of the bank or of the said Contractor.
- 9. We, . (Indicate the name of Bank) lastly undertake not to revoke this guarantee except with the previous consent of the Government in writing.
- 10. This Guarantee shall be valid up to , being the contract's tentative completion period, including the maintenance period unless extended or demanded by the Government.

Notwithstanding anything contained herein,

- 1. Our liability under this Guarantee shall not exceed Rs(Rupees.)
- 2. This Guarantee shall be valid up to
- 3. We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee only if you serve upon us and we receive a written claim or demand on or before, being the expiry of the validity period or performance Guarantee Bond. Our liability under this bank guarantee shall be fully discharged beyond the validity period, and you shall not have any claim against this Bank Guarantee.

In witness whereof the, \_\_\_\_\_\_.(Indicate the name of Bank) hereby affix our hand and seal on this theday of 2022

For (Indicate the name of Bank)

WITNESSES:

Witness No.1 Witness No.2

NAME:
ADDRESS:
PHONE:
SIGNATURE:

NAME:
ADDRESS:
PHONE:
SIGNATURE:
SIGNATURE:

FORM No. 5

### PROFORMA FOR INDEMNITY BOND

I/We M/s
(hereinafter called the Contractor) which expression includes his
successors and assignees in favour of the president of India acting
through the Sr.DSTE/MAS, 5th floor DRM Building/Chennai
<b>Division. Chennai-600003.(</b> herein after called the Railway")
Whereas the parties hereto have entered into an agreement vide letter of Acceptance No datedfor the purpose of executing the said contract until such time the materials hereinafter mentioned are duly erected or otherwise handed over to the Railway.
Whereas I/We (name of the contractors) am/are required to hold in custody for and on behalf of the railway in trust all-important and indigenous signalling material which have been handed over to me for installation of (name of the work) the vide Letter of Acceptance (LOA No and Date) for the purpose of executing the said contract until such time the materials are duly erected and are handed over to Railways. Whereas I/we M/s (name of the contractors) are required to furnish an Indemnity Bond.
Now by this indemnity bond, we hereby undertake that we hold in my custody for and on behalf of the president of India and his property in trust of the said imported and indigenous signalling materials handed over to us for the purpose of execution of the said contract until such time the materials duly erected or otherwise handed over to the Railways.
We shall be entirely responsible for the safe custody and protection of

We shall be entirely responsible for the safe custody and protection of the said important and indigenous signalling materials against all risk till they are duly erected or otherwise delivered to **SR.DSTE/MAS Office**, **Southern Railway**, **Chennai 600 003** to any other officer as he may direct otherwise and shall indemnify the Railway against any loss, damage or deterioration in respect of the said materials which are in possession.

The said material shall at all times be open for Inspection by any authorized Officer of the Railways.

Should any loss, damage, or deterioration occur or refund becomes due, the President of India shall be entitled to recover from us the compensation for such loss or damage or deterioration the amount is to be refunded without prejudice to any other remedies available to Railways and also by deduction from any sum due or any sum which at any time hereinafter may become due to us for this work under other Contract with any other department of the Railways.

The value of the above materials for to be claimed this indemnity Bond sha (Rupees)	• •		-	
In the event of any loss or damage assessment of such loss or dam assessment of the compensation to President of India or his authorized no shall be final and binding upon us.	ages or deterio hereof would be	ration e mad	and e by	the the
In witness where off we partner of_contractor) have executed this indemined year first written at da	nity bond on the	date, r	month	
Signed at	on	this	day	of
WITNESSES:				
Witness No.1 NAME: ADDRESS: PHONE: SIGNATURE:	Witness No.2 NAME: ADDRESS: PHONE: SIGNATURE:			

## FORM No. 6

# RECEIPT CERTIFICATE (FOR SUPPLY ONLY)

From: Sr. Section Engineer (Signal/Telecom/ ----- Division No.

Date:

- 1. Contract No.
- 2. Name of Work.
- 3. Item No. as in Schedule of work.
- 4. Description of Item.
- 5. Material Inspected by:
- 6. Dispatch particular & date.
- 7. Qty as per dispatch particular
- 8. Qty received.
- 9. Qty short received.
- 10. Condition on Stores Received.
- 11. Name of Firm & Address.
- 12. Place of receipt.
- 13. Date of receipt
- 14. Ledger No.
- 15. Name & designation of Stores In-charge

Signature of Stores –in–Charge

# FORM No. 7

# REQUISITION-CUM-RECEIPT FOR THE MATERIAL

Requisition Serial No: Date		Date:				
To	: SSE/Signal/SRM/PER (d SSE/Tele/SRM/PER	or)				
	Please issue the materi	als for	the execution	on of the o	ngoing wo	ork.
Na	me of the work					
Na	me of the Contractor:					
Sit	e Supervisor:			SSE in-cl	narge <b>:</b>	
S. N o	Description of material	Uni t	Schedul ed /planned Qty	Qty so far collect ed	Qty Now require d	Qty now collect ed
	ntractor /Authorized presentative:	T	Sr. Divis Telecommur Engineer/ C		Signal	and
No Da	y issued as per requisition slip ted: E/SIG (or) Tele/SRM/PER					

# Form No.8

# i. <u>List of Works Completed</u>

Descripti on of work	Organi zation for whom execut ed	Approx. value of the contrac t at the time of award (Rs.)	Date of awar d	Date of schedule d completi on of work	Date of actual completion	The final value of contract (Rs.)

# ii. <u>List of Works in Hand</u>

Description of work	Contract Value	Approx. value of balance work yet to be done	Date award	of

Form No.9

# FORMAT FOR CERTIFICATE TO BE UPLOADED BY TENDERER ALONG WITH THE TENDER DOCUMENTS

attorney/authorized signatory of the tenderer (including its constituents).
M/s (hereinafte
called the tenderer) for the purpose of the tender documents for the wor of "Telecommunication portion of works in connection wit
Renovation of PCEE's office, Renovation to ORH Rooms at MM
and Provision of CCTV camera system for The Lifts & Escalators as per the E- Tender Notice No: M-SG-2025-473_3TeleWork Date
<b>31.10.2025</b> of Southern Railway, do hereby solemnly affirm and state o behalf of the tenderer including its constituents as under:
<b>5</b>

- 1. After carefully reading the contents, I/We the tenderer (s) am/are signing this document.
- 2. I/We, the tenderer (s), also accept all the tender conditions and have signed all the pages in confirmation thereof.
- 3. I/We hereby declare that I/We have downloaded the tender documents from the Indian Railway Website <a href="www.ireps.gov.in">www.ireps.gov.in</a>. I/We have verified the document's content from the website, and there is no addition, no deletion, or alteration to the content of the tender document. However, in case of any discrepancy noticed at any stage, i.e., evaluation of tenders, execution of work, or final payment of the contract, the master copy available with the Railway Administration shall be final and binding upon me/us.
- 4. I/We declare and certify that I/We have not made any misleading or false representation in the forms, statements, and attachments in proof of the qualification requirements.
- 5. I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer, and the same shall be binding upon me/us.
- 6. I/We hereby declare that the information and documents submitted along with the tender by me/us are correct, and I/We are fully

responsible for the correctness of the information and documents submitted by us.

- 7. I/We undersigned that if the certificates regarding eligibility criteria submitted by us are found to be forged/false or incorrect at any time during the process for evaluation of tenders, it shall lead to forfeiture of the tender BID SECURITY besides banning of business for five years. Further, I/We (insert name of the tenderer)

  \*\*\_\_\_\_\_\_ and all my/our constituents understand that my/our offer shall be summarily rejected.
- 8. I/We also understand that if the certificates submitted by us are found to the false/forget or incorrect at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of BID SECURITY/SD and Performance Guarantee besides any other action provided in the contract including banning of business for five years.

Place: SEAL AND SIGNATURE Dated: OF THE TENDERER

\*\* The contents in Italics are only for guidance purposes. Details as appropriate are to be filled in suitably by the tenderer.

\*\* The contents in Italics are only for guidance purposes. Details as appropriate are to be filled in suitably by the tenderer.

Form No.10

# SOUTHERN RAILWAY TENDER FORM (FIRST SHEET)

E- Tender Notice No: M-SG-2025-473\_3TeleWork Dated 31.10.2025
Name of the work: Telecommunication portion of works in connection with Renovation of PCEE's office, Renovation to ORH Rooms at MMC and Provision of CCTV camera system for The Lifts & Escalators.

	he President of India, ng through the <b>Sr. DSTE/Co/MAS.</b>
1.0	I/We
2.0	I/We also hereby agree to abide by the Indian Railways Standard General Conditions of Contract, with all correction slips up-to-date and to carry out the work according to the Special Conditions of

3.0 A sum of Rs.\_\_\_\_\_ (enter amount mentioned as per tender notice) has already been deposited online as Earnest Money. Full value of the Earnest Money shall stand forfeited without prejudice to any other right or remedies in case my/our Tender is accepted and if:

Rates with all correction slips up-to-date for the present contract.

a. I/We do not execute the contract agreement within seven days after receipt of notice issued by the Railway that such documents are ready and

Contract and Specifications of materials and works as laid down by Railway in the annexed Special Conditions/Specifications, Schedule of

b. I/We do not commence the work within fifteen days after the receipt of LOA to that effect and;

	c. I/we do not submit a specified in the tender doc	performance Guarantee within time cument.
4.0	Department of Industrial Porregistration number is	up firm registered byolicy and Promotion (DIPP) and my
5.0	We are 100% Govt owned PS of Earnest Money.	SUs and hence exempted from payment
6.0	We are Labour Co-operative	Society and our Registration No. is
		with and hence required to deposit
	only 50% of Earnest Money.	
7.0	this tender shall constitute a modifications, as may be n	prepared and executed, acceptance of binding contract between us subject to nutually agreed to between us and tance of my/our offer for this work.
	Signature of Witnesses: Tenderer(s)	 Signature of
(	1)	Date
(	2)	Address of the Tenderer(s)

#### Form No.11

# **TENDER FORM: (SECOND SHEET)**

- **1. Instructions to Tenderers and Conditions of Tender:** The following documents form part of Tender / Contract:
  - (a) Tender Forms First Sheet and Second Sheet
  - (b) Special Conditions/Specifications (enclosed)
  - (c)Schedule of approximate quantities (enclosed)
  - (d) Standard General Conditions of Contract and Standard Specifications (Works and Materials) of Indian Railways as amended/corrected up to latest correction slips, copies of which can be seen in the office of Sr.DSTE/MAS or obtained from the office of the Sr.DSTE/MAS, Southern Railway on payment of prescribed charges.
  - (e) Standard Schedule of Rates (SSOR) as amended / corrected up to latest correction slips, copies of which can be seen in the office of Sr.DSTE/MAS or obtained from the office of the Sr.DSTE/MAS, Southern Railway on payment of prescribed charges.
  - (f) All general and detailed drawings pertaining to this work which will be issued by the Engineer or his representatives (from time to time) with all changes and modifications
- 2. Drawings for the Work: The Drawing for the work can be seen in the office of the Sr.Div. Signal and Telecommunication Engineer, Chennai, Southern Railway. at any time during the office hours. The drawings are only for the guidance of Tenderer(s). Detailed working drawings (if required) based generally on the drawing mentioned above, will be given by the Engineer or his representative from time to time.
- **3.** The Tenderer(s) shall quote his / their rates as a **Quote individual** rates for each schedule items for schedule A in online in IREPS. The quantities shown in the attached Schedule are given as a guide and are approximate only and are subject to variation according to the needs of the Railway. The Railway does not guarantee work under each item of the Schedule. The tenderer(s) shall quote rates / rebates only at specified place in Tender Form supplied by Railway. Any revision of rates / rebates submitted (quoted) through a separate letter whether enclosed with the bid (Tender Form) or submitted separately or mentioned elsewhere in the document other than specified place shall be summarily ignored and will not be considered.

- **4.** Tenders containing erasures and / or alterations of tender documents are liable to be rejected. Any correction made by tender(s) in his/their entries must be attested by him / them.
- **5.** The works are required to be completed within a period of 6 months from the date of issue of acceptance letter.

# 6. Earnest Money:

- (a) The tender must be accompanied by a sum of Rs. 1,70,200.00/- as Bid Securitized in cash through e-payment gateway or as mentioned in tender documents, failing which the tender shall not be considered. Any firm recognized by Department of Industrial Policy and Promotion (DIPP) as 'Start-ups' shall be exempted from payment of Earnest Money on submission of Registration Certificate issued by appropriate authority.
- (b) The Tenderer(s) shall keep the offer open for a minimum period of 45 days from the date of opening of the Tender. It is understood that the tender documents have been issued to the Tenderer(s) and the Tenderer(s), is / are permitted to tender in consideration of the stipulation on his / their part that after submitting his / their tender subject to the period being extended further, if required by mutual agreement from time to time, he will not resile from his offer or modify the terms and conditions thereof in a manner not acceptable to the Sr.DSTE/Co.Ord/MAS of Southern Railway. Should the tenderer fail to observe or comply with the foregoing stipulation, the amount deposited as Earnest Money for the due performance of the above stipulation, shall be forfeited to the Railway.
- (c) If his tender is accepted the earnest money mentioned in sub clause (a) above will be retained as part security for the due and faithful fulfilment of the contract in terms of Clause 16 of the Standard General Conditions of Contract. The Earnest Money of other Tenderers shall, save as herein before provided, be returned to them, but the Railway shall not be responsible for any loss or depreciation to the Earnest Money that may happen thereto-while in their possession, nor be liable to pay interest thereon.
- (d) In case Contractor submits the Term Deposit Receipt/Bank Guarantee Bond towards full Security Deposit, the Railway shall return the Earnest Money so retained to the Contractor.

- 7. Rights of the Railway to deal with Tender: The authority for the acceptance of the tender will rest with the Railway. It shall not be obligatory on the said authority to accept the lowest tender or any other tender, and tenderer(s) shall neither demand any explanation for the cause of rejection of his/ their tender nor the Railway to assign reasons for declining to consider or reject any particular tender or tenders.
- **8.** If the tenderer(s) deliberately gives / give wrong information in his / their tender or creates / create circumstances for the acceptance of his / their tender, the Railway reserves the right to reject such tender at any stage.
- **9.** If the tenderer(s) expire(s) after the submission of his / their tender or after the acceptance of his / their offer, the Railway shall deem such tender cancelled. If a partner of a firm expires after the submission of their tender or after the acceptance of their tender, the Railway shall deem such tender as cancelled, unless the firm retains its character.

# 10. Eligibility Criteria:

## **TECHNICAL ELIGIBILITY: -**

Tenderer must have successfully completed any of the following <u>during</u> <u>last 07 (SEVEN) years</u>, ending last day of month previous to the one in which tender is invited.

One Similar work, each costing not less than the amount equal to 60% of the advertised value of the tender.

(OR)

Two Similar works, each costing not less than the amount equal to 40% of the advertised value of the tender.

(OR)

Three Similar works, each costing not less than the amount equal to 30% of the advertised value of the tender.

Work experience certificate from a Private individual shall not be considered. However, in addition to work experience certificates issued by any Govt Organisation, the work experience certificate issued by Public Listed Company has an average annual turnover of Rs. 500 Crores and above in last 3 Financial Years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least five years prior to the date of opening of tender, shall also be considered provided the work

experience certificate has been issued by a person authorized by the Public Listed company to issue such certificates.

In case tenderer submits work experience certificate issued by Public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by the company in support of above work experience certificate.

The tenderer shall submit a certificate to this effect in the format given in **Form No.1** (in Forms & Annexures part of Chapter - 3) of the tender document. Certificates to be duly certified by minimum JAG Officer.

#### Note:

- 1) In case the work is started prior to 07 (seven) years, ending last day of month previous to the one in which tender is invited, but completed in last 07 (seven) years, ending last day of month previous to the one in which tender is invited, the completed work shall be considered for fulfillment of credentials.
- 2) Suppose a work is physically completed and the concerned organization issues a completion certificate to this extent, but the final bill is pending. In that case, such work shall be considered for fulfillment of credentials.
- 3) Suppose a part or a component of work is completed but the overall scope of contract is not completed. In that case, this work shall not be considered to fulfill technical credentials even if the cost of part completed work/component is more than required to fulfill credentials.
- 4) If a work is considered similar in nature for fulfillment of technical credentials, the overall cost of that work, including PVC amount, if any, shall be considered. However, no separate evaluation for each component of that work shall be made to decide eligibility.
- a. If a bidder has successfully completed work as a subcontractor and the work experience certificate has been issued for such work to the subcontractor by a Govt. Organization or public listed company as defined in a note for item 10.1 part I of GCC, the same shall be

considered to fulfill credentials. (As per RB lr.no.2020/CE-I/CT/3E/GCC/Policy dt:30.12.2021)

- 5) The value of the final bill including PVC amount-if paid, or otherwise, in case the final bill is pending the contract cost in the last approved variation statement plus PVC amount paid or the cumulative amount paid up to last on-account bill including PVC amount and statutory deductions whichever is less, shall be considered as the completion cost of work.
- 6) In the case of a newly formed partnership firm, the credentials of individual partners from previous propriety firm(s) or dissolved previous partnership firm(s) or split previous partnership firm(s) shall be considered only to the extent of their share in previous entity on the date of dissolution/split and their share in a newly formed partnership firm. For example, partner A had a 30% share in the previous entity, and his share in the present partnership firm is 20%. Therefore, in the present tender under consideration, the credentials of partner A will be considered to the extent of 0.3\*0.2\*value of the work done in the previous entity. For this purpose, the tenderer shall submit along with his bid all the relevant documents, which include a copy of previous partnership deed(s), dissolution deed(s), and proof of surrender of PAN No. (s) in case of dissolution of a partnership firm(s), etc.
- 7) In the case of an existing partnership firm, if any one or more partners quit the partnership firm, the credentials of the remaining partnership firm shall be re-worked out, i.e., the quitting partner(s) shall take away his credentials to the extent of his share on the date of quitting the partnership firm (e.g., in a partnership firm of partners A, B & C having share 30%, 30% & 40% respectively and credentials of Rs 10 crore; in case of partner C quits the firm, the credentials of this partnership firm shall remain as Rs 6 crore). For this purpose, the tenderer shall submit along with his bid all the relevant documents, which include a copy of previous partnership deed(s), dissolution deed(s), and proof of surrender of PAN No. (s) in case of dissolution of a partnership firm(s), etc.
- 8) In case of existing partnership firm if any other partner(s) joins the firm, the credentials of partnership firm shall get enhanced to the extent of credentials of newly added partner(s) on the same principles as mentioned in item 6 above. For this purpose, the tenderer shall

submit along with his bid all the relevant documents which include copy of previous partnership deeds, dissolution/splitting deeds and proof of surrender of PAN No.(s) in case of dissolution of partnership firm etc.

- 9) Any partner in a partnership firm cannot use or claim his credentials in any other firm without leaving the partnership firm i.e., In a partnership firm of A&B partners, A or B partner cannot use credentials of partnership firm of A&B partners in any other partnership firm or propriety firm without leaving partnership firm of A&B partners.
- 10) If a partner in a partnership firm is replaced due to succession as per succession law, the proportion of credentials of the previous partner will be passed on to the successor.
- 11) Suppose the percentage share among partners of a partnership firm is changed, but the partners remain the same. In that case, the firm's credentials before such modification in the share will continue to be considered for the firm as it is without any change in their value. Further, if a partner of a partnership firm retires without taking away any credentials from the firm, the credentials of the partnership firm shall remain the same as it is without any change in their value.
- 12) In a partnership firm "AB" of A&B partners, in case A also works as propriety firm "P" or partner in some other partnership firm "AX," credentials of A in propriety firm "P" or in another partnership firm "AX" earned after the date of becoming a partner of the firm AB shall not be added in partnership firm AB.

  If a tenderer is LLP, the credentials of the tenderer shall be worked out on the above lines similar to a partnership firm.
- 13)If company A is merged with company B, then company B would also get company A's credentials.

#### FINANCIAL ELIGIBILITY: -

The tenderer must have minimum average annual contractual turnover of **V/N or 'V' whichever is less**, where: -

V= Advertised value of the tender in crores of Rupees

N= Number of years prescribed for completion of work for which bids have been invited.

The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case the balance sheet of the previous year is yet to be prepared/audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover.

The tenderers shall submit requisite information as per **Annexure-VIB**, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet.

Client certificates from other than Govt Organization should be duly supported by Form 16A/26AS generated through TRACES of Income Tax Department of India.

#### 11. Tenderer Credentials:

Documents testifying tenderer previous experience and financial status should be produced along with the tender.

Tenderer(s) who is / are not borne on the approved list of the Contractors of Southern Railway shall submit along with his / their tender:

- (i) Certificates and testimonials regarding contracting experience for the type of job for which tender is invited with list of works carried out in the past.
- (ii) Certificates which may be an attested Certificate from the client, Audited Balance Sheet duly certified by the Chartered Accountant etc regarding contractual payments received in the past.
- (iii) The list of personnel / organization on hand and proposed to be engaged for the tendered work. Similarly list of Plant & Machinery available on hand and proposed to be inducted and hired for the tendered work.
- (iv) A copy of certificate stating that they are not liable to be disqualified and all their statements/documents submitted along-with bid are true and factual. Standard format of the certificate to be submitted by the bidder is enclosed as Form - 9. Non submission of certificate by the bidder shall result in summarily rejection of his/their bid. It shall be mandatorily incumbent upon the tenderer to identify, state

and submit the supporting documents duly self attested by which they/he are/is qualifying the Qualifying Criteria mentioned in the Tender Document.

- (v) The Railway reserves the right to verify all statements, information and documents submitted by the bidder in his tender offer, and the bidder shall, when so required by the Railway, make available all such information, evidence and documents as may be necessary for such verification. Any such verification or lack of such verification, by the Railway shall not relieve the bidder of its obligations or liabilities hereunder nor will it affect any rights of the Railway thereunder.
- (vi) (a) In case of any information submitted by tenderer is found to be false forged or incorrect at any time during process for evaluation of tenders, it shall lead to forfeiture of the tender Bid Security besides banning of business for a period of upto FIVE years.
  - (b) In case of any information submitted by tenderer is found to be false forged or incorrect after the award of contract, the contract shall be terminated. Bid Security , Performance Guarantee and Security Deposit available with the railway shall be forfeited. In addition, other dues of the contractor, if any, under this contract shall be forfeited and agency shall be banned for doing business for a period of upto five years.
- **12.** Non-compliance with any of the conditions set forth therein above is liable to result in the tender being rejected.
- 13. Execution of Contract Documents: The successful Tenderer(s) shall be required to execute an agreement with the President of India acting through the Sr.DSTE/Co.Ord/MAS, Southern Railway for carrying out the work according to Standard General Conditions of Contract, Special Conditions / Specifications annexed to the tender and Standard Specifications (Works and Materials) of Railway as amended/corrected upto latest correction slips, mentioned in tender form (First Sheet).

# 14. Documents to be Submitted Along with Tender

(i) The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / HUF etc. The tenderer(s) shall enclose the attested copies of the constitution of their concern, and copy of PAN Card along with their

tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society, as the case may be.

- (ii) Following documents shall be submitted by the tenderer:
- (a) Sole Proprietorship Firm:
  - I. An undertaking that he is not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of the partnership firm or JV in which he was / is a partner/member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract.
  - II. All other documents in terms of explanatory notes in clause 10 above.

### (b) **HUF:**

- I. A copy of notarized affidavit on Stamp Paper declaring that he who is submitting the tender on behalf of HUF is in the position of 'Karta' of Hindu Undivided Family (HUF) and he has the authority, power and consent given by other members to act on behalf of HUF.
- II. An undertaking that the HUF is not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of the partnership firm or JV in which HUF was / is a partner/member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract.
- III. All other documents in terms of explanatory notes in clause 10 above.
- (c) **Partnership Firm:** The tenderer shall submit documents as mentioned in clause 18 of the Tender Form (Second Sheet).
- (d) **Joint Venture (JV):** The tenderer shall submit documents as mentioned in Clause 17 of the Tender Form (Second Sheet).
- (e) Company registered under Companies Act 2013:

- The copies of MOA (Memorandum of Association) / AOA (Articles of Association) of the company
- II. A copy of Certificate of Incorporation
- III. A copy of Authorization/Power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual to sign the tender on behalf of the company and create liability against the company.
- IV. An undertaking that the Company is not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of the partnership firm or JV in which the Company was / is a partner/member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract.
- v. All other documents in terms of explanatory notes in clause 10 above.
- (f) **LLP (Limited Liability Partnership):** If the tender is submitted on behalf of a LLP registered under LLP Act-2008, the tenderer shall submit along with the tender:
  - A copy of LLP Agreement
  - II. A copy of Certificate of Incorporation
  - III. A copy of Power of Attorney/Authorization issued by the LLP in favour of the individual to sign the tender on behalf of the LLP and create liability against the LLP.
  - IV. An undertaking that the LLP is not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of opening of bids, either in individual capacity or as a member of JV in which the LLP was / is a member. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract.
  - v. All other documents in terms of explanatory notes in clause 10 above.
- (g) **Registered Society & Registered Trust:** The tenderer shall submit:
  - I. A copy of the Certificate of Registration
  - II. A copy of Deed of Formation

- III. A copy of Power of Attorney in favour of the individual to sign the tender documents and create liability against the Society/Trust.
- IV. All other documents in terms of explanatory notes in clause 10 above.
- (iii) If it is NOT mentioned in the submitted tender that tender is being submitted on behalf of a Sole Proprietorship firm / Partnership firm / Joint Venture / Registered Company etc., then the tender shall be treated as having been submitted by the individual who has signed the tender.
- (iv) After opening of the tender, any document pertaining to the constitution of Sole Proprietorship Firm / Partnership Firm / Registered Company/ Registered Trust / Registered Society / HUF etc. shall be neither asked nor considered, if submitted. Further, no suo moto cognizance of any document available in public domain (i.e., on internet etc.) or in Railway's record/office files etc. will be taken for consideration of the tender, if no such mention is available in tender offer submitted.
- (v) A tender from JV / Partnership firm etc. shall be considered only where permissible as per the tender conditions.
- (vi) The Railway will not be bound by any change in the composition of the firm made subsequent to the submission of tender. Railway may, however, recognize such power of attorney and changes after obtaining proper legal advice, the cost of which will be chargeable to the Contractor.
- **15**. The tenderer whether sole proprietor / a company or a partnership firm / joint venture (JV) / registered society / registered trust / HUF etc if they want to act through agent or individual partner(s), should submit along with the tender, a copy of power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person him/them to submit the tender, specifically authorizing sign the agreement, receive money, co-ordinate measurements through contractor's authorized engineer, witness measurements, sian measurement books, compromise, settle, relinquish any claim(s) preferred by the firm and sign "No Claim Certificate" and refer all or any disputes to arbitration. The above power of attorney shall be submitted even if such specific person is authorized for above purposes through partnership deed / Memorandum of Understanding / Article of Association or such other document, failing which tender is liable to be rejected.

### 16. Employment/Partnership etc. of Retired Railway Employees:

# (a) Should a tenderer

- i) be a retired Engineer of the gazetted rank or any other gazetted officer working before his retirement, whether in the executive or administrative capacity or whether holding a pensionable post or not, in the Engineering or any other department of any of the railways owned and administered by the President of India for the time being, OR
- ii) being partnership firm / joint venture (JV) / registered society / registered trust etc have as one of its partners a retired Engineer of the gazetted rank or any other gazetted officer working before his retirement, OR
- iii) being an incorporated company have any such retired Engineer of the gazetted rank or any other gazetted officer working before his retirement as one of its directors

#### AND

in case where such Engineer or officer had not retired from government service at least 1 year prior to the date of submission of the tender

#### **THEN**

the tenderer will give full information as to the date of retirement of such Engineer or gazetted officer from the said service and as to whether permission for taking such contract, or if the Contractor be a partnership firm or an incorporated company, to become a partner or director as the case may be, has been obtained by the tenderer or the Engineer or officer, as the case may be from the President of India or any officer, duly authorized by him in this behalf, shall be clearly stated in writing at the time of submitting the tender.

b) In case, upon successful award of contract, should a tenderer depute for execution of the works under or to deal matters related with this contract, any retired Engineer of gazette rank or retired gazetted officer working before his retirement in the Engineering or any other department of any of the railways owned and administered by the President of India for the time being, and now in his employment, then the tenderer will ensure that retired Engineer or retired gazetted officer had retired from government service at least 1 year prior to the date of his employment with tenderer and in case he had retired from service within a year then he possesses the requisite

- permission from the President of India or any officer, duly authorized by him in this behalf, to get associated with the tenderer.
- c) Should a tenderer or Contractor being an individual, have member(s) of his family or in the case of partnership firm/ company / joint venture (JV) / registered society / registered trust etc. one or more of his partner(s)/shareholder(s) or member(s) of the family of partner(s)/shareholder(s) having share of more than 1% in the tendering entity employed in gazetted capacity in the Engineering or any other department of the railway, then the tenderer at the time of submission of tender, will inform the authority inviting tenders the details of such persons.

Note:-If information as required as per 16.a), b), c) above has not been furnished, contract is liable to be dealt in accordance with provision of clause 62 of Standard General Condition of contract. The Contractor shall not, if he is a retired Government Engineer of Gazetted rank, himself engage in or employ or associate a retired Government Engineer of Gazetted rank, who has not completed one year from the date of retirement, in connection with this contract in any manner whatsoever without obtaining prior permission of the President and if the Contractor is found to have contravened this provision it will constitute a breach of contract and administration will be entitled to terminate the contract and forfeit his Performance Guarantee as well as Security Deposit.

# 17. JOINT VENTURE (JV) IN WORKS TENDERS: (Not Allowed for this Tender)

**Participation of Joint Venture (JV) in Works Tender:** This Clause shall be applicable for works tenders wherein tender documents provide for the same.

- **17.1** Separate identity/name shall be given to the Joint Venture.
- **17.2** Number of members in a JV shall not be more than three, if the work involves only one department (say Civil or S&T or Electrical or Mechanical) and shall not be more than five, if the work involves more than one Department. One of the members of the JV shall be its Lead Member who shall have a majority (at least 51%) share of interest in the JV. The other members shall have a share of not less than 20% each in case of JV with up to three members and not less than 10% each in case of JV with more than three members. In case of JV with foreign

member(s), the Lead Member has to be an Indian firm/company with a minimum share of 51%.

- **17.3** A member of JV shall not be permitted to participate either in individual capacity or as a member of another JV in the same tender.
- **17.4** The tender form shall be purchased and submitted only in the name of the JV and not in the name of any constituent member. The tender form can however be submitted by JV or any of its constituent member or any person authorized by JV through Power of Attorney to submit tender.
- **17.5** Bid Security shall be deposited by JV or authorized person of JV through e-payment gateway or as mentioned in tender document.
- **17.6** A copy of Memorandum of Understanding (MoU) duly executed by the JV members on a stamp paper, shall be submitted by the JV along with the tender. The complete details of the members of the JV, their share and responsibility in the JV etc. particularly with reference to financial, technical and other obligations shall be furnished in the MoU. (The MoU format for this purpose shall be finalized by the Railway in consultation with their Law Branch and shall be enclosed along with the tender).
- **17.7** Once the tender is submitted, the MoU shall not be modified / altered / terminated during the validity of the tender. In case the tenderer fails to observe/comply with this stipulation, the full Bid Security shall be liable to be forfeited.
- **17.8** Approval for change of constitution of JV shall be at the sole discretion of the Railway. The constitution of the JV shall not be allowed to be modified after submission of the tender bid by the JV, except when modification becomes inevitable due to succession laws etc., provided further that there is no change in qualification of minimum eligibility criteria by JV after change of composition. However, the Lead Member shall continue to be the Lead Member of the JV. Failure to observe this requirement would render the offer invalid.
- **17.9** Similarly, after the contract is awarded, the constitution of JV shall not be allowed to be altered during the currency of contract except when modification become inevitable due to succession laws etc. and minimum eligibility criteria should not get vitiated. Failure to observe this stipulation shall be deemed to be breach of contract with all consequential penal action as per contract conditions.

- 17.10 On award of contract to a JV, a single Performance Guarantee shall be submitted by the JV as per tender conditions. All the Guarantees like Performance Guarantee, Bank Guarantee for Mobilization Advance, Machinery Advance etc. shall be accepted only in the name of the JV and no splitting of guarantees amongst the members of the JV shall be permitted.
- On issue of LOA (Letter of Acceptance), the JV entity to whom 17.11 the work has been awarded, with the same shareholding pattern as was declared in the MOU/JV Agreement submitted along with the tender, shall be got registered before the Registrar of the Companies under 'The Act -2013' case of Company) before Companies (in or the Registrar/Sub-Registrar under the 'The Indian Partnership Act, 1932' (in case of Partnership Firm) or under 'The LLP Act 2008' (in case of LLP). A separate PAN shall be obtained for this entity. The documents pertaining to this entity including its PAN shall be furnished to the Railways before signing the contract agreement for the work. In case the tenderer fails to observe/comply with this stipulation within 60 days of issue of LOA, contract is liable to be terminated. In case contract is terminated railway shall be entitled to forfeit the full amount of the Bid Security and other dues payable to the Contractor under this contract. The entity so registered, in the registered documents, shall have, inter-alia, following Clauses:
- **17.11.1** Joint And Several Liability Members of the entity to which the contract is awarded, shall be jointly and severally liable to the Railway for execution of the project in accordance with General and Special Conditions of Contract. The members of the entity shall also be liable jointly and severally for the loss, damages caused to the Railways during the course of execution of the contract or due to non-execution of the contract or part thereof.
- **17.11.2** Duration of the Registered Entity It shall be valid during the entire currency of the contract including the period of extension, if any and the maintenance period after the work is completed.
- **17.11.3** Governing Laws The Registered Entity shall in all respect be governed by and interpreted in accordance with Indian Laws.
- **17.12** Authorized Member Joint Venture members in the JV MoU shall authorize one of the members on behalf of the Joint Venture to deal with the tender, sign the agreement or enter into contract in respect of the said tender, to receive payment, to witness joint measurement of work done, to sign measurement books and similar such action in respect of the said

tender/contract. All notices/correspondences with respect to the contract would be sent only to this authorized member of the JV.

- **17.13** No member of the Joint Venture shall have the right to assign or transfer the interest right or liability in the contract without the written consent of the other members and that of the Railway in respect of the said tender/contract.
- **17.14** Documents to be enclosed by the JV along with the tender:
- **17.14.1** In case one or more of the members of the JV is/are partnership firm(s), following documents shall be submitted:
  - (i) A notarized copy of the Partnership Deed,
  - (ii) A copy of consent of all the partners or individual authorized by partnership firm, to enter into the Joint Venture Agreement on a stamp paper,
  - (iii) A notarized or registered copy of Power of Attorney in favour of the individual to sign the MOU/JV Agreement on behalf of the partnership firm and create liability against the firm.
- **17.14.2** In case one or more members is/are HUF, the following documents shall be enclosed:
  - I. A copy of notarized affidavit on Stamp Paper declaring that he who is signing the affidavit on behalf of HUF is in the position of 'Karta' of Hindu Undivided Family (HUF) and he has the authority, power and consent given by other members to act on behalf of HUF.
- **17.14.3** In case one or more members of the JV is/are companies, the following documents shall be submitted:
  - (i) A copy of resolutions of the Directors of the Company, permitting the company to enter into a JV agreement,
  - (ii) The copies of MOA (Memorandum of Association) / AOA (Articles of Association) of the company
  - (iii) A copy of Certificate of Incorporation
  - (iv) A copy of Authorization/copy of Power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual to sign the tender, sign MOU/JV Agreement on behalf of the company and create liability against the company
- **17.14.4** All the Members of JV shall certify that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders/contract on the date of opening of

bids either in their individual capacity or as a member of the JV in which they were/are members.

# 17.14.5 All other documents in terms of explanatory notes in clause 10 above.

- **17.15** Credentials & Qualifying Criteria: Technical, financial eligibility and Bid capacity of the JV shall be adjudged based on satisfactory fulfillment of the following criteria:
- **17.15.1** Technical Eligibility Criteria ('a' or 'b' mentioned hereunder):
  - (a) For Works without composite components

The technical eligibility for the work as per para 10.1 above, shall be satisfied by either the 'JV in its own name & style' or 'any member having min 26% share'. Each **other** member of JV shall have technical capacity of minimum 10% of the cost of work i.e., each JV member must have satisfactorily completed during the last 07 (seven) years, ending last day of month previous to the one in which tender is invited, one similar single work for a minimum of 10% of advertised value of the tender.

- (b) For works with composite components
- (i) The technical eligibility for each component of work as per para 10.1 above, shall be satisfied by either the 'JV in its own name & style' or 'any member of JV having min 26% share'. Each **other** member of JV shall have technical capacity of minimum 10% of the cost of any component of work i.e., each JV member must have satisfactorily completed during the last 07 (seven) years, ending last day of month previous to the one in which tender is invited, one similar single work for a minimum of 10% of cost of any component of work.

#### OR

(ii) The technical eligibility for major component of work as per para 10.1 above, shall be satisfied by either the 'JV in its own name & style' or 'any member of JV having min 26% share' and technical eligibility for other components of work as per para 10.1 above, shall be satisfied by either the 'JV in its own name & style' or 'any member of the JV'. Each **other** member of JV shall have technical capacity of minimum 10% of the cost of any component of work. i.e., each JV member must have satisfactorily completed during the last 07 (seven) years, ending last day of month previous to the one in which tender is invited, one similar single

work for a minimum of 10% of cost of any component of work.

Note for Clause 17.15.1:

- (a) The Major component of the work for this purpose shall be the component of work having highest value. In cases where value of two or more component of work is same, any one work can be classified as Major component of work.
- (b) Value of a completed work done by a Member in an earlier JV shall be reckoned only to the extent of the concerned member's share in that JV for the purpose of satisfying his/her compliance to the above mentioned technical eligibility criteria in the tender under consideration.

# 17.15.2 Financial Eligibility Criteria:

The JV shall satisfy the requirement of "Financial Eligibility" mentioned at para 10.2 above. The "financial capacity" of the lead partner of JV shall not be less than 51% of the financial eligibility criteria mentioned at para 10.2 above.

The arithmetic sum of individual "financial capacity" of all the members shall be taken as JV's "financial capacity" to satisfy this requirement.

Note: Contractual payment received by a Member in an earlier JV shall be reckoned only to the extent of the concerned member's share in that JV for the purpose of satisfying compliance of the above mentioned financial eligibility criteria in the tender under consideration.

### 17.15.3 Bid Capacity:

The JV shall satisfy the requirement of "Bid Capacity" requirement mentioned at para 10.3 above. The arithmetic sum of individual "Bid capacity" of all the members shall be taken as JV's "Bid capacity" to satisfy this requirement.

## 18. Participation of Partnership Firms in works tenders:

- 18.1 The Partnership Firms participating in the tender should be legally valid under the provisions of the Indian Partnership Act.
- 18.2 The partnership firm should have been in existence or should have been formed prior to submission of tender. Partnership firm should have either been registered with the Registrar or the partnership deed should have been notarized prior to date of tender opening as per the Indian Partnership Act.

- 18.3 Separate identity / name should be given to the partnership firm. The partnership firm should have PAN / TAN number in its own name and PAN / TAN number in the name of any of the constituent partners shall not be considered. The valid constituents of the firm shall be called partners.
- 18.4 Once the tender has been submitted, the constitution of the firm shall not normally be allowed to be modified / altered / terminated during the validity of the tender as well as the currency of the contract except when modification becomes inevitable due to succession laws etc., in which case prior permission should be taken from Railway and in any case the minimum eligibility criteria should not get vitiated. The re-constitution of firm in such cases should be followed by a notary certified Supplementary Deed. The approval for change of constitution of the firm, in any case, shall be at the sole discretion of the Railways and the tenderer shall have no claims what-so-ever. Any change in the constitution of Partnership firm after opening of tender shall be with the consent of all partners and with the signatures of all partners as that in the Partnership Deed. Failure to observe this requirement shall render the offer invalid and full BID SECURITY shall be forfeited.

If any Partner/s withdraws from the firm after opening of the tender and before the award of the contract, the offer shall be rejected and BID SECURITY of the tenderer will be forfeited. If any new partner joins the firm after opening of tender but prior to award of contract, his / her credentials shall not qualify for consideration towards eligibility criteria either individually or in proportion to his share in the previous firm. In case the tenderer fails to inform Railway beforehand about any such changes / modification in the constitution which is inevitable due to succession laws etc. and the contract is awarded to such firm, then it will be considered a breach of the contract conditions liable for determination of the contract under Clause 62 of General Conditions of Contract.

- 18.5 A partner of the firm shall not be permitted to participate either in his individual capacity or as a partner of any other firm in the same tender.
- 18.6 The tender form shall be submitted only in the name of partnership firm. The BID SECURITY shall be deposited by partnership firm through e-payment gateway or as mentioned in tender document. The BID SECURITY submitted in the name of any individual partner or in the name of authorized partner (s) shall not be considered.

- 18.7 One or more of the partners of the firm or any other person (s) shall be designated as the authorized person (s) on behalf of the firm, who will be authorized by all the partners to act on behalf of the firm through a "Power of Attorney", specially authorizing him / them to submit & sign the tender, sign the agreement, receive payment, witness measurements, sign measurement books, make correspondences, compromise / settle / relinquish any claim (s) preferred by the firm, sign "No Claim Certificate", refer all or any dispute to arbitration and to take similar such action in respect of the said tender / contract. Such "Power of Attorney" shall be notarized / registered and submitted along with the tender.
- 18.8 On issue of Letter of Acceptance (LOA) to the partnership firm, all the guarantees like Performance Guarantee, Guarantee for various Advances to the Contractor shall be submitted only in the name of the partnership firm and no splitting of guarantees among the partners shall be acceptable.
- 18.9 On issue of Letter of Acceptance (LOA), contract agreement with partnership firm shall be executed in the name of the firm only and not in the name of any individual partner.
- 18.10In case the Letter of Acceptance (LOA) is issued to a partnership firm, the following undertakings shall be furnished by all the partners through a notarized affidavit, before signing of contract agreement.

# (a) Joint and several liabilities:

The partners of the firm to which the Letter of Acceptance (LOA) is issued, shall be jointly and severally liable to the Railway for execution of the contract in accordance with General and Special Conditions of the Contract. The partners shall also be liable jointly and severally for the loss, damages caused to the Railway during the course of execution of the contract or due to non-execution of the contract or part thereof.

# (b) Duration of the partnership deed and partnership firm agreement:

The partnership deed/partnership firm agreement shall normally not be modified/altered/ terminated during the currency of contract and the maintenance period after the work is completed as contemplated in the conditions of the contract. Any change carried out by partners in the constitution of the firm without permission of Railway, shall constitute a breach of the contract, liable for determination of the contract under Clause 62 of the General Conditions of Contract.

- (c) Governing laws: The partnership firm agreement shall in all respect be governed by and interpreted in accordance with the Indian laws.
- (d) No partner of the firm shall have the right to assign or transfer the interest right or liability in the contract without the written consent of the other partner/s and that of the Railway.
- 18.11The tenderer shall clearly specify that the tender is submitted on behalf of a partnership firm. The following documents shall be submitted by the partnership firm, with the tender:
- (a) A notarized copy of partnership deed.
- (b) A notarized or registered copy of Power of Attorney (duly registered as per prevailing law) in favour of the individual to tender for the work, sign the agreement etc. and create liability against the firm.
- (c) An undertaking by all partners of the partnership firm that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India / any State Govt. from participation in tenders / contracts as on the date of opening of bids, either in their individual capacity or in any firm in which they were / are partners. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the General Conditions of Contract.
- (d) All other documents in terms of explanatory notes in Clause 10 above.

# 18.12 Evaluation of eligibility of a partnership firm:

Technical and financial eligibility of the firm shall be adjudged based on satisfactory fulfilment of the eligibility criteria laid down in Clause 10 above by the partnership firm:

	(Signature)
	(Designation)
Signature of Tenderer(s)	
	Railway
Date	Date

# FORM No. 12

# **VENDOR MANDATE FORM**

Tender notice No		
PARTICULARS OF THE TENDERER:		
(a) Name		
(b) ADDRESS:		
(i) Holding No. / Premises:  (ii) Room No. :  (iii) Street Name :  (iv) City/Village/Town  (v) District :  (vi) State :  (vi) PIN :		
(c ) Phone No		
GST Registration No		

**Signature of Tenderer** 

## Form No.13

# **CHECK LIST FOR VERIFICATION OF PARTNERSHIP DEED/TENDER**

# A. Stamp Duty, Place, Date of Execution

- 1) Firstly, the date of purchase of stamp paper on which Partnership Deed [PD] is executed is to be noted. The date of purchase of stamp paper should be prior or on the same date of execution of the Partnership Deed.
- 2) The date and place of execution of PD is to be verified. Also the date on which the business has come into force is to be noted. The date of execution shall synchronise with other related dates/events.
- 3) Then it is to be verified whether PD is executed on stamp paper of proper value. The value of the stamp paper depends in which state it is executed. In A.P. it was, Rs. 300/- and increased to Rs. 500/- with effect from 1-8-2005, Karnataka Rs. 500/-& Maharashtra Rs. 300/-.
- 4) A partnership firm cannot be one of the parties in a Partnership Deed since partnership firm has no legal personality under law.

## B. Nomination of Managing Partner

- 1) Whether any one of the partner is nominated as Managing partner.
  - Generally, a partner nominated as Managing partner is doomed to have the power to sign tenders, agreements, documents, represent the firm etc., unless otherwise prohibited under any clause.
- 2) In case no Managing partner is appointed it has to be verified whether any other partner is given power to apply for tenders, sign agreement, represent on behalf of firm etc.
- 3) In the absence of any partner or managing partner is given power to represent firm, then whether any General Power Attorney is executed empowering the attorney to apply for tenders.
  - It may be noted that except for the company in any other case the attorney should not be allowed to sign Agt./Subsidiary Agt./Rider Agt. as it would amount to sub-letting of contact. [The attorney can only

execute work, sign MB's and other documents provided he is given the power to do so].

# C. <u>Authentication of Partnership Deed.</u>

- 1) Whether all the partners have signed on all pages of the PD.
- On the last page of PD the signatures of all partners should be witnessed by two witnesses which is compulsory otherwise the PD cannot be treated as valid.
- 3) In case the PD is notarized by the notary public even if the witnesses have not signed, the PD can be treated as valid.
- 4) Where the tenderer submits certificate issued by the Registrar of firm it shall be a conclusive proof that the PD is properly executed and cannot be questioned that it is witnessed or notarized.

## D. Signing the Tender

- 1) Who signed the tender on behalf of the firm is to be checked and satisfied that it is the person who is authorized in the deed as mentioned above. If there is no Managing Partner in a Partnership Deed or that one or more individual person is not authored either in the deed or under GPA then the tender shall be signed by all the partners.
- 2) It has to be checked whether the Stamp of the firm or Managing Partner or the designation of the person who signed is affixed in the tender.
- 3) The signature of the managing partner or other partners to be verified whether it is same in the PD as well as in tender.
- 4) Whether the tender is signed at the required nominated places.

#### E. Execution of GPA.

- 1) If there is a nominated managing partner he can execute GPA otherwise all partners have to execute GPA.
- 2) Where the tender firm submits GPA, then it is to be verified whether the attorney has signed the tender and signature also to be verified.

Where an attorney signs the tender, he should sign on behalf of the firm. That is the firm's stamp is to be affixed and he should sign on behalf of the firm [as authorized signatory].

#### **FORM No. 14**

# **Declaration regarding Sole proprietor/Partner/JointVenture**

I/we hereby solemnly declare that I/We ......\*\* is/are participating as a Sole Proprietor (or) a Partnership Firm (or) Joint Venture for the E- Tender Notice No: M-SG-2025-473\_3TeleWork Dated 31.10.2025

### Signature of Tenderer

\*\* - Name of the Contractor in case he is a sole proprietor (or) Partnership Firm Name (or) Joint Venture Name

#### Note:

Vide Railway Board Lr No 2002/CE-I/CT/37 JV Pt VIII Dt 14.12.2012, Joint Venture firm are allowed for participation for this tender.

POLICE VERIFICATION	Annexure B

S.No	Particulars	
1.	Full Name with Aliases	
2.	Parent's Names	
3.	Nationality	
4.	Present Address in full with Police Station & District	
5.	Period of Residence	
6.	Home/Permanent Address in full with Police Station & District	
7.	Addresses with police stations and districts where the applicant has resided continuously for more than 6 months in the past 5 years.	
8.	Aadhaar Number*	
9.	The applicant has been involved in a criminal case as accused (Yes/No). If yes, then details	
10.	The applicant has been arrested in connection with a criminal case (yes/No). If yes, then details	
11.	The applicant has been convicted for a criminal offence (Yes/No). If yes, then details.	

<sup>\*</sup>Optional

**Declaration** (By Applicant): I certify the above information is correct and complete to the best of my knowledge and belief.

Countersigned by:	Signature of Applicant Date & Place
Contracting Railway Supervisor	
Date	
Place	

#### **Police Certificate:**

The details as stated above are correct & the above person does not have any criminal case registered or pending against him in any court of law as per official records available.

Counter Signature of Authorized Signatory with Stamp

# Annexure-2 PROFORMA FOR NEFT MANDATE FORM

FROM:	
Date:	
Го,	
Sr.DFM/MAS,	
Southern Railway,	
Chennai.	

#### Sub:- Willingness to Receive Payment through RBI's NEFT System.

We refer to the National Electronic Fund Transfer (NEFT) System being set up by Southern Railway, Chennai-03 for remittance of our payments using RBI's NEFT scheme and confirm that we are agreeable to our payments being made through the above scheme to our under noted Account:

NAME OF ORGANISATION AND : ADDRESS

MICR CODE OF BANK :

**IFS CODE OF BANK** 

BANK NAME :

BRANCH NAME :

BANK ADDRESS :

BRANCH TELE/FAX NO. :

BANK ACCOUNT NO. : TYPE OF ACCOUNT :

A Xerox copy of the cheque leaf is attached herewith for necessary action at your end.

Encl : As stated above Signature & Stamp Confirmed by Bank

#### Annexure – 3

#### **SOURCES FOR SPECIFICATIONS / DRAWINGS**

- 1. IRS Drawings and Specification including RDSO Specific Director General, R.D.S.O., Lucknow.
- 2. TEC Drawings & Specifications Telecommunications Engineering Centre, Kurshid LalBhawan, Janpath, New Delhi 110 001.
- 3. Standard Specifications (BSS & ISS, etc.) Indian Standard Institution, 9, Mathura Road, New Delhi.
- Railway Publications such as Railway Rules, Codes and Practices, etc. – Government of India, Ministry of Railways, Rail Bhawan, New Delhi.
- 5. Central Government Laws and Acts Government of India, Ministry of Information, Publications Division, Tilak Road, New Delhi.
- 6. Manual of Instructions for Installation of S&T Equipment 25KV 50 Hz, single phase Electrified section Director General, R.D.S.O., Lucknow.
- 7. General and Subsidiary Rules of Indian Railways and Southern Railways
- 8. RDSO Specifications for Electronic Interlocking System
- 9. Indian Railways Signal Engineering Manual (IRSEM)- Indian Railways Institute of Signal Engineering and Telecommunications, Secunderabad

**Note:** For bidding the list is not exhaustive and any specification /drawings as required can be obtained on request from office of Sr.DSTE/Co.Ord/MAS,Chennai.

Annexure - 4

# GENERAL CONDITIONS OF CONTRACT 2022 (Uploaded Separately in IREPS)

#### Annexure - 5

# SOR VOL.II BOOKLET (Uploaded Separately in IREPS)

**Annexure-6** 

# Technical Specifications (Uploaded Separately in IREPS)

#### **Annexure-7**

#### **CHECKLIST TO THE TENDER**

Name of work: Telecommunication portion of works in connection with Renovation of PCEE's office, Renovation to ORH Rooms at MMC and Provision of CCTV camera system for The Lifts & Escalators.

#### **CHECK LIST OF ITEMS TO BE COMPLIED BY THE TENDERERS**

SL.N o	Description of Item	Clause	Complian ce	Remarks
1	Have you submitted Offer letter complete along with Original/Downloaded Tender document including tender forms (First Sheet & Second Sheet) duly signed with your digital signature?	2.9(i)	Yes/No	
2	Have you submitted requisite Earnest Money online?	2.6	Yes/No	
3	Have you submitted the document pertaining to participation in tender as Sole Proprietor/Partner/Director	2.2 (vii)	Yes/No	
4	Have you submitted you complete Postal Address	2.2 (viii)	Yes/No	
5	Have you uploaded the Tender Documents and its addendum/ corrigendum duly signed digitally	2.9(i)	Yes/No	
6	Have you uploaded the credential to establish the eligibility? The documents required for ascertaining Technical & Financial capability as Specified in Qualifying Criteria i.e. Para 2.5 of Instructions to Tenderer shall also be enclosed in the offer. Tenderer should also submit Form 1 & Form 2 along with required Annexure.	2.9(iv), 2.5.1, 2.5.2, 2.5.3 & 2.5.4	Yes/No	

SL.N o	Description of Item	Clause	Complian ce	Remarks
7	Have you furnished Completion & Performance Certificate regarding meeting Eligibility Criteria 2.5 for satisfactory and physical completion similar work from the executive of user Railway? (with contact details of FAX, phone and E-Mail of issuing authority) (Duly filled & signed Form 1. This Form should be accompanied with certificate from user Railways)	2.9(iv), 2.5.2	Yes/No	
8	Have you furnished the details of year-wise contractual payment received during the last Three financial years & current year on Form-2 regarding meeting Eligibility Criteria?	2.9(iv), 2.5.3	Yes/No	
9	Whether the details of contractual amount received have been duly certified by Employer/Client or Chartered Accountant?	2.9(i v), 2.5.3	Yes/No	
10	Have you furnished the details of year wise turnover and balance sheet from registered Chartered Accountant for the last three Financial Years?	2.9(i v), 2.5.3	Yes/No	
11	Have you enclosed Power of Attorney, Partnership Deed if any, Constitution of firm & copies connected to legal document?	2.9(v iii)	Yes/No	
12	Have you kept the offer valid for a minimum period of 45 DAYS from the date of opening of tender?	2.10	Yes/No	
13	Have you quoted completion period	2.11	Yes/No	

SL.N o	Description of Item	Clause	Complian ce	Remarks
14	Have you enclosed a declaration that the tenderer accept all the terms and conditions of Railways? In case of deviations, have you furnished —Statement of Deviations as per Form-3?	2.9(x i)	Yes/No	
15	Documentary evidence necessary to establish that tenderer possesses the requisite skill, technical expertise, technical and skilled manpower and necessary equipments to execute complete work covered in the schedule with stipulated specifications /details.	2.9(x ii)	Yes/No	
16	Have you enclosed List of Personnel, Organization available on hand and proposed to be engaged for the subject work?	2.9(x ii)	Yes/No	
17	Have you submitted the List of Works Done and List of Works on hand	2.9 (ix), Form 10	Yes/No	
18	Have you submitted the copy of Certificate as per Form 9	2.9(xiii ), Form 9	Yes/No	
19	Have you submitted the NEFT mandate form	Annexu re-2	Yes/No	
20	Each page of the offer must be numbered consecutively, including technical brochures, manuals etc., should be signed by the tenderer & should bear the seal of the firm. A reference to the total No. Of pages comprising the offer must be made at the top right hand corner of the first page.	2.2(xii)	Yes/No	

# E- Tender Notice No: M-SG-2025-473\_3TeleWork Dated 31.10.2025

SL.N o	Description of Item	Clause	Complian ce	Remarks
21	Have you noted the applicability of GST ACT 2017 for this tender	2.49	Yes/No	
22	Have you read and agreed to the terms and conditions of the LC (Letter of Credit) in case tenderer opted for LC mode of payment.	2.53	Yes/No	
23	Tenderer to note that payment/advances/releasing of PG and SD will be done only when the required details are entered in Shramik Kalyan Portal only.	2.60	Yes/No	
24	Have your certificate regarding employment of Retired Gazetted officer	2.9 (x)	Yes/No	

#### Annexure -8

# (Bid Security)

Name of the Bank: -----

President of India,

Bank Guarantee Bond from any scheduled commercial bank of India (On non-judicial stamp paper, which should be in the name of the executing Bank).

Acting through, Railway,
Beneficiary: Railway
Bank Guarantee Bond No.:  In consideration of the President of India acting through (Designation & address of Contract Signing Authority), Railway,, (hereinafter called "The Railway") having invited the bid for through Notice inviting tender (NIT) No, We have been informed that [Insert name of the Bidder] (hereinafter called "the Bidder") intends to submit its bid (hereinafter called "the Bid").  WHEREAS, the Bidder is required to furnish Bid Security for the sum of [Insert required Value of Bid Security], in the form of Bank Guarantee, according to conditions of Bid.
AND
WHEREAS,[Insert Name of the Bank], with its Branch[Insert Address] having its Headquarters office at[Insert Address], hereinafter called the Bank, acting through[Insert Name and Designation of the authorised persons of the Bank], have, at the request of the Bidder, agreed to give guarantee for Bid Security as hereinafter contained, in favour of the Railway:
1. KNOW ALL MEN that by these present that I/We the undersigned [Insert name(s) of authorized representatives of the Bank], being fully authorized to sign and incur obligations for and on behalf of the Bank, confirm that the Bank, hereby, unconditionally and irrevocably guarantee to pay to the Railway full amount in the sum of [Insert required Value of Bid Security] as above stated.  2.The Bank undertakes to immediately pay on presentation of demand by the Railway any amount up to and including aforementioned full amount without any demur, reservation or recourse. Any such demand made by the Railway on the Bank shall be final, conclusive and binding, absolute and unequivocal on the Bank notwithstanding any disputes raised/ pending before any Court, Tribunal, Arbitration or any Authority or any threatened litigation by the Bidder or Bank.

#### E- Tender Notice No: M-SG-2025-473 3TeleWork Dated 31.10.2025

- 3. The Bank shall pay the amount as demanded immediately on presentation of the demand by Railway without any reference to the Bidder and without the Railway being required to show grounds or give reasons for its demand of the amount so demanded.
- 4. The guarantee hereinbefore shall not be affected by any change in the constitution of the Bank or in the constitution of the Bidder.
- 5. The Bank agrees that no change, addition, modifications to the terms of the Bid document or to any documents, which have been or may be made between the Railway and the Bidder, will in any way absolve the Bank from the liability under this guarantee; and the Bank, hereby, waives any requirement for notice of any such change, addition or modification made by Railway at any time.
- 6. This guarantee will remain valid and effective from............ [insert date of issue]till ......[insert date, which should be minimum 90 days beyond the expiry of validity of Bid]. Any demand in respect of this Guarantee should reach the Bank within the validity period of Bid Security.
- 7. The Bank Guarantee is unconditional and irrevocable.
- 8. The expressions Bank and Railway herein before used shall include their respective successors and assigns.
- 9. The Bank hereby undertakes not to revoke the guarantee during its currency, except with the previous consent in writing of the Railway. This guarantee is subject to the Uniform Rules for Demand Guarantees, ICC Publication No.758.
- 10. The Bank hereby confirms that it is on the SFMS (Structured Financial Messaging System) and shall invariably send the advice of this Bank Guarantee to the following bank details –

IFSC CODE	
IFSC TYPE	
BANK NAME	
BRANCH NAME	
CITY NAME	

#### E- Tender Notice No: M-SG-2025-473\_3TeleWork Dated 31.10.2025

ADDRESS	
DISTRICT	
STATE	
BG ENABLED	

11. The Guarantee shall be valid in addition to and without prejudice to any other security Guarantee(s) of Bidder in favour of the Railway. The Bank, under this Guarantee, shall be deemed as Principal Debtor of the Railway.

Place	Bank's Seal and authorized signature(s)
	[Name in Block letters]
	[Designation with Code No.]
	[P/Attorney] No.

#### Witness:

- 1 Signature, Name & Address & Seal
- 2 Signature, Name& address & Seal

Bank's Seal [P/Attorney]No.

Note: All italicized text is for guidance on how to prepare this bank guarantee and shall be deleted from the final document.

#### **Annexure-9**

#### **AVERAGE ANNUAL CONTRACTUAL TURNOVER CERTIFICATE**

**Each Bidder or each member of a JV must fill in this form separately:**NAME OF BIDDER/JV PARTNER:

Annual Contractual Turnover Data for the Previous 3/4 Years (Contractual Payment only)					
Year	Amount	Exchange	INR		
	Currency	Rate	Equivalent		
Average					

- 1. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover.
- 2. The information supplied shall be substantiated by data in the audited balance sheets and profit and loss accounts for the relevant years in respect of the bidder or all members constituting the bidder.

	ertified by a Cha y certified by the SEAL AND SIGN	Chartered	Accountant.
	nitted in this for observations/	m have be	en furnished
		of CA:	Accountant)
			(Seal)

\*\*\*\* END OF CHAPTER - 3 \*\*\*\*

# CHAPTER – 4 SCHEDULE OF WORKS AND SUPPLIES

# **Instructions for Quoting Rates:**

SL No.	Schedule	Scope	Instruction/Remarks
1.	Schedule - A	SOR items (S&T)	Detailed schedule has been uploaded on IREPS web site www.ireps.gov.in Tenderer has to submit percentage above/below /par for Schedule-A.
1.	Schedule -B	Non SOR Items (S&T)	Detailed schedule has been uploaded on IREPS web site www.ireps.gov.in Tenderer has to submit Individual Rate for each schedule Items for Schedule-B.

#### Note:

Schedule of works and supplies available in Chapter-4 is to facilitate the tenderer to understand the scope of work and for reference only. However, rate shall be quoted in IREPS web portal only.

#### **SCHEDULE OF WORKS**

Name of work: Telecommunication portion of works in connection with Renovation of PCEE's office, Renovation to ORH Rooms at MMC and Provision of CCTV camera system for The Lifts & Escalators.

BILL OF QUANTITIES are uploaded along with e-tender, which shall appear to the tenderer/bidder to offer their item wise rates for Schedule.

The tender schedule consists of Schedule-A consisting of SOR items and Schedule-B consist of Non SOR Items

Tenderer must quote a single percentage rate for Schedule A and item wise rates for Schedule-B.

The details of items of work and quantity are available in the NIT schedule and offer tab.

#### Note:

- 1. The quantities shown in above Bill of Quantities are approximate and are as a guide to give the tenderer(s) an idea of quantum of work involved. The Railway reserves the right to increase/ decrease and/or delete or include any of the quantities given above and no extra rate will be allowed on this account.
- 2. Tenderer may please note that if any other items of work covered under Southern Railway S&T Schedule of Rates 2022 but not provided above (i.e., in Schedule-A) are required to be carried out during the actual execution of work, these will have to be carried out at the <u>Same Percentage</u> as accepted for Schedule -A of this tender.
- 3. Refer Volume-II for full description of SOR items which is uploaded separately in IREPS. In case of any conflict between Volume-II and Special Conditions of Contract of the tender document, the later shall prevail.
- 4. All the drawing and manuals can be obtained from Office of Sr. DSTE/Co-ordn./MAS
- 5. I/We undertake to do the work at\_%above/below the Standard Schedule of Rates(SSOR) of the Railway as applicable to\_Division or at the rates quoted above for each item.

Dated	
Signature of the	Tenderer(s)

The Engineer in-charge can change the location/station i.e add or delete or modify, as per the Railway requirements while execution of the work.

### \*\*\*\* END OF CHAPTER - 4 \*\*\*\*

# **CHAPTER - 4A**

# DETAILED GUIDELINES FOR SCHEDULE OF WORKS & SUPPLIES

#### I. WITH RDSO INSPECTION:

As specified in Tender Schedules

#### II. WITH RITES INSPECTION

As specified in Tender Schedules

#### III. WITH CONSIGNEE INSPECTION

As specified in Tender Schedules

\* \* \* \* END OF CHAPTER 4A\* \* \* \*